

# State of Nevada Briefing to Nuclear Waste Technical Review Board

**Subject**                    Geochemical Concerns Regarding the Disturbed Zone  
                                  at the Proposed Nuclear Waste Repository,  
                                  Yucca Mountain, Nevada.

**Date**                        June 26, 1989

**Presenter**                Dr. Don L. Shettel, Jr.

**Title**                        Senior Geochemist,  
                                  Geochemical Program Co-Manager

**Organization**            Mifflin & Associates, Inc.  
                                  2700 East Sunset Road, Suite C25  
                                  Las Vegas, NV 89120

**Telephone**                (702) 798-0402



## Definition of the Disturbed Zone

"the portion of the controlled area the physical or chemical properties of which have changed as a result of underground facility construction or as a result of heat generated by the emplaced radioactive wastes such that the resultant change of properties may have a significant effect on the performance of the geologic repository." 10 CFR Part 60.2

NRC considers changes in permeability and porosity define the Disturbed Zone.

This ignores changes in state of the pore (and fracture) fluid and associated effects.



# Geochemical Concerns Regarding the Disturbed Zone

- Mass Transport (dissolution) in a Thermal Gradient
- Changes in Vadose Zone Water Chemistry:
  - Corrosion of Canisters
  - Leaching of Waste Forms
- Local Saturation Surrounding Dried Out Zone:
  - Perched Water Bodies above Repository
  - Saturated Fractures
- Thermal Fracturing of Repository Horizon Rock:
  - Boiling of Pore Water during Heating Phase
  - Massively Cemented Zones during Cooling




# Vadose Zone, Yucca Mountain, Nevada

Hydrogeologic Unit	Thickness Range, m	Remarks
Tiva Canyon, welded	0 - 150	
Paintbrush nonwelded	20 - 100	Partially Zeolitic
Topopah Spring welded	290 - 860	Repository Horizon
Calico Hills nonwelded (vitric)	100 - 400	Potential Retardation
Calico Hills nonwelded (zeolitic)		 Standing Water Level
Crater Flat unit: Prow Pass, Bullfrog, Tram members	0 - 200	



# Mass Transport

## Thermal Gradient Reactor Experiment



## **Changes in Vadose Water Chemistry within the Disturbed Zone**

- **Boiling of Vadose Zone Water Produces:**

High pH waters (pH jumps to 9 with small amounts of boiling,  
and is over 10 near dryness)

Mineral Precipitates of Calcite, Amorphous Silica, Albite, and Talc

- **Condensation of Boiled Gases Produces:**

Carbonic Acid Liquid with pH of 6 at 100°C (4.6 at 25°C)

Series of Mineral Assemblages (when reacted with welded tuff)  
that include Alkali Feldspar, Zeolites, Hematite, Amorphous Silica,  
Laumontite, and Pyrophyllite.



# Stability of Sorbing Minerals

## Example: Clinoptilolite

Stability of Clinoptilolite decreases with increasing Temperature ( $\Rightarrow$  Kaolinite)

Aqueous Al activity ( $\Rightarrow$  Kaolinite  $\pm$  Pyrophyllite)

Aqueous activity ratio of  $\text{Na}^+/\text{H}^+$  ( $\Rightarrow$  Albite)

Aqueous activity ratio of  $\text{Ca}^{2+}/\text{H}^+$  ( $\Rightarrow$  Calcite  $\pm$  Epistilbite  $\pm$  Scolecite)

Stability increases with increasing aqueous Silica activity.

**CONCLUSION:** Clinoptilolite will become unstable within the Disturbed Zone as boiling of vadose waters proceeds.



## Redistribution of Water Within Disturbed Zone

Water in Topopah Spring matrix = Porosity \* Mean Saturation  
= 0.11 \* 0.65  
= 0.0715 (7.15% by volume)

Initial areal power density of 57 kw/acre, 95°C isotherm will reach maximum extent of 20m (10m above and below midline of repository) in approximately 90 years.

Volume of displaced liquid water = 2,000 acres \* 20m \* 0.0715  
= 9,381 acre-feet

**RESULT:** Extensive envelope of fracture (and perhaps matrix) saturation totally surrounds repository. Recharge flux also accumulates.




## **A Site Specific, Realistically Defined Disturbed Zone**

**Is Required to be able to calculate:**

- **Travel Time**
- **Colloid and Particulate Transport**
- **Mineral Stability**
- **Changes in Vadose Water Chemistry**



# Schematic Diagram Disturbed Zone Boundary



## Conclusions Regarding the Disturbed Zone

- **Significant Mass Transport may occur that could:**
  - **Affect the mechanical stability of the repository horizon**
  - **Cause local changes in permeability and porosity.**
- **Irreversible alteration of potentially sorbing minerals.**
- **Significant changes in Vadose Water Chemistry would affect**
  - **Corrosion rates of canisters, and**
  - **Dissolution rates of the waste form.**
- **Redistribution of water within and near the Repository by the thermal pulse may result in:**
  - **Thermal fracturing of repository-level host rock, and**
  - **Formation of locally saturated zones by condensation.**



**Mifflin & Associates, Inc.**  
2700 East Sunset Road, Suite C25  
Las Vegas, NV 89120  
(702) 798-0402, -3026, & -0545  
FAX: (702) 798-6074

### References for Disturbed Zone Talk

Bowers, T. S. and Burns, R. G., 1988, Activity Diagrams for Clinoptilolite: susceptibility of this zeolite to further diagenetic reactions: *American Mineralogist* [manuscript submitted].

Newcomb, W. D. and Rimstidt, J. D., 1988, An experiment to simulate mass transport near Yucca Mountain High Level Radioactive Waste Repository: Abstract presented at the 100th Geological Society of America Annual Meeting, Denver, Colorado.

Reed, M. H. and Spycher, N. F., 1988, Chemical modeling of boiling, condensation, fluid-fluid mixing and water rock reaction using programs CHILLER and SOLVEQ: Abstract presented at the 196th American Chemical Society Meeting, Symposium on Chemical Modeling of Aqueous Systems II, Los Angeles, California.

## VITAE

### DON L. SHETTEL, JR.

#### EDUCATION:

Ph.D., 1978, Pennsylvania State University, in Geochemistry and Mineralogy.

M.Sc., 1974, Pennsylvania State University, in Geochemistry.

B.Sc., 1971, University of Michigan, in Geology (with honors).

#### PROFESSIONAL EXPERIENCE:

Senior Geochemist, Treasurer, and Associate, Mifflin & Associates, Inc., Las Vegas, Nevada.

As a technical consultant to the State of Nevada's Nuclear Waste Project Office, monitored and evaluated federal environmental assessment and site characterization efforts at the Yucca Mountain proposed nuclear waste repository. Conducted geochemical research on suitability of Yucca Mountain as the nation's first nuclear waste repository. Performed geochemical and hydrogeological modeling of vadose zone to determine extent of "disturbed zone." Oversaw development of quality assurance and quality control program for drilling and sampling of the vadose zone in the vicinity of Yucca Mountain. Reviewed technical documents of DOE and their subcontractors pertaining to the nuclear waste repository. 1986 to present.

Senior Research Geochemist, Reservoir Diagenesis Section, Exxon Production Research Company, Houston, Texas. Improved porosity prediction by investigating sandstone diagenesis by geochemical modeling (EQ3/6), isotopic methods, mass balance calculations, and microscopy. Developed model for carbonate cementation in sandstones based in part on stable isotope geochemistry and microscopy of sandstones from around the world. Established stable isotope laboratory for carbon and oxygen isotopic measurements on carbonates in rocks and calcareous microfossils that resulted in improved turn-around time and quality control of isotope analyses. Supervised and trained a technician to operate laboratory, 1982 to 1986.

Staff Geoscientist, Data Integration Group, Geology Division, Bendix Field Engineering Corporation, Grand Junction, Colorado. Improved uranium resource assessment by developing computer software and standardizing statistical analysis procedures for the interpretation and display of geochemical exploration data. Interpreted over 250,000 hydrogeochemical and stream-sediment samples consisting of over 5 million analyses and reported results. Combined solution-mineral equilibria computer models (PHREEQE and WATEQF) with standard interpretation techniques of geochemical data that aided uranium resource assessment. Supervised three professionals and one technician to develop and use software for interpretation of geochemical exploration data, 1978 to 1982.

Faculty Research Associate (Geochemistry Section), Arizona State University, Department of Chemistry, Tempe, Arizona. Designed and tested a mixing cell for performing calorimetry on geothermal brines, 1977 to 1978.

Research Assistant, Department of Geosciences, Pennsylvania State University, University Park, Pennsylvania. Conducted hydrothermal experiments and stable isotope mass spectrometry that resulted in a new model for low  $^{18}\text{O}$  magmas. Built fluorination line for oxygen isotopic analyses of silicates and trained other research assistants in its use which enabled completion of research. Developed computer software for geochemical calculations of fluid and isotopic equilibria and mineral stability, 1971 to 1977.

Assistant Field Geologist, Mineral Exploration Division, Humble Oil & Refining Company, Bangor, Maine. Conducted reconnaissance geologic mapping and geochemical and geophysical surveys that resulted in prospects for drilling, Summer 1971.

#### PROFESSIONAL AFFILIATIONS:

American Association for the Advancement of Science  
American Geophysical Union  
Apple Programmers and Developers Association  
Association of Ground Water Scientists and Engineers (a division of NWWA)  
Computer Oriented Geological Society  
Geochemical Society  
International Association of Geochemistry and Cosmochemistry  
International Association of Mathematical Geologists

#### PUBLICATIONS:

- Rimstidt, J.D., W.D. Newcomb, and D.L. Shettel, Jr., 1989, An experiment to simulate mass transport near the Yucca Mountain High Level Radioactive Waste Repository (in preparation for submittal to Applied Geochemistry).
- Rimstidt, J.D., W.D. Newcomb, and D.L. Shettel, Jr., 1989, A vertical thermal gradient experiment to simulate conditions in vapor dominated geothermal systems, epithermal gold deposits, and high level radioactive waste repositories in unsaturated media (abstract submitted to International Water-Rock Conference, Malvern, England).
- Zinkl, R. J., D. L. Shettel, Jr., and R. F. D'Andrea, Jr., 1982a, PLTLBL: A FORTRAN computer program for labeling geochemical sample locations: U.S. Dept. of Energy Open-File Report GJBX-192(82).
- Zinkl, R. J., D. L. Shettel, Jr., and R. F. D'Andrea, Jr., 1982b, PLTSYM: A FORTRAN computer program to plot Canadian symbol location maps for hydrogeochemical and stream sediment reconnaissance data: U.S. Dept. of Energy Open-File Report GJBX-193(82).
- Shettel, D. L., Jr., 1981, Comparison of solution-mineral equilibria with single- and multi-element statistical techniques for uranium exploration: east-central Minnesota detailed hydrogeochemical survey: Talk presented at the Joint USGS-DOE-BFEC Uranium Geology Symposium at the Colorado School of Mines, Golden, Colorado, May 4-5, 1981.
- Shettel, D. L., Jr., R. F. D'Andrea, Jr., and R. J. Zinkl, 1981, Comparison of solution-mineral equilibria with single element and statistical methods in hydrogeochemical exploration of uranium (abstr.): Bulletin of the American Association of Petroleum Geologists, vol. 65, no. 5, p. 992. (Poster session at AAPG Annual Mtg., San Francisco, California).
- Zinkl, R. J., R. F. D'Andrea, Jr., and D. L. Shettel, Jr., 1981a, OREDIT: A FORTRAN computer program to process Oak Ridge HSSR [hydrogeochemical and stream sediment reconnaissance] data: U.S. Dept. of Energy Open-File Report GJBX-10(81).
- Zinkl, R. J., R. F. D'Andrea, Jr., and D. L. Shettel, Jr., 1981b, FORTRAN computer programs to read, sort, and edit Los Alamos hydrogeochemical data: U.S. Dept. of Energy Open-File Report GJBX-11(81).
- Shettel, D. L., Jr., and R. F. D'Andrea, Jr., 1981, Application of solution- mineral equilibria in hydrogeochemical exploration for unconformity-related uranium deposits (abstr.): Abstracts with Program, Geological Society of America Annual Mtg., Cincinnati, Ohio. (Poster session).
- Shettel, D. L., Jr., R. F. D'Andrea, Jr., and R. J. Zinkl, 1980a, LLSRT: A FORTRAN program for processing Lawrence Livermore Laboratory HSSR [hydrogeochemical and stream sediment reconnaissance] data: U.S. Dept. of Energy Open-File Report GJBX-247(80).
- Shettel, D. L., Jr., R. F. D'Andrea, Jr., and R. J. Zinkl, 1980b, FACEDT: A FORTRAN program to process hydrogeochemical and stream sediment reconnaissance data for multivariate statistical analysis: U.S. Dept. of Energy Open-File Report GJBX-247(80).
- Zinkl, R. J., D. L. Shettel, Jr., and R. F. D'Andrea, Jr., 1980, FORTRAN computer programs for processing Savannah River Laboratory HSSR [hydrogeochemical and stream

- sediment reconnaissance] data: U.S. Dept. of Energy Open-File Report GJBX-248(80).
- D'Andrea, R. F., Jr., D. L. Shettel, Jr., and R. J. Zinkl, 1980, Application of regional geochemical data to uranium exploration (abstr.): Bulletin of the American Association of Petroleum Geologists, vol. 64, no. 5, p. 695-696. (Poster session at AAPG Annual Mtg., Denver, Colorado).
- Shettel, D. L., Jr., 1978, Experimental determination of oxygen isotopic fractionation between H<sub>2</sub>O and hydrous silicate melts: Ph.D. Thesis, The Pennsylvania State University, 115 p.
- Kogarko, L. N., C. W. Burnham, and D. L. Shettel, Jr., 1977, The role of water in agpaitic magmas (in Russian): Geokhimiya 1977(5), p. 643-651.
- Shettel, D. L., Jr., and H. Ohmoto, 1976, Oxygen isotopic fractionation between hydrous silicate melts and H<sub>2</sub>O: Abstracts with Program, Geological Society of America Annual Mtg., Denver, Colorado, p. 1105.
- Ohmoto, H., D. M. Kerrick, and D. L. Shettel, Jr., 1975, Stability of graphite-bearing metamorphic mineral assemblages in P-T-fO<sub>2</sub> space: Abstracts with Program, Geological Society of America Annual Mtg., Salt Lake City, Utah, p. 1217-1218.
- Ohmoto, H. and D. L. Shettel, 1974, Effect of fO<sub>2</sub> on the hydrogen and oxygen isotopic compositions of minerals at high temperatures and pressures: Abstracts with Program, Geological Society of America Annual Mtg., Miami Beach, p. 898.
- Shettel, D. L., Jr., 1974, The solubility of quartz in supercritical H<sub>2</sub>O-CO<sub>2</sub> fluids: M.Sc. Thesis, The Pennsylvania State University, 52 p.
- Burnham, C. W., B. N. Ryzhenko, and D. L. Shettel, 1973, Water solubility of corundum at 500°-800°C and 6kb: Geokhimiya, no.12, p. 1880, and Geochem. Internat., vol. 10, p. 1374.
- Shettel, D. L., Jr., 1973, The solubility of quartz in H<sub>2</sub>O-CO<sub>2</sub> fluids at 5kb and 500°-900°C: EOS, vol. 54, p. 480.
- Essene, E. J., V. J. Wall, and D. L. Shettel, 1973, Equilibria in CaO-MgO-SiO<sub>2</sub>-H<sub>2</sub>O: EOS, vol. 54, p. 480.

#### CONSULTANT REPORTS FOR THE STATE OF NEVADA:

- Mifflin & Associates, Inc., 1988, Review of: Consultation Draft of the Site Characterization Plan, Yucca Mountain Site, Nevada Research and Development Area, Nevada (DOE/RW-0160, January 1988).
- Mifflin & Associates, Inc., 1987, Technical Review Comments on the Environmental Assessment: Yucca Mountain Site, Nevada Research and Development Area, Nevada ( May 1986, Vols. I, II, III [DOE/RW-0073]).
- Johnson, C.L., M.D. Mifflin, and D.L. Shettel, Jr., 1986, Review and Recommendations on: Draft Generic Technical Position on Groundwater Travel Time by R. Codell, U.S.N.R.C., 30 June 1986.

#### UNITED STATES DEPT. OF ENERGY OPEN-FILE REPORTS (with R. F. D'Andrea, R. J. Zinkl, S. L. Langfeldt, and C. A. Youngquist):

- Uranium hydrogeochemical and stream sediment reconnaissance [H.S.S.R.] of the Tucumcari NTMS Quadrangle, New Mexico/Texas: Bendix Field Engineering Corp. Rept. No. GJBX-183(81), 88 p., 4 pl., October, 1981.
- Uranium H.S.S.R. of the Haure NTMS Quadrangle, Montana: Bendix Field Engineering Corp. Rept. No. GJBX-184(81), 149 p., 5 pl., October, 1981.
- Uranium H.S.S.R. of the Lake Clark NTMS Quadrangle, Alaska: Bendix Field Engineering Corp. Rept. No. GJBX-203(81), 114 p., 5 pl., August, 1981.
- Uranium H.S.S.R. of the Anchorage NTMS Quadrangle, Alaska: Bendix Field Engineering

- Corp. Rept. No. GJBX-204(81), 132 p., 5 pl., August, 1981.
- Uranium H.S.S.R. of the Christian NTMS Quadrangle, Alaska: Bendix Field Engineering Corp. Rept. No. GJBX-205(81), 109 p., 5 pl., August, 1981.
- Uranium H.S.S.R. of the Kerai NTMS Quadrangle, Alaska: Bendix Field Engineering Corp. Rept. No. GJBX-206(81), 86 p., 5 pl., August, 1981.
- Uranium H.S.S.R. of the Norton Bay NTMS Quadrangle, Alaska: Bendix Field Engineering Corp. Rept. No. GJBX-207(81), 1981.
- Uranium H.S.S.R. of the Ambler River NTMS Quadrangle, Alaska: Bendix Field Engineering Corp. Rept. No. GJBX-208(81), 149 p., 6 pl., August, 1981.
- Uranium H.S.S.R. of the White Sulfur Springs NTMS Quadrangle, Montana: Bendix Field Engineering Corp. Rept. No. GJBX-226(81), 198 p., 13 pl., November, 1981.
- Uranium H.S.S.R. of the Wiseman NTMS Quadrangle, Alaska: Bendix Field Engineering Corp. Rept. No. GJBX-257(81), 99 p., 3 pl., September, 1981.
- Uranium H.S.S.R. of the Hughes NTMS Quadrangle, Alaska: Bendix Field Engineering Corp. Rept. No. GJBX-258(81), 75 p., 8 pl., September, 1981.
- Uranium H.S.S.R. of the Philip Smith Mountains NTMS Quadrangle, Alaska: Bendix Field Engineering Corp. Rept. No. GJBX-259(81), 114 p., 8 pl., September, 1981.
- Uranium H.S.S.R. of the Skagway NTMS Quadrangle, Alaska: Bendix Field Engineering Corp. Rept. No. GJBX-260(81), 58 p., 8 pl., September 1981.
- Uranium H.S.S.R. of the Yakutat NTMS Quadrangle, Alaska: Bendix Field Engineering Corp. Rept. No. GJBX-261(81), 97 p., 7 pl., September, 1981.
- Uranium H.S.S.R. of the Baird Mountain NTMS Quadrangle, Alaska: Bendix Field Engineering Corp. Rept. No. GJBX-262(81), 97 p., 7 pl., September, 1981.
- Uranium H.S.S.R. of the Denver NTMS Quadrangle, Colorado: Bendix Field Engineering Corp. Rept. No. GJBX-263(81), 159 p., 18 pl., November, 1981.
- Uranium H.S.S.R. of the Grand Junction NTMS Quadrangle, Colorado: Bendix Field Engineering Corp. Rept. No. GJBX-264(81), 144 p., 8 pl., November, 1981.
- Uranium H.S.S.R. of the Greeley NTMS Quadrangle, Colorado: Bendix Field Engineering Corp. Rept. No. GJBX-265(81), 146 p., 10 pl., November, 1981.

#### EXXON PRODUCTION RESEARCH COMPANY PUBLICATIONS:

- Petrography of Vicksburg Formation Core Samples from K. R. Seeligson E-117 Well, Borregas Field, Kleberg County, Texas: September, 1983, EPR.196ES.83. [with S.T.Paxton].
- Petrography and Mineralogy of Sidewall Cores from the Lower Frio Marine Sands - K.R. Alazan No. 400 Well, North Alazan Field, Kleberg County, Texas: October 1983, EPR.222ES.83. [with S. T. Paxton and A. L. Kidwell].
- Petrography, Mineralogy, and Geochemistry of Core Samples from Fulmar Formation Sandstones - 21/18-2A, 21/18-3, and 21/18-4 Wells, Snipe Field, North Sea, United Kingdom: April 1984, EPR.68ES.84. [senior author with J. H. Anderson, R. E. Klimentidis, M. J. Klosterman, G. M. Lafon, and C. S. Calvert].
- Radiometric Age Dates for Two Tuff Samples from the Cuyo Basin, Argentina: July, 1984, EPR.143ES.84.
- Isotope Geochemistry of Anhydrite Core Samples from the Exxon #1 Southern Minerals and Exxon #1 State Lease 538-1 Wells: July, 1985, EPR.143ES.85.
- Stable Isotope Geochemistry of Core Samples from the Means San Andres Unit, Andrews County, Texas: September, 1985, EPR.177ES.85.
- A Pilot Study of the Carbonate-Cemented Thomson Sand, Pt. Thomson Field, North Slope, Alaska: October, 1985, EPR.180ES.85 [with J. O. Szabo and R. E. Klimentidis].
- Preservation of Primary Porosity in Deep Tuscaloosa Sandstones: A New Play Concept: April 1986, EPR.53EX.86 [contributing author with S. T. Paxton, J. O. Szabo, F. W. Stapor, K. O. Stanley, and R. A. McCallister].
- Reservoir Quality of the South Texas Frio Formation: Interaction of Depositional and Diagenetic Controls: 1986, in prep. [with A. Cochran, C. S. Calvert, A. Jennssen, and

R. E. Klimentidis].

Shale diagenesis as a silicate cement source for sandstone reservoirs: Frio Formation of south Texas, a case study: 1986, in prep. [with C. S. Calvert, R. E. Klimentidis, and A. Cochran].

Reservoir Quality of the East Texas Frio Formation: 1986, in prep. [with A. Cochran, C. S. Calvert, and R. E. Klimentidis].

Latrobe Formation Regional Diagenesis Study, Gippsland Basin, Australia: 1986, in prep. [contributor with R.A. McCallister, W. J. Harrison, F.-C. Lin, R. E. Klimentidis, and J. O. Szabo].