

---

---

U.S. NUCLEAR WASTE  
TECHNICAL REVIEW BOARD

---

---

Report to  
The U.S. Congress  
And  
The Secretary of Energy



January 1, 2002, to December 31, 2002

---

All NWTRB reports are available at [www.nwtrb.gov](http://www.nwtrb.gov), the NWTRB Web site.

---



UNITED STATES  
NUCLEAR WASTE TECHNICAL REVIEW BOARD  
2300 Clarendon Boulevard, Suite 1300  
Arlington, VA 22201

April 2003

The Honorable J. Dennis Hastert  
Speaker of the House  
United States House of Representatives  
Washington, D.C. 20515

The Honorable Ted Stevens  
President Pro Tempore  
United States Senate  
Washington, D.C. 20510

The Honorable E. Spencer Abraham  
Secretary  
U.S. Department of Energy  
Washington, D.C. 20585

Dear Speaker Hastert, Senator Stevens, and Secretary Abraham:

The Nuclear Waste Technical Review Board submits this *Report to The U.S. Congress and The Secretary of Energy* in accordance with provisions of the Nuclear Waste Policy Amendments Act of 1987, Public Law 100-203, which requires the Board to report its findings and recommendations to Congress and the Secretary of Energy at least two times each year.

Congress created the Board to evaluate the technical and scientific validity of activities undertaken by the Secretary of Energy related to implementing the Nuclear Waste Policy Act of 1982. In this report, the Board summarizes its major activities from January 1, 2002, through December 31, 2002.

During that period, the Board evaluated the technical basis for the DOE's work related to a site recommendation and provided the Board's views to the administration, Congress, and the public in letters and congressional testimony. Following congressional approval of the Yucca Mountain site, the Board continued its ongoing technical and scientific review of DOE activities. Letters to the DOE related to technical issues identified by the Board as part of its ongoing evaluation are included in an appendix to the report. Also included in the appendices are the Board's strategic plan for fiscal years 2003-2008, its performance plans for FY 2003 and FY 2004, and its performance evaluation for FY 2002.

The Board believes that information in the Board's report will be useful as important decisions are made on managing the nation's spent nuclear fuel and high-level radioactive waste.

We thank you for this opportunity to present the Board's views.

Sincerely,

A handwritten signature in black ink, reading "Michael Corradini". The signature is written in a cursive style with a large initial "M" and a long horizontal flourish at the end.

Michael L. Corradini  
Chairman

---

# NUCLEAR WASTE TECHNICAL REVIEW BOARD 2002

Dr. Jared L. Cohon, Chairman<sup>1</sup>  
*Carnegie Mellon University  
Pittsburgh, Pennsylvania*

Dr. David J. Duquette<sup>2</sup>  
*Rensselaer Polytechnic Institute  
Troy, New York*

Dr. Michael L. Corradini, Chairman<sup>2</sup>  
*University of Wisconsin-Madison  
Madison, Wisconsin*

Dr. Debra S. Knopman  
*RAND Corporation  
Arlington, Virginia*

Dr. Mark D. Abkowitz<sup>2</sup>  
*Vanderbilt University  
Nashville, Tennessee*

Dr. Ronald M. Latanision<sup>2</sup>  
*Massachusetts Institute of Technology  
Boston, Massachusetts*

Mr. John W. Arendt<sup>3</sup>  
*John W. Arendt Associates, Inc.  
Oak Ridge, Tennessee*

Dr. Priscilla P. Nelson  
*National Science Foundation  
Arlington, Virginia*

Dr. Daniel B. Bullen  
*Iowa State University  
Ames, Iowa*

Dr. Richard R. Parizek  
*The Pennsylvania State University  
State College, Pennsylvania*

Dr. Thure E. Cerling<sup>2</sup>  
*University of Utah  
Salt Lake City, Utah*

Dr. Donald D. Runnells<sup>1</sup>  
*University of Colorado, Emeritus  
Fort Collins, Colorado*

Dr. Norman L. Christensen, Jr.  
*Duke University  
Durham, North Carolina*

Dr. Alberto A. Sagüés<sup>1</sup>  
*University of South Florida  
Tampa, Florida*

Dr. Paul P. Craig  
*University of California, Davis, Emeritus  
Davis, California*

Dr. Jeffrey Wong<sup>1</sup>  
*California Environmental Protection Agency  
Sacramento, California*

<sup>1</sup> Until June 25, 2002

<sup>2</sup> Since June 26, 2002

<sup>3</sup> Died April 21, 2002

### **Executive Staff**

William D. Barnard	<i>Executive Director</i>
Joyce M. Dory	<i>Director of Administration</i>

### **Technical Staff**

Carlos A.W. Di Bella	<i>Senior Professional Staff</i>
David M. Diodato	<i>Senior Professional Staff</i>
Daniel J. Fehringer	<i>Senior Professional Staff</i>
Daniel S. Metlay	<i>Senior Professional Staff</i>
John H. Pye	<i>Senior Professional Staff</i>
Leon Reiter	<i>Senior Professional Staff</i>

### **External Affairs Staff**

Karyn D. Severson	<i>Director</i>
Paula N. Alford	<i>International Programs</i>

### **Publications Staff**

William D. Harrison	<i>Production Consultant</i>
---------------------	------------------------------

### **Administrative & Support Staff**

Davonya S. Barnes	<i>Staff Assistant</i>
Linda Coultry	<i>Staff Assistant</i>
Linda L. Hiatt	<i>Management Analyst</i>
Victoria F. Reich	<i>Librarian</i>

---

# Table of Contents

<b>Executive Summary</b> .....	1
<b>Board Activities</b> .....	3
I. Recommendation and Approval of the Yucca Mountain Site .....	3
II. The Board’s Input Into the Process for Recommending and Approving the Yucca Mountain Site .....	4
III. Board Findings and Recommendations .....	5
IV. Other Board Undertakings .....	8
V. The Board in Transition .....	8
VI. Evaluation of the Board’s Performance During 2002 .....	9
<b>Abbreviations and Acronyms</b> .....	11
<b>Glossary</b> .....	13
<b>References</b> .....	17
<b>Appendices</b> .....	19
Appendix A U.S. Nuclear Waste Technical Review Board Members .....	21
Appendix B 2002 Meeting List .....	37
Appendix C Panel Organization .....	39
Appendix D U.S. Nuclear Waste Technical Review Board Publications .....	41
Appendix E Communication Between U.S. Nuclear Waste Technical Review Board and U.S. Department of Energy .....	47
Appendix F Communication Between U.S. Nuclear Waste Technical Review Board and Congress .....	99
Appendix G U.S. Nuclear Waste Technical Review Board Strategic Plan: Fiscal Years 2003–2008 .....	135
Appendix H U.S. Nuclear Waste Technical Review Board Performance Plan and Evaluation: Fiscal Year 2002 .....	143
Appendix I U.S. Nuclear Waste Technical Review Board Performance Plan: Fiscal Year 2003 .....	153
Appendix J U.S. Nuclear Waste Technical Review Board Performance Plan: Fiscal Year 2004 .....	159

---

# Executive Summary

In 1987, the U.S. Nuclear Waste Technical Review Board (Board) was created as an independent federal agency by Congress in the Nuclear Waste Policy Amendments Act. The Board was charged with evaluating the technical and scientific validity of the U.S. Department of Energy's (DOE) efforts to develop a system for disposing of high-level radioactive waste and spent nuclear fuel. The Board is required to report its findings and recommendations to Congress and the Secretary of Energy at least twice a year. This document describes activities undertaken by the Board between January 1 and December 31, 2002.\*

On January 24, 2002, the Board released a letter report to the Speaker of the House of Representatives, Dennis Hastert; the President Pro Tempore of the Senate, Robert Byrd; and the Secretary of Energy, Spencer Abraham. In the report, the Board made the following key points.

- In evaluating the DOE's technical and scientific work related to individual natural and engineered components of the proposed repository system, the Board finds varying degrees of strength and weakness. Such variability is not surprising, given that the Yucca Mountain project is in many respects a first-of-a-kind, complex undertaking. When the DOE's technical and scientific work is taken as a whole, the Board's view is that the technical basis for the DOE's repository performance estimates is weak to moderate at this time.
- The Board makes no judgment on the question of whether the Yucca Mountain site should be recommended or approved for repository development. Those judgments, which involve a number of public policy considerations as well as an assessment of how much technical certainty is necessary at various decision points, go beyond the Board's congressionally established mandate.
- The DOE uses a complex integrated performance assessment model to project the performance of the repository system. Performance assessment is a useful tool because it assesses how well the repository system as a whole, not just the site or the engineered components, might perform. However, gaps in data and basic understanding cause important uncertainties in the concepts and assumptions on which the DOE's performance estimates are now based. Because of these uncertainties, the Board has limited confidence in current performance estimates generated by the DOE's performance assessment model.
- This is not an assessment of the Board's level of confidence in the Yucca Mountain site. At this point, no individual technical or scientific factor has been identified that would automatically eliminate Yucca Mountain from consideration as the site of a permanent repository.
- An international consensus is emerging that a fundamental understanding of the potential

---

\*The period of this report overlaps with the period of the report issued by the Board in 2002 (NWTRB 2002c) by one month, January 2002. The overlap is necessary because the key events that took place during that month, the Bush Administration's approval of the Yucca Mountain site for development as a repository and the Board's report on the technical basis for that decision, provide the essential context for what happened during the rest of the year.

behavior of a proposed repository system is of importance comparable to the importance of showing compliance with regulations. The Board agrees that such basic understanding is very important.

- Confidence in waste package and repository performance potentially could increase if the DOE adopts a low-temperature repository design. However, a full and objective comparison of high- and low-temperature repository designs should be completed before the DOE selects a final repository design concept.
- The DOE can increase confidence in its performance estimates by, among other things, developing multiple lines of evidence and strengthening its arguments about defense-in-

depth. It also can work to ensure better integration of new data and analyses, monitor repository performance, develop a strategy for modifying or stopping repository construction and waste emplacement if unforeseen circumstances are encountered, and continue external review of its technical and scientific activities.

Three full Board meetings were held in 2002. After each meeting, the Board wrote a letter to the head of the DOE's repository program setting forth its findings and recommendations for improving the program. The recommendations focused on issues relating to repository design, understanding flow in the unsaturated zone, and the analyses used in performance assessments.

## Board Activities

The U.S. Nuclear Waste Technical Review Board (Board) was established by Congress in the Nuclear Waste Policy Amendments Act (NWPAA) (U.S. Congress 1987). The NWPAA requires the Board to evaluate the technical and scientific validity of the work undertaken by the U.S. Department of Energy (DOE) to develop a mined geologic repository system for disposing of high-level radioactive waste (HLW) and spent nuclear fuel (SNF) produced by the nation's nuclear defense complex and commercial nuclear power plants. Between January 1, 2002, and December 31, 2002, the period covered by this report, the DOE, the Bush Administration, and Congress reached several important milestones.\*

### I. Recommendation and Approval of the Yucca Mountain Site

For more than two decades, the DOE has been characterizing Yucca Mountain in Nevada to evaluate the suitability of the site for constructing a mined geologic repository for the permanent disposal of HLW and SNF. The DOE also has been preparing designs of the package that would contain the waste for disposal and of the repository's surface and subsurface complexes.

On January 10, 2002, Secretary of Energy Spencer Abraham notified the Nevada governor and legislature that he intended to recommend to President George W. Bush that Yucca Mountain be approved

as the site of a geologic repository for HLW and SNF (Abraham 2002a). The Secretary officially recommended the site to the President (Abraham 2002b, DOE 2002a) on February 14, 2002. At the same time, the DOE published the final environmental impact statement (FEIS) for Yucca Mountain (DOE 2002b), *Science and Engineering Report, Rev. 1* (DOE 2002c), *Site Suitability Evaluation* (2002d), and a document compiling the DOE's responses to public and agency comments on previously released reports (DOE 2002e). On February 15, 2002, the President informed Congress that he had accepted the Secretary's recommendation (Bush 2002).

Under the Nuclear Waste Policy Act (NWPA), the State of Nevada has 60 days to exercise its right to disapprove the selection of the site, which it did on April 8, 2002 (Guinn 2002a, Guinn 2002b). If the State disapproves the selection of the site, Congress has 90 days of continuous session to decide whether to sustain or overturn the State's objection. On May 8, 2002, the House of Representatives voted in favor of a resolution to approve the site, effectively overturning the State's veto; on July 9, 2002, the Senate followed suit. On July 23, 2002, President Bush signed House Joint Resolution 87, formally certifying Yucca Mountain as the presumptive site for the nation's first HLW and SNF repository and authorizing the DOE to file an application with the U.S. Nuclear Regulatory Commission (NRC) for permission to construct the facility.

---

\*The period of this report overlaps with the period of the report issued by the Board in 2002 (NWTRB 2002c) by one month, January 2002. The overlap is necessary because the key events that took place during that month, the Bush Administration's approval of the Yucca Mountain site for development as a repository and the Board's report on the technical basis for that decision, provide the essential context for what happened during the rest of the year.

The State of Nevada's opposition to developing a repository at Yucca Mountain was not limited to the congressional arena. Starting in 2001, it filed lawsuits seeking to invalidate regulations issued by the U.S. Environmental Protection Agency, the NRC, and the DOE. It also objected to the DOE's FEIS, the Secretary's site recommendation, and the President's approval of that recommendation. Finally, the State challenged the constitutionality of the entire site recommendation process. The lawsuits were still pending at the end of 2002.

## II. The Board's Input Into the Process for Recommending and Approving the Yucca Mountain Site

Aside from the Board's ongoing responsibility to evaluate the scientific and technical validity of the DOE's activities, the NWPAA does not assign the Board any formal responsibility or authority in the site recommendation and approval process. However, its review of the DOE's investigations at Yucca Mountain over the last dozen years placed the Board in a unique position to advise Congress on the technical basis for developing a repository at that site. On December 11, 2001, the Board informed the Secretary that it was preparing a comprehensive report on that subject (Cohon 2001).

In preparing that report, the Board evaluated the full range of scientific and technical activities undertaken by the DOE to determine site suitability. It paid special attention to work that the DOE carried out to address the priorities that the Board announced in January 2001. The priorities are the following:

- Meaningful quantification of conservatisms and uncertainties in the DOE's performance assessments
  - Progress in understanding the underlying fundamental processes involved in predicting the rate of waste package corrosion
  - An evaluation and a comparison of the base-case repository design with a low-temperature design
  - Development of multiple lines of evidence to support the safety case of the proposed repository. The lines of evidence should be derived independently of performance assessment and thus not be subject to the limitations of performance assessment.
- In addition to these overarching priorities, the Board made recommendations about other investigations and studies that could support, complement, and supplement the four areas. Those investigations and studies included research on the unsaturated and saturated zones.
- On January 24, 2002, the Board issued its report to Congress and the Secretary of Energy (NWTRB 2002a). The report's key findings, conclusions, and recommendations were as follows:
- In evaluating the DOE's technical and scientific work related to individual natural and engineered components of the proposed repository system, the Board finds varying degrees of strength and weakness. Such variability is not surprising, given that the Yucca Mountain project is in many respects a first-of-a-kind, complex undertaking. When the DOE's technical and scientific work is taken as a whole, the Board's view is that the technical basis for the DOE's repository performance estimates is weak to moderate at this time.
  - The Board makes no judgment on the question of whether the Yucca Mountain site should be recommended or approved for repository development. Those judgments, which involve a number of public policy considerations as well as an assessment of how much technical certainty is necessary at various decision points, go beyond the Board's congressionally established mandate.
  - The DOE uses a complex integrated performance assessment model to project the performance of the repository system. Performance assessment is a useful tool because it assesses how well the repository system as a whole, not just the site or the engineered components, might perform. However, gaps in data and basic understanding cause important uncertainties in the concepts and assumptions on

which the DOE's performance estimates are now based. Because of these uncertainties, the Board has limited confidence in current performance estimates generated by the DOE's performance assessment model.

- This is not an assessment of the Board's level of confidence in the Yucca Mountain site. At this point, no individual technical or scientific factor has been identified that would automatically eliminate Yucca Mountain from consideration as the site of a permanent repository.
- An international consensus is emerging that a fundamental understanding of the potential behavior of a proposed repository system is of importance comparable to the importance of showing compliance with regulations. The Board agrees that such basic understanding is very important.
- Confidence in waste package and repository performance potentially could increase if the DOE adopts a low-temperature repository design. However, a full and objective comparison of high- and low-temperature repository designs should be completed before the DOE selects a final repository design concept.
- The DOE can increase confidence in its performance estimates by, among other things, developing multiple lines of evidence and strengthening its arguments about defense-in-depth. It also can work to ensure better integration of new data and analyses, monitor repository performance, develop a strategy for modifying or stopping repository construction and waste emplacement if unforeseen circumstances are encountered, and continue external review of its technical and scientific activities.

On April 18, 2002, Dr. Jared L. Cohon, then the Board's Chairman, testified before the House of Representatives Subcommittee on Energy and Air Quality of the Committee on Energy and Commerce (Cohon 2002b). On May 23, 2002, Dr. Cohon testified before the Senate Committee on Energy and Natural Resources (Cohon 2002d). The committees were considering whether to sustain or overturn the State of Nevada's disapproval of the Yucca Mountain site. In his testimony on

both occasions, Dr. Cohon described the process used by the Board to draft its January 24, 2002, report. He also summarized the report's main findings, conclusions, and recommendations. Subsequently, the Board answered written questions posed by members of the two committees (Cohon 2002c, Cohon 2002e). That correspondence is in Appendix F.

### III. Board Findings and Recommendations

#### *January 29-30, 2002, Board Meeting in Pahrump, Nevada (NWTRB 2002b)*

At this meeting, the Board heard presentations on several recent external reviews of the DOE's estimates of projected repository performance. The Board also was briefed on recent regulatory developments at the NRC. The latest work on modeling fluid flow and transport of radionuclides in the unsaturated and saturated zones was presented. Finally, the DOE described to the Board its efforts to portray and communicate the uncertainties associated with its performance assessment approach, known as Total System Performance Assessment (TSPA).

In a March 11, 2002, letter to the DOE (Cohon 2002a), the Board made three general recommendations. First, because of existing uncertainties, a sustained commitment to continued scientific and engineering investigations is required to improve the technical basis for evaluating the performance of the proposed repository at Yucca Mountain. In particular, the Board indicated that hydrogeologic processes that affect radionuclide transport below the proposed repository in the unsaturated and saturated zones remain poorly understood. In addition, the DOE's analyses of water accumulation and movement in and around the bulkhead section of the exploratory cross-drift and the DOE's hypothesized drift-shadow concept are not yet technically credible. Moreover, the Board questioned the DOE's conclusion that there is no long-term difference in repository performance predictions that is attributable to the repository's operating temperature. At the very least, the DOE lacks corrosion data for Alloy 22 above 120°C

under repository-relevant conditions. These uncertainties weaken the technical basis of the DOE's performance predictions.

Second, the DOE needs to assimilate its scientific and technical investigations into a realistic TSPA. Making its performance estimates more realistic and characterizing the full range of uncertainty would increase confidence in those estimates and would provide a mechanism for assessing the magnitude of conservatism of the current compliance-oriented TSPA. A realistic analysis also can yield a better understanding of the major subsystems for waste isolation. Third, the DOE's efforts to communicate its scientific and technical conclusions to decision-makers and the general public are inconsistent and lack clarity. It should take additional steps to ensure that this information and—as important—uncertainties associated with this information are conveyed clearly and effectively.

The Board also observed that its previously expressed concerns about the DOE's analysis of the effect on dose of igneous activity have lessened. However, additional work leading to a better understanding of igneous consequences should be undertaken to resolve this issue. Last, the Board stated that it concurred with conclusions conveyed in the January 24, 2002, letter from the DOE (Dyer 2002) that the hypothesis on hydrothermal upwelling had been addressed adequately and may be discounted.

*May 7-8, 2002, Board Meeting in Washington, D.C. (NWTRB 2002d)*

At this meeting, the Board heard presentations that, to varying degrees, touched on the important task of increasing confidence in the technical basis for the DOE's repository performance estimates. In particular, the DOE described its ongoing work on repository design and waste package corrosion and its plans for long-term research and development and performance confirmation. In addition, individuals representing a wide range of organizations discussed the concepts of a repository safety case and staged repository development.

In a June 20, 2002, letter to the DOE (Cohon 2002f), the Board endorsed the recommendations of the DOE-sponsored Waste Package Materials Performance Peer Review Panel, also known as the Payer Panel. Because of the importance of the Alloy 22 protective passive layer to repository performance, the Board continued to believe that the technical basis for extrapolating corrosion behavior over thousands of years needs to be more firmly established. Although the Board was encouraged by the DOE's announced commitment to preserving the option of a low-temperature repository, it noted that the technical basis for the DOE's selection of a high-temperature repository design for a potential license application remains unclear. The Board concluded that seriously considering designs other than the current high-temperature one may be of considerable value to the program.

The Board reaffirmed its strong support for development of a repository safety case. A document on the safety case should explain how a repository at Yucca Mountain would isolate radioactive waste for thousands of years and should rely not only on numerical analyses, such as TSPA, but also on other lines of evidence and argument that increase confidence in the conclusions of the numerical analyses. The development of a repository safety case would be consistent with the approach taken by many other countries. The Board also noted that the DOE's plans for performance confirmation were still not mature. It recommended that performance confirmation focus on evaluating the validity of estimates of long-term performance and challenging their underlying assumptions.

*September 10, 2002, Board Meeting in Las Vegas, Nevada (NWTRB 2002e)*

At this meeting, the Board heard presentations from the DOE on two of its key priorities: repository design and corrosion testing. The Board also brought together researchers from the Yucca Mountain Project, the NRC, the Electric Power Research Institute, and the State of Nevada to discuss the similarities and differences in the results of performance assessments conducted by different entities.

In a November 22, 2002, letter to the DOE (Corradini 2002), the Board began with the observation that, although Congress granted the DOE permission to file an application with the NRC to construct a repository at Yucca Mountain, the Board's role remains unchanged: It will continue to carry out a broad scientific and technical review of the DOE's work and will make recommendations on improving the technical defensibility of that work.

Carrying out this role, the Board encouraged the DOE to support work for determining whether the proposed repository's natural system makes a greater contribution to isolating and containing waste than current performance assessments suggest. If a *strong technical case* can be made for such an increased contribution, it would provide additional defense-in-depth, thereby increasing confidence in the repository's long-term performance.

The Board noted that the DOE has not yet provided a persuasive explanation for either the conflicting data collected with respect to the presence of bomb-pulse chlorine-36 at the proposed repository horizon or the moisture observed in the bulkhead section of the exploratory cross-drift. The Board urged the DOE to continue its efforts in these two areas, saying that their resolution was essential for developing an understanding of key processes affecting repository performance.

The Board continued its technical evaluation of the DOE's repository design decisions. It requested that the DOE provide detailed information on the technical bases for the apparent selection of a high-temperature design in preparing its application for a construction authorization to the NRC. The Board indicated that this decision appeared to be premised on two conclusions: (1) the projected performance of the high-temperature design is comparable to a low-temperature design and, in any case, is well below the regulatory limit; and (2) the overall uncertainty in projected performance of the two designs is roughly equivalent.

The Board pointed out that both conclusions were called into question by information presented at the meeting. Regarding the first conclu-

sion, the presence of nitrate leads to less of a corrosion safety margin at temperatures above 140°C. Moreover, short-term weight-loss measurements, when extrapolated to higher temperatures, show a significant increase in the rate of corrosion. Thus, it was unclear why the DOE concluded that the two designs provide comparable levels of performance.

Regarding the second conclusion, the Board stated that performance assessment is not capable of showing uncertainty unless the models used appropriately incorporate uncertainty. Yet, some parts of some key performance assessment models for the engineered subsystem are based not on data but on a number of assumptions. To use these assumptions about high-temperature uncertainties as input to performance assessment models and then say the performance assessment reveals that uncertainties are equivalent for the two temperature regimes constitutes circular and therefore faulty reasoning. The DOE's analysis is complicated further by the fact that investigations, such as the drift-scale test, have not been completed. Thus, conclusions about the overall level of uncertainty associated with low- and high-temperature repositories may be premature.

The Board complimented the DOE for carrying out a "one-on" barrier analysis. It indicated that, on balance, such analyses could provide important insights into the roles of different natural and engineered barriers. The Board urged the DOE to continue supporting this kind of work.

The Board was very interested in the discussion of the similarities and differences in the results of performance assessments conducted by different entities. For example, many of the differences can be traced to the assumptions used and the influence of new data. However, confidence in the projections will depend in part on understanding and explaining clearly why variations arise. In particular, the stability of these projections is an important element in building confidence.

## IV. Other Board Undertakings

### *Saturated Zone Field Trip*

On September 12, 2002, the Board sponsored a Yucca Mountain regional hydrogeology field trip. In addition to Board members and staff, representatives of the DOE, Nye County, the United States Geological Survey, the National Park Service, and the United States Fish and Wildlife Service participated. Transport of radionuclides dissolved in groundwater is the main exposure pathway for humans in the DOE's nominal-case performance assessment. The purpose of the trip was for the Board to discuss the status of research and issues relating to the saturated-zone groundwater in and around Yucca Mountain. The entire flow field was considered in the discussion, from the recharge area on the north to the ultimate discharge area in Death Valley, California.

The participants on the field trip observed several key elements in the DOE's analysis of the saturated zone, including mineral deposits related to paleohydrology, naturally occurring springs discharging groundwater, the hydrogeology associated with the volcanic and alluvial rocks down the flow path from Yucca Mountain, structural geologic controls on water occurrence and movement in the region, and the Death Valley Regional Flow System groundwater model. Biotic communities sensitive to variability in modern flow and withdrawals also were discussed, along with biosphere pathways featured in the DOE's performance computations.

### *International Travel*

In 2002, the Board continued to expand its understanding of the scientific and technical components of the DOE's work at Yucca Mountain through participation in a selected number of international activities.

In March 2002, at the invitation of the Swedish Nuclear Waste Management Council (KASAM), a small delegation of the Board participated for the fourth time in KASAM's review of the Swedish Nuclear Waste Management Company (SKB) research and development program. (In accordance with Swedish law, KASAM reviews the

SKB program every three years.) In addition to assisting KASAM in its review, Board representatives learned about the SKB's efforts to design, manufacture, and predict the performance of its proposed engineered-barrier components. The Board was interested in obtaining information on the SKB's continued effort to achieve commercial production rates in manufacturing its waste canister as well as results from its research on microbial processes and how the results are being incorporated in the SKB's performance assessment models. The Board was briefed on the SKB's work to produce a simplified TSPA.

In June 2002, members of the Board who had never visited the Swedish program visited the SKB's waste management facilities, followed up on some of the issues addressed during the March visit, and met with representatives of the affected municipalities who are involved in scientific and technical review and with representatives of KASAM and Sweden's safety authorities.

The Board's final international activity for 2002 took place in October, when two representatives of the Board attended a Nuclear Energy Agency workshop on the integration of the engineered barrier system (EBS) in Oxford, England. Approximately 15 countries were represented at the workshop, which was the first of a series of four to be held over the next three years. The purpose of the workshops is to assess the various EBS concepts under study and to discuss the integration of design, testing, modeling, and performance assessment for the EBS.

## V. The Board in Transition

The year 2002 was a major transition time for the Board. On April 21, 2002, John Arendt died. He joined the Board in June 1995, an appointee of then-President Bill Clinton. John's dedication and commitment to the Board was exemplary. Both his humor and his no-nonsense approach to reviewing the DOE's repository program will be sorely missed.

On June 26, 2002, President Bush appointed five new members to the Board. Michael Corradini,

professor of engineering physics at the University of Wisconsin, was named chairman. In addition, the President selected Mark Abkowitz, professor of civil and environmental engineering at Vanderbilt University in Tennessee; Thure Cerling, professor of geology and geophysics at the University of Utah; David Duquette, professor of materials science and engineering at Rensselaer Polytechnic Institute in New York; and Ronald Latanision, professor of materials science and engineering and nuclear engineering at the Massachusetts Institute of Technology.

Leaving the Board were Jared L. Cohon, former chairman, after seven years of service; Donald Runnells, after four years of service; Alberto Sagüés, after five years of service; and Jeffrey Wong, after seven years of service. Those former Board members each made important contributions to fulfilling the Board's task of evaluating the scientific and technical validity of the DOE's repository development program.

## **VI. Evaluation of the Board's Performance During 2002**

The Board believes that measuring its effectiveness by directly correlating improvements in the DOE program with Board actions and recommendations would be ideal. However, the Board has no implementing authority, so it cannot compel the DOE to comply with its recommendations. Consequently, a judgment on whether a specific recommendation had a positive outcome for the DOE program is, in most cases, (1) subjective and (2) an imprecise indicator of Board performance because implementation of Board recommendations by the DOE is outside the Board's direct control. Therefore, to measure its performance in a given year, the Board has developed performance measures. For each annual performance goal, the Board considers the following.

1. Were the reviews, evaluations, and other activities undertaken under the auspices of the goal completed?

2. Were the results of the reviews, evaluations, and other activities communicated in a timely, understandable, and appropriate way to Congress and the Secretary of Energy?

If both measures are met, the Board's performance in meeting the annual goal will be judged effective. If only one measure is met, the performance of the Board in achieving that goal will be judged minimally effective. Failing to meet both performance measures without sufficient and compelling explanation will result in a judgment that the Board has been ineffective in achieving that performance goal.

The Board will use its evaluation of its own performance from the current year, together with its assessment of current or potential key issues of concern related to the DOE program, to establish its annual performance objectives and develop its budget request for subsequent years. The results of the Board's performance evaluation are included in the Board's annual summary report to Congress and the Secretary.

On the basis of the following evaluation and consistent with the performance measures described in the previous section, the Board's performance for 2002 was found to be effective. However, the Secretary's activities related to the waste management program were very limited in 2002. Therefore, most of the Board's 2002 goals in that area have been deferred until 2003. Additional details about the Board's evaluation are in Appendix H.

## Abbreviations and Acronyms

<b>Board</b>	Nuclear Waste Technical Review Board
<b>DOE</b>	Department of Energy
<b>EBS</b>	engineered barrier system
<b>ECRB</b>	enhanced characterization of the repository block
<b>FEIS</b>	final environmental impact statement
<b>HLW</b>	high-level radioactive waste
<b>KASAM</b>	Swedish Nuclear Waste Management Council
<b>NRC</b>	U.S. Nuclear Regulatory Commission
<b>NWPA</b>	<i>Nuclear Waste Policy Act of 1982</i>
<b>NWPAA</b>	<i>Nuclear Waste Policy Amendments Act of 1987</i>
<b>NWTRB</b>	Nuclear Waste Technical Review Board
<b>OCRWM</b>	Office of Civilian Radioactive Waste Management
<b>SKB</b>	Swedish Nuclear Waste Management Company
<b>SNF</b>	spent nuclear fuel
<b>TSPA</b>	total system performance assessment

# Glossary

The following list was compiled to help the reader understand some of the terms used in this report.

**barrier** Something that prevents or retards the passage of radionuclides toward the environment.

**biosphere** The part of the earth that supports self-sustaining and self-regulating ecological systems.

**chlorine-36 ( $^{36}\text{Cl}$ )** A long-lived radioactive isotope of chlorine produced by irradiation of natural chlorine, argon, or other materials by cosmic rays or neutrons. Atmospheric testing of nuclear weapons in the 1950's temporarily increased concentrations of chlorine-36. The resulting "bomb pulse" levels of chlorine-36 can sometimes serve as a tracer to determine how precipitation from the 1950's has moved through soil and rocks, such as those present at Yucca Mountain.

**container** A receptacle used to hold radioactive waste (usually spent fuel).

**defense high-level nuclear waste** High-level waste generated in the course of national defense activities, as opposed to spent nuclear fuel, which is generated during the production of nuclear energy from commercial reactors.

**exploratory cross-drift** A small tunnel across the proposed repository for enabling scientists to examine the geologic and hydrologic conditions.

**engineered barrier system** The constructed components of a disposal system designed to retard or prevent the releases of radionuclides from the underground facility. They can include the waste forms, fillers, waste containers, shielding material placed over and around such containers, and backfill materials.

**environmental impact statement (EIS)** A detailed written statement for supporting a decision to proceed with major federal actions affecting the quality of the human environment. Required by the National Environmental Policy Act (NEPA), the EIS describes the environmental impact of the proposed action; any adverse environmental effects that cannot be avoided if the proposal is implemented; alternatives to the proposed action (although the Nuclear Waste Policy Act, as amended, precludes consideration of certain alternatives); the relationship between local short-term uses of the human environment and the maintenance and enhancement of long-term productivity; and any irreversible and irretrievable commitments of resources that would be involved in the proposed action if it is implemented. Preparation of an EIS requires a public process that includes public meetings, reviews, and comments, as well as agency responses to the public comments.

**geologic repository** A facility for disposing of radioactive waste in excavated geologic media, including surface and subsurface areas of operation and the adjacent part of the natural setting.

**groundwater** Subsurface water as distinct from surface water.

**high-level radioactive waste** Highly radioactive material resulting from the reprocessing of spent nuclear fuel, including liquid waste produced directly in reprocessing and any solid material derived from such liquid waste that contains fission products in sufficient concentrations; and any other highly radioactive material that the Nuclear Regulatory Commission, consistent with existing law, determines requires permanent isolation by disposal in a geologic repository.

**high-temperature operating mode** Allowing the temperature of the waste package surface to exceed the boiling point of water for a significant period of time.

**igneous** Formed by volcanic activity.

**license application** A document submitted to the Nuclear Regulatory Commission seeking permission to construct a repository, to receive and emplace radioactive waste in a repository, or to close a repository. It contains general information and a safety analysis.

**low-temperature operating mode** Keeping the temperature of the waste package surface significantly below the boiling point of water.

**multiple lines of evidence** Varied methodological approaches used to infer the behavior of the repository system (or its major components) for extended time periods. Examples include analogues, simplified calculations, and arguments based on defense in depth.

**Nuclear Waste Policy Act (42 USC 10101 et seq.)** The federal statute enacted in 1982 that established the Office of Civilian Radioactive Waste Management and defined its mission to develop a federal system for the management and geologic disposal of commercial spent nuclear fuel and other high-level radioactive wastes. The Act also specified other federal responsibilities for nuclear waste management, established the Nuclear Waste Fund to cover the cost of geologic disposal, authorized interim storage until a repository is available, and defined interactions between federal agencies and the states, local governments, and Indian tribes.

**Nuclear Waste Policy Amendments Act of 1987 (42 USC 10101 et seq.)** The legislation that amended the Nuclear Waste Policy Act to limit repository site-characterization activities to Yucca Mountain, Nevada; established the Office of the Nuclear Waste Negotiator to seek a state or Indian tribe willing to host a repository or monitored retrievable storage facility; and created the Nuclear Waste Technical Review Board.

**peer review** A documented critical review performed by those who are independent from individuals who performed the work but who have technical expertise equivalent to those who performed the original work.

**performance assessment (PA)** A complex computer-based analysis that predicts the behavior of an entire repository system under a given set of conditions.

**postclosure** The period of time after the closure of the geologic repository.

**preclosure** The period of time before the closure of the geologic repository.

**radionuclide transport** The movement of radionuclides, generally in liquid or gas forms, through a rock formation.

**saturated zone** The part of the Earth's crust in which all empty spaces are filled with water.

**site characterization** The process of collecting information necessary to evaluate the suitability of a region or site for geologic disposal.

**site recommendation** The President's recommendation to Congress that a site be developed as a repository. The site recommendation process is set forth in the Nuclear Waste Policy Act.

**spent nuclear fuel** Fuel that has been withdrawn from a nuclear reactor following irradiation, the constituent elements of which have not been separated by reprocessing.

**thermal loading strategies** Placing waste in a repository so that the heat produced by it will cause specific effects on repository performance.

**total system performance assessment (TSPA)** Analyses undertaken by the U.S. Department of Energy to assess the ability of the potential repository at Yucca Mountain to provide long-term waste isolation and containment.

**unsaturated zone** A rock in which some of the empty spaces are filled with water.

**waste isolation and containment** Separation of the waste from the environment so that any radioactive material reentering the environment will be kept within prescribed limits.

**waste package** The waste form, any fillers, and any containers, shielding, packing, and other absorbent materials immediately surrounding an individual waste container.



---

## References

- Abraham, Spencer. 2002a. January 10 letter from Spencer Abraham, Secretary of Energy, to Kenny Guinn, Governor of Nevada, transmitting his intent to recommend that the President approve the Yucca Mountain site for the development of a nuclear waste repository.
- \_\_\_\_\_. 2002b. February 14 letter from Spencer Abraham, Secretary of Energy, to President George W. Bush, transmitting his recommendation of the Yucca Mountain site.
- Bush, George W. 2002. February 15 letter from George W. Bush, President of the United States of America, to Richard Cheney, President Pro Tempore of the Senate, and J. Dennis Hastert, Speaker of the House of Representatives, stating his recommendation of the Yucca Mountain site for the development of a nuclear waste repository.
- Cohon, Jared. 2001. December 11 letter from Jared L. Cohon, Chairman, U.S. Nuclear Waste Technical Review Board, to Spencer Abraham, Secretary of Energy, informing him that the Board is preparing comments on the technical and scientific validity of the work at Yucca Mountain.
- \_\_\_\_\_. 2002a. March 11 letter from Jared L. Cohen, Chairman, U.S. Nuclear Waste Technical Review Board, to Lake Barrett, Acting Director, Office of Civilian Radioactive Waste Management, on the Board's reactions to presentations at the January 2002 Board meeting and Board recommendations.
- \_\_\_\_\_. 2002b. Statement of Jared L. Cohon, Chairman, U.S. Nuclear Waste Technical Review Board, before the Subcommittee on Energy and Air Quality, Committee on Energy and Commerce, U.S. House of Representatives; April 18, 2002.
- \_\_\_\_\_. 2002c. May 22 letter from Jared L. Cohon, Chairman, U.S. Nuclear Waste Technical Review Board, to Joe Barton, Chairman of the Subcommittee on Energy and Air Quality, Committee on Energy and Commerce, U.S. House of Representatives, responding to questions posed in letter of April 22, 2002.
- \_\_\_\_\_. 2002d. Statement of Jared L. Cohon, Chairman, U.S. Nuclear Waste Technical Review Board, before the Committee on Energy and Natural Resources, U.S. Senate; May 23, 2002.
- \_\_\_\_\_. 2002e. May 31 letter from Jared L. Cohon, Chairman, U.S. Nuclear Waste Technical Review Board, to Jeff Bingaman, Chairman, Committee on Energy and Natural Resources, U.S. Senate, responding to questions posed in letter of May 29, 2002.
- \_\_\_\_\_. 2002f. June 20 letter from Jared L. Cohon, Chairman, U.S. Nuclear Waste Technical Review Board, to Margaret S.Y. Chu, Director, Office of Civilian Radioactive Waste Management, on the Board's reactions to presentations at the May 2002 Board meeting.
-

Corradini, Michael L. 2002. November 22 letter from Chairman Michael L. Corradini, Chairman, U.S. Nuclear Waste Technical Review Board, to Margaret S. Y. Chu, Director, Office of Civilian Radioactive Waste Management, on the Board's reactions to presentations at the September 2002 Board meeting.

Department of Energy. Office of Civilian Radioactive Waste Management. 2002a. *Yucca Mountain Project Recommendation by the Secretary of Energy Regarding the Suitability of the Yucca Mountain Site for a Repository Under the Nuclear Waste Policy Act of 1982*. Las Vegas, Nevada.

\_\_\_\_\_. 2002b. *Environmental Impact Statement for a Geologic Repository for the Disposal of Spent Nuclear Fuel and High-Level Radioactive Waste at Yucca Mountain, Nye County, Nevada*. DOE/EIS-0250D. Las Vegas, Nevada.

\_\_\_\_\_. 2002c. *Yucca Mountain Science and Engineering Report*. Revision 1. DOE/RW-0539-1. Las Vegas, Nevada.

\_\_\_\_\_. 2002d. *Yucca Mountain Site Suitability Evaluation*. DOE/RW-0549. Washington, D.C.

\_\_\_\_\_. 2002e. *Site Recommendation – Comment Summary Document*. DOE/RW-0548. Las Vegas, Nevada.

Dyer, J. Russell. 2002. January 24 letter from J. Russell Dyer, Project Manager, Yucca Mountain Site Characterization Office, to Jared L. Cohon, Chairman, U.S. Nuclear Waste Technical Review Board, informing him of the results of the University of Nevada at Las Vegas study of fluid inclusions.

Guinn, Kenny C. 2002a. April 5 letter from Kenny C. Guinn, Governor, State of Nevada, to Robert C. Byrd, President *Pro Tempore*, United States Senate, submitting his official notice of disapproval of the Yucca Mountain site.

\_\_\_\_\_. 2002b. April 5 letter from Kenny C. Guinn, Governor, State of Nevada, to J. Dennis Hastert, Speaker of the House of Representatives, submitting his official notice of disapproval of the Yucca Mountain site.

Nuclear Waste Technical Review Board (NWTRB). 2002a. *Letter Report to Congress and the Secretary of Energy, January 24, 2002*. Arlington, Virginia.

\_\_\_\_\_. 2002b. Winter Board Meeting; January 29-30, 2002; Pahrump, Nevada (transcript of proceedings). Arlington, Virginia.

\_\_\_\_\_. 2002c. *Report to the U.S. Congress and the Secretary of Energy; January 1, 2001, to January 31, 2002*. Arlington, Virginia.

\_\_\_\_\_. 2002d. Spring Board Meeting; May 7-8, 2002; Washington, D.C. (transcript of proceedings). Arlington, Virginia.

\_\_\_\_\_. 2002e. Fall Board Meeting; September 10, 2002; Las Vegas, Nevada (transcript of proceedings). Arlington, Virginia.

U.S. Congress. 1987. *Nuclear Waste Policy Amendments Act of 1987 (NWPAA)*. 100th Congress, 1st Session, 1987. Washington, D.C.: Government Printing Office.

## Appendix A

# U.S. Nuclear Waste Technical Review Board Members

### **Jared L. Cohon, Ph.D.; Chairman**

On June 29, 1995, President Bill Clinton appointed Jared Cohon to the Nuclear Waste Technical Review Board. President Clinton appointed Dr. Cohon chairman on January 17, 1997. Dr. Cohon's appointment ended June 25, 2002.

Dr. Cohon is president of Carnegie Mellon University in Pittsburgh, Pennsylvania. He has more than 25 years of teaching and research experience, has written one book, and is author, coauthor, or editor of more than 80 professional publications. Among the awards that Dr. Cohon has received is the 1996 Joan Hodges Queneau Medal for outstanding engineering achievement in environmental conservation, awarded jointly by the American Association of Engineering Societies and the National Audubon Society. He is a member of Tau Beta Pi (National Engineering Honor Society) and of Sigma Xi (Scientific Research Society). Dr. Cohon is a registered Professional Engineer.

Dr. Cohon brings to the Board special expertise as a national authority on environmental and water resource systems analysis. His research interests focus on multiobjective programming, a technique for decision-making in situations with multiple conflicting objectives. He also has focused on water resources planning and management in the United States, South America, and Asia and on energy facility siting, including nuclear waste shipping and storage. In addition to his academic experience, he served as legislative assistant for energy and the environment to the Honorable Daniel P. Moynihan, United States Senator from New York, from 1977 to 1978.

Dr. Cohon is a member of the American Geophysical Union, the Institute for Operations Research and Management Science, the American Water Resources Association, and the American Society of Civil Engineers. He has served on several committees for the National Research Council, chairing the studies on the probabilities of extreme floods and on measuring and improving infrastructure.

In 1969, Dr. Cohon earned a bachelor of science degree in civil engineering from the University of Pennsylvania. He worked as a construction inspector in Philadelphia and as an engineering assistant for the Philadelphia Water Department before attending the Massachusetts Institute of Technology, where he earned a master's degree in civil engineering in 1972 and a Ph.D. in civil engineering in 1973. Dr. Cohon began his teaching career in 1973 at Johns Hopkins University, where he served as assistant, associate, and full professor in the Department of Geography and Environmental Engineering and as Assistant and Associate Dean of Engineering and Vice Provost for Research. In 1992, he became dean of the School of Forestry and Environmental Studies and professor of environmental systems analysis at Yale University. Dr. Cohon assumed his duties as president of Carnegie Mellon University in July 1997.

Dr. Cohon resides in Pittsburgh, Pennsylvania.

### **Michael L. Corradini, Ph.D.**

Dr. Michael L. Corradini was appointed to the Nuclear Waste Technical Review Board as chairman on June 26, 2002, by President George W. Bush.

Dr. Corradini is chairman of the engineering physics department of the University of Wisconsin-Madison. He brings to the Board expertise in nuclear and industrial safety. His research focuses on multiphase flow and heat/mass transfer, vapor-explosion phenomena, jet-spray breakup, and mixing dynamics, as well as on heat/mass transfer and chemical reactions involved in molten core-concrete interactions.

Dr. Corradini has 25 years of experience in nuclear engineering, including research and teaching. He was elected to membership in the National Academy of Engineering of the National Academy of Sciences in 1998. He is a Fellow of the American Nuclear Society and was a recipient of the 1990 Young Members Engineering Achievement Award. Dr. Corradini is a registered Professional Engineer.

Dr. Corradini has served as a consultant for the U.S. Nuclear Regulatory Commission's Advisory Committee on Reactor Safeguards and for the U.S. Department of Energy National Laboratories (Los Alamos National Laboratory, Oak Ridge National Laboratory, Idaho National Engineering Laboratory, Brookhaven National Laboratory). He also has participated in nationally and internationally sponsored research.

Dr. Corradini earned a bachelor of science degree in mechanical engineering from Marquette University in 1975. He received a master of science degree in nuclear engineering from the Massachusetts Institute of Technology (MIT) in 1976 and a Ph.D. in nuclear engineering from MIT in 1978. For the next three years, he was on the technical staff of Sandia National Laboratories, conducting research on severe reactor accidents. In 1981, Dr. Corradini joined the University of Wisconsin-Madison faculty. He became Associate Dean, Academic Affairs, of the College of Engineering in 1995. In 2001, he became chairman of the Department of Engineering Physics.

Dr. Corradini lives in Madison, Wisconsin.

**Mark D. Abkowitz, Ph.D.**

Dr. Mark D. Abkowitz was appointed to the Nuclear Waste Technical Review Board on June 26, 2002, by President George W. Bush.

Dr. Abkowitz is a professor of civil and environmental engineering at Vanderbilt University in Nashville, Tennessee, and is director of the Vanderbilt Center for Environmental Management Studies. He brings to the Board expertise in the technology of transportation, risk management and risk assessment, and emergency preparedness.

Dr. Abkowitz has served on several national and international committees, including as chairman of the National Academy of Sciences Transportation Research Board Committee on Hazardous Materials Transport and as a member of the National Research Council Committee on Disposal of Transuranic Waste at the Waste Isolation Pilot Plant. Dr. Abkowitz also serves on the board of Visual Risk Technologies. He is the author of more than 60 journal publications and study reports.

Dr. Abkowitz has been inducted into Chi Epsilon and the National Society of Sigma Xi and is a member of the World Conference on Transportation Research Society. He received the Distinguished Service Award in 1996 from the Transportation Research Board.

Dr. Abkowitz received a bachelor of science degree in civil engineering from the Massachusetts Institute of Technology (MIT) in 1974. In 1976, he received a master of science degree in civil engineering from MIT. He was awarded a Ph.D. in civil engineering – transportation by MIT in 1980. From 1976 to 1980, he worked as a project manager and research investigator for the U.S. Department of Transportation. In 1980, he joined the civil engineering faculty of Rensselaer Polytechnic Institute. During a sabbatical in 1986-87, he served as a senior analyst to the U.S. Congress, Office of Technology Assessment. He joined Vanderbilt in 1987 as Administrative Director, Vanderbilt Engineering Center for Transportation Operations and Research.

Dr. Abkowitz lives in Nashville, Tennessee.

### **John W. Arendt, P.E.**

On June 11, 1999, President Bill Clinton reappointed John Arendt to serve on the Nuclear Waste Technical Review Board. Mr. Arendt was first appointed to the Board in 1995. Mr. Arendt died April 21, 2002.

John W. Arendt was senior consultant and founder of John W. Arendt Associates, Inc. Created in 1986, the firm offers consultation on program and project management, safety assessments and investigations, quality assurance, standards and regulations for uranium handling and processing, chemical safety audits, and safeguards and accountability. Mr. Arendt was a registered Professional Engineer and a certified nuclear materials manager.

Mr. Arendt brought to the Board five decades of experience in various phases of the nuclear fuel cycle, especially uranium processing, handling, safeguards and accountability, packaging, and transportation. He had extensive experience in the management of engineering projects, including uranium processing facilities and their quality assurance, quality control, and inspection. He was chairman of American National Standards Institute (ANSI) Accredited Standards Committee N14 on packaging and transportation of radioactive materials and nonnuclear hazardous wastes.

Mr. Arendt earned a bachelor of science degree in chemical engineering from Marquette University in 1943 and was a research engineer for the Manhattan Project at the University of Chicago from 1943 to 1945. He gained the bulk of his experience at Union Carbide Corporation's Nuclear Division in Oak Ridge, Tennessee, where he began as a production supervisor in 1945 and served in various department and project management positions through 1984. Before founding John W. Arendt Associates, Inc., in 1986, Mr. Arendt was a senior engineer with JBF Associates, Inc., where he provided technical and management assistance in uranium enrichment, standards and regulations, waste management, packaging and shipping, reactor activities, quality assurance, and safety.

Mr. Arendt resided in Oak Ridge, Tennessee.

## **Daniel B. Bullen, Ph.D.**

Dr. Daniel B. Bullen was appointed to the Nuclear Waste Technical Review Board on January 17, 1997, by President William Clinton.

Dr. Daniel B. Bullen is an associate professor of mechanical engineering, Department of Mechanical Engineering, at Iowa State University in Ames, Iowa. He brings to the Board special expertise in performance assessment modeling of radioactive waste disposal facilities, performance assessment of engineered barrier systems, radiolysis effects in spent-fuel dry casks in storage environments, radiation effects on materials, and materials degradation in severe service environments.

Dr. Bullen has been teaching since 1989, and he served as Nuclear Engineering Program Coordinator at Iowa State University from 1993 to 1996 and as director of the Iowa State University Nuclear Reactor Laboratory from 1993 to 2001. He has 12 years of industry experience in nuclear engineering and materials science. He has edited and reviewed articles for such professional publications as Nuclear Technology, Journal of the American Ceramic Society, American Nuclear Society Transactions, and Encyclopedia of Chemical Technology. He has written or co-written more than 70 technical publications and reports and has contributed to three books. He is a registered Professional Engineer in mechanical, metallurgical, and nuclear engineering. Dr. Bullen's honors and awards include Tau Beta Pi (National Engineering Honor Society), Phi Kappa Phi, Sigma Xi (Scientific Research Society), Alpha Nu Sigma (Nuclear Engineering Scholastic Honor Society), a Lilly Teaching Fellowship at the Georgia Institute of Technology (1991), and two Outstanding Professor awards. He has appeared in Who's Who in Science and Engineering, Who's Who in America, and Who's Who in the World.

Dr. Bullen is a member of ASM International; American Society of Mechanical Engineers; National Society of Professional Engineers; and Minerals, Metals & Materials Society; and American Nuclear Society (ANS). He is an active member of the Education and Training Division and the Fuel Cycle and Waste Management Division of ANS and has served as Chairman of the Executive Committee of each division.

Dr. Bullen is an international consultant in radioactive waste management. As a consultant to Monitor Scientific, LLC of Denver, Colorado, Dr. Bullen has provided technical expertise to the Japanese and Swedish nuclear waste management programs on issues related to waste package degradation, performance-confirmation monitoring, and long-term performance assessment.

In 1978, Dr. Bullen earned a bachelor of science degree in engineering science from Iowa State University. He was a research assistant at the University of Wisconsin-Madison while earning master of science degrees in nuclear engineering in 1979 and materials science in 1981 and a Ph.D. in nuclear engineering in 1984. He then worked for Lawrence Livermore National Laboratory as an engineer until 1986, when he became senior engineer for Science & Engineering Associates, Inc., in Pleasanton, California. In 1988, he became president of DG Engineering Associates, providing technical consulting services to Lawrence Livermore National Laboratory. Dr. Bullen moved to North Carolina State University in 1989 as an assistant professor of nuclear engineering and to the Georgia Institute of Technology in 1990 as an assistant professor of mechanical engineering. He moved to Iowa State University in 1992 as an associate professor of nuclear engineering.

Dr. Bullen lives in Ames, Iowa.

### **Thure E. Cerling, Ph.D.**

Dr. Thure E. Cerling was appointed to the Nuclear Waste Technical Review Board on June 26, 2002, by President George W. Bush.

Dr. Cerling is Distinguished Professor of Geology and Geophysics and professor of Biology at the University of Utah. He brings to the Board as expertise in terrestrial geochemistry. His research interests are in the study of geochemistry processes occurring at or near the Earth's surface and in the geological record of ecological change.

Dr. Cerling was elected to membership in the National Academy of Sciences in 2001. He is a fellow of the American Association for the Advancement of Science and of the Geological Society of America. He has been a visiting professor at Scripps Institution of Oceanography, Yale University; the University of Lausanne in Switzerland; and at the California Institute of Technology.

Dr. Cerling has served on numerous boards, panels, and committees, including the National Academy of Sciences–National Research Council Board on Earth Sciences and Resources, Geochemical Society Board of Directors, and the Nuclear Waste Group of the International Union of Geological Sciences. He also served on the Governor's Nuclear Waste Task Force, State of Utah, in 1981-83. In 1998, he received the University of Utah Distinguished Research Award.

In 1972, Dr. Cerling earned a bachelor of science degree in geology and chemistry from Iowa State University. In 1973, he received a master of science degree in geology from Iowa State University. In 1977, he was awarded a Ph.D. in geology by the University of California-Berkeley. From 1977 to 1979, Dr. Cerling worked as a research scientist at Oak Ridge National Laboratory. In 1979, he joined the faculty of the University of Utah.

Dr. Cerling lives in Salt Lake City, Utah.

## **Norman L. Christensen, Jr., Ph.D.**

Dr. Norman L. Christensen, Jr. was appointed to the Nuclear Waste Technical Review Board on January 17, 1997, by President William Clinton.

Dr. Christensen is professor of ecology at the Nicholas School of the Environment and Earth Sciences at Duke University in Durham, North Carolina. He brings to the Board special expertise in biology and ecology. His research interests include the effects of disturbance on structure and function of populations and communities; comparative biogeochemical and community responses to varying fire regimes; use of remote sensing systems (such as synthetic aperture radar) to evaluate long-term changes in forest ecosystems; and pattern analysis of forest development following cropland abandonment as affected by environment, stand history, and plant demographic patterns.

Dr. Christensen has been teaching for more than 29 years and has more than 90 scientific articles and books to his credit. He has written widely on the importance of natural disturbance in the management of forests, shrublands, and wetlands, and he is interested in applying basic ecological theory and models to ecosystem management.

Dr. Christensen is the recipient of the 1977 Duke Endowment Award for Teaching Excellence, the 1991 Distinguished Teaching Award for Trinity College of Arts and Sciences at Duke, and the 1994 Distinguished Scholar-Alumni Award from California State University-Fresno. He was made a Fellow of the American Association for the Advancement of Science in 1993 and is a recipient of the National Park Service's A. Starker Leopold Award for distinguished service. Dr. Christensen has served on more than 25 national and regional panels and commissions and on the editorial boards of *American Midland Naturalist*, *Journal of Vegetation Science*, and *Journal of Wildland Fire*. He is currently Vice-president of the Ecological Society of America and Chairman of the National Commission on Science for Sustainable Forestry.

Dr. Christensen is a member of the American Association for the Advancement of Science, the British Ecological Society, the Ecological Society of America, Sigma Xi (Scientific Research Society), the Society of American Foresters, and the National Association of Environmental Professionals.

Dr. Christensen earned a bachelor's degree in biology from Fresno State College in 1968. He earned a master of science degree in biology from Fresno State College in 1970 and a Ph.D. in biology from the University of California-Santa Barbara in 1973. He began his teaching career as an assistant professor in the Department of Botany at Duke University in 1973. He became an associate professor in 1979 and was elevated to full professor in 1987. He was dean of the Nicholas School of the Environment from 1991 to 2001.

Dr. Christensen lives in Chapel Hill, North Carolina.

### **Paul P. Craig, Ph.D.**

Dr. Paul P. Craig was appointed to the Nuclear Waste Technical Review Board on January 30, 1997, by President William Clinton.

Dr. Paul P. Craig is Professor of Engineering Emeritus at the University of California, Davis, and is a member of the university's Graduate Group in Ecology. He brings to the Board special expertise and research interest in energy and environmental policy.

Dr. Craig has more than 21 years of teaching experience and more than 100 refereed publications to his credit. He is Chairman of the Sierra Club's National Global Warming and Energy Committee. He was a Lawrence Berkeley National Laboratory Participating Guest Scientist from 1976 to 1997 and again starting in 2002. He is a Fellow of the American Physical Society. Dr. Craig's awards include a John Simon Guggenheim Memorial Foundation Fellowship and a National Science Foundation Meritorious Service Award. He is a member of Phi Beta Kappa.

Dr. Craig earned a bachelor of science degree in mathematics and physics from Haverford College in 1954. He earned a Ph.D. in physics from the California Institute of Technology in 1959. He began his career as a staff scientist at Los Alamos National Laboratory in 1959 and moved to Brookhaven National Laboratory in 1962 as a physicist and a group leader. In 1971, he became deputy and acting director of the Office of Energy Research and Development Policy of the National Science Foundation, where he provided policy analysis support to the President's science advisor and to the Office of Management and Budget. Dr. Craig became director of the University of California Council on Energy and Resources in 1975 and professor of engineering at the University of California, Davis, in 1977. He received his emeritus standing in 1994.

Until his appointment to the Nuclear Waste Technical Review Board, Dr. Craig was a member of the National Academy of Sciences–National Research Council Board on Radioactive Waste Management.

Dr. Craig lives in Martinez, California.

### **David J. Duquette, Ph.D.**

Dr. David J. Duquette was appointed to the Nuclear Waste Technical Review Board on June 26, 2002, by President George W. Bush.

Dr. Duquette is Department Head and a professor of materials science and engineering at Rensselaer Polytechnic Institute (RPI) in Troy, New York. He brings to the Board expertise in the physical, chemical, and mechanical properties of metals and alloys, with special emphasis on environmental interactions. His current research interests include the physical, chemical, and mechanical properties of metals and alloys, with specific reference to studies of cyclic deformation behavior as affected by environment and temperatures, basic corrosion studies, and stress-corrosion cracking.

Dr. Duquette is author or co-author of more than 200 scientific publications, primarily in environmental degradation of materials and electrochemical processing of semiconductor interconnects. Among the awards that he has received are the Willis Rodney Whitney Award from the National Association of Corrosion Engineers in 1990 and the Humboldt Prize from the Alexander von Humboldt Foundation in 1983. He has been elected an Honorary Member of Alpha Sigma Mu, the national metallurgical honorary society, and has received an Outstanding Paper Award from *Acta Metallurgica*. He is a Fellow of the National Association of Corrosion Engineers and of the American Society for Metals and is also a member of The Minerals, Metals and Materials Society and of the Electrochemical Society.

Dr. Duquette spent more than 5 years as a member of a scientific review group that advised the Canadian government on disposal of high-level nuclear waste. He also has been a member of a panel that advised the United States government on container design and materials selection for disposing of nuclear waste.

Dr. Duquette received a bachelor of science degree from the U.S. Coast Guard Academy in 1961. From 1961 to 1965, he served as a commissioned officer in the U.S. Coast Guard. From 1965 to 1968, he was a research assistant in the Department of Metallurgy and Materials Science at the Massachusetts Institute of Technology (MIT). In 1968, he was awarded a Ph.D. in materials science by MIT. From 1968 to 1970, he worked as a senior research associate in the Advanced Materials Research and Development Laboratory of Pratt and Whitney Aircraft. Dr. Duquette joined the RPI faculty in 1970.

Dr. Duquette lives in Loudonville, New York.

### **Debra S. Knopman, Ph.D.**

On January 17, 1997, President Bill Clinton appointed Debra Knopman to the Nuclear Waste Technical Review Board.

Dr. Debra S. Knopman is Associate Director, RAND Science and Technology, and a senior engineer at RAND Corporation in Arlington, Virginia. She has more than 24 publications in scientific and technical journals to her credit. Dr. Knopman is a member of the National Research Council's Commission on Geosciences, Environment, and Resources. She served briefly on the Board on Radioactive Waste Management and the Panel for the Review of the DOE Environmental Restoration Priority System before accepting a position in the Clinton administration in 1993. She is a member of the American Geophysical Union. Dr. Knopman was a 1978-1979 Henry Luce Foundation Scholar.

Dr. Knopman brings to the Board special expertise in hydrology, environmental and natural resources policy, systems analysis, and public administration.

In 1975, Dr. Knopman earned a bachelor's degree in chemistry from Wellesley College. She earned a master of science degree in civil engineering from the Massachusetts Institute of Technology in 1978 and a Ph.D. from the Department of Geography and Environmental Engineering at Johns Hopkins University in 1986. Dr. Knopman began her career as a freelance science writer and editor in Israel and the United States in 1975. Following her Luce Scholar fellowship, which she served in Taiwan from 1978 to 1979, she served as legislative assistant for energy and environmental issues to Senator Daniel P. Moynihan in Washington, D.C., from 1979 to 1980. She served as a professional staff member of the U.S. Senate Committee on Environment and Public Works from 1980 to 1983. She moved to the U.S. Geological Survey in 1984, beginning as a student assistant and progressing through being a research hydrologist to becoming chief of the systems analysis branch. In 1993, Dr. Knopman was appointed Deputy Assistant Secretary for Water and Science, U.S. Department of the Interior. She served as director of the Progressive Policy Institute's Center for Innovation and the Environment from 1995 to 2000.

Dr. Knopman resides in Washington, D.C.

**Ronald M. Latanision, Ph.D.**

Dr. Ronald M. Latanision was appointed to the Nuclear Waste Technical Review Board on June 26, 2002, by President George W. Bush.

Dr. Latanision is professor of materials science and engineering and nuclear engineering at the Massachusetts Institute of Technology (MIT) and a principal in Exponent Corporation. He brings to the Board expertise in materials processing and in corrosion of metals and other materials in aqueous (ambient as well as high-temperature and high-pressure) environments.

Dr. Latanision is the author or co-author of more than 200 scientific publications. Among the awards that Dr. Latanision has received are the David Ford McFarland Award for Achievement in Metallurgy from The Pennsylvania State University Chapter of the American Society for Metals, in 1986 and the Willis Rodney Whitney Award from the National Association of Corrosion Engineers in 1994. He was elected Distinguished Alumnus of The Ohio State University College of Engineering in 1991 and Honorary Alumnus of MIT in 1992.

Dr. Latanision is a Fellow of the American Society of Metals International and the National Association of Corrosion Engineers. He is founder and co-chairman of the New England Science Teachers and is a member of the National Academy of Engineering and the American Academy of Arts and Sciences. He has been a consultant to industry and government and has been active in organizing international conferences.

In 1964, Dr. Latanision received a bachelor of science degree in metallurgy from The Pennsylvania State University. In 1968, he was awarded a Ph.D. in metallurgical engineering by The Ohio State University. In 1968 and 1969, he was a Postdoctoral Fellow at the National Bureau of Standards. From 1969 to 1974, he worked for Martin Marietta Laboratories, first as a research scientist and then as acting head of materials science. He joined MIT in 1975 as director of the H. H. Uhlig Corrosion Laboratory. During a sabbatical in 1982-83, he served as a science advisor to the U.S. House of Representatives Committee on Science and Technology. He also served as a member of the National Materials Advisory Board of the National Research Council.

Dr. Latanision lives in Winchester, Massachusetts.

### **Priscilla P. Nelson, Ph.D.**

Dr. Priscilla P. Nelson was appointed to the Nuclear Waste Technical Review Board on January 17, 1997, by President William Clinton.

Dr. Nelson is Director, Division of Civil and Mechanical Systems, for the Directorate for Engineering at the National Science Foundation. Dr. Nelson brings to the Board special expertise in rock engineering and underground construction.

In 1970, Dr. Nelson earned a bachelor of science degree in geological sciences from the University of Rochester. She earned master of science degrees in geology from Indiana University in 1976 and in structural engineering from the University of Oklahoma in 1979. She was awarded a Ph.D. in geotechnical engineering by Cornell University in 1983. Dr. Nelson's career has included service as a Peace Corps volunteer and employment as a field engineer for the Alaskan Resource Sciences Corporation from 1975 to 1977. She joined the faculty of The University of Texas at Austin in 1983 and became full professor and holder of the John Focht Teaching Fellowship before joining the National Science Foundation in 1996. She has served as a consultant for major underground construction projects, including for the Superconducting Super Collider project from 1985 through 1992.

Dr. Nelson has more than 13 years of teaching experience and more than 100 technical and scientific publications to her credit. She has served as a member of the U.S. National Committee for Rock Mechanics, the U.S. National Committee for Tunneling Technology, and the Board on Radioactive Waste Management, all activities of the National Research Council. She is a member of the American Rock Mechanics Association (ARMA), the American Society of Civil Engineers (ASCE), the International Tunnelling Association, the American Underground Construction Association, the Association of Engineering Geologists, the American Society for Engineering Education, and other professional organizations. She is past president of the Geo-Institute of ASCE and of ARMA. Her honors and awards include Exxon Teaching Fellowships at The University of Texas at Austin (1985-1987), the Case Studies Award from the U.S. National Committee for Rock Mechanics (1988), the Haliburton Education Foundation Award of Excellence (1991), the Basic Research Award from the U.S. National Committee for Rock Mechanics (1993), and election to The Moles, an association of the heavy construction industry (1995). At the National Science Foundation, she has received the Director's Award for Integrative Collaboration three times, and she received the Director's Award for Meritorious Service in 1997. In 1999, she was appointed to the Senior Executive Service. Also in 1999, she received the Director's Award for Superior Accomplishment from the NSF.

Dr. Nelson lives in Arlington, Virginia.

**Richard R. Parizek, Ph.D.**

Dr. Richard R. Parizek was appointed to the Nuclear Waste Technical Review Board on February 11, 1997, by President William Clinton.

Dr. Richard R. Parizek is a professor of geology and geoenvironmental engineering at The Pennsylvania State University; president of Richard R. Parizek and Associates, consulting hydrogeologists and environmental geologists; and a registered Professional Geologist. Dr. Parizek brings to the Board special expertise in hydrogeology and environmental geology. His research interests include the hydrogeology of karst, fractured rock, and glaciated terranes; factors controlling groundwater occurrence and movement; and the relationship between land use and groundwater pollution resulting from disposal of nuclear waste and other hazardous substances.

Dr. Parizek has more than 37 years of teaching experience and numerous journal publications to his credit. His awards include a cooperative fellowship from the National Science Foundation (1960), a superior achievement award from the U.S. Environmental Protection Agency (1976), the Clearwater Conservancy Award (1985), the Matthew J. and Anne C. Wilson Teaching Award (1986), and the medal for distinguished service to environmental science and engineering of the Institute of Meteorology and Water Management, Warsaw, Poland (1991). Dr. Parizek was appointed an administrative law judge of the Atomic Safety and Licensing Board Panel of the U.S. Nuclear Regulatory Commission in 1990, a position he left upon appointment to the Nuclear Waste Technical Review Board.

Dr. Parizek is a member of the American Association for the Advancement of Science, the American Geophysical Union, the American Institute of Hydrology, the Geological Society of America, and Sigma Xi.

In 1956, Dr. Parizek earned a bachelor of science degree in geology from the University of Connecticut. He earned a master of science degree in geology in 1960 and a Ph.D. in geology in 1961, both from the University of Illinois. Dr. Parizek began his career as research assistant with the Illinois State Geological Survey in 1956 and began teaching in 1961 as assistant professor of geology and geophysics at The Pennsylvania State University. He became a full professor in 1971 and continues to teach in the Department of Geosciences. Dr. Parizek also has been a visiting scientist with the U.S. Geological Survey and a visiting scholar at Stanford University, the Desert Research Institute, Changchun College of Geology and the Institute of Karst Geology in the Peoples' Republic of China, and National Cheng Kuang University in Taiwan.

Dr. Parizek lives in State College, Pennsylvania.

### **Donald D. Runnells, Ph.D.**

On June 23, 1998, President Bill Clinton appointed Donald Runnells to the Nuclear Waste Technical Review Board. Dr. Runnells' appointment ended June 25, 2002.

Dr. Donald D. Runnells is professor emeritus in the Department of Geological Sciences at the University of Colorado. He also is a corporate consultant to Shepherd Miller, a firm providing environmental and engineering consultation primarily to the mining industry and to government agencies and other concerns. He has more than 27 years of teaching experience and numerous journal publications to his credit. Dr. Runnells is a Fellow of the Geological Society of America. His awards include selection as a National Science Foundation Graduate Fellow, election to Phi Kappa Phi Honorary Scholastic Fraternity, and election to the presidency of the Association of Exploration Geochemists. Dr. Runnells has been an editor or on the editorial board for *Journal of Geochemical Exploration*, *Interface*, *Science of the Total Environment*, *Chemical Geology*, and *Journal of Applied Geochemistry*. He has been a member of the Colorado Governor's Council on Science and Technology, the Review Board on Disposal and Permanent Storage of Inactive Uranium Tailings at Sandia National Laboratory, the Materials Review Board at Argonne National Laboratory, the Scientific Advisory Board on Toxics in Water for the Electric Power Research Institute, and several boards and panels of the National Research Council of the National Academy of Sciences.

Dr. Runnells brings to the Board special expertise in geochemistry, hydrochemistry, and mineral deposits.

He is a member of the Geochemical Society, the Association of Exploration Geochemists, and the American Chemical Society.

In 1958, Dr. Runnells earned a bachelor's degree in geology from the University of Utah. He earned a master of arts degree in geology in 1960 and a Ph.D. in geochemistry and geology in 1964, both from Harvard University. Dr. Runnells began his career as a teaching assistant at Harvard University in 1961. In 1963, he began working with Shell Development Company as a geochemist. He returned to teaching in 1967 as an assistant professor at the University of California at Santa Barbara. He moved to the University of Colorado in 1969. He was appointed full professor in 1975 and was elected chairman of the Department of Geological Sciences in 1990. He continued in that position until 1993, when he became president of Shepherd Miller. He now serves as a corporate consultant to Shepherd Miller, specializing in water-rock interaction and water contamination.

Dr. Runnells resides in Fort Collins, Colorado.

### **Alberto A. Sagüés, Ph.D.**

On June 11, 1999, President Bill Clinton reappointed Alberto Sagüés to serve on the Nuclear Waste Technical Review Board. Dr. Sagüés was first appointed to the Board in 1997. Dr. Sagüés' appointment ended June 25, 2002.

Dr. Alberto A. Sagüés is Distinguished University Professor in the Department of Civil and Environmental Engineering at the University of South Florida and is a registered Professional Engineer. He has 20 years of teaching experience and more than 120 technical publications to his credit. From 1988 to 1992, Dr. Sagüés served as an expert task group member of the Strategic Highway Research Program of the National Research Council. He has made technical presentations to professional and scientific audiences across the United States and Canada and throughout Europe, Central America, and South America. He holds three patents related to corrosion control.

Dr. Sagüés brings to the Board special expertise in corrosion and materials engineering, physical metallurgy, and electrochemical measurements. His research interests are in corrosion of engineering materials, especially concerning reinforcing steel in concrete and durability forecasting of civil infrastructure. Dr. Sagüés is a member of NACE International (formerly the National Association of Corrosion Engineers), the Electrochemical Society, the American Society for Testing and Materials, the American Concrete Institute, and ASM International (formerly the American Society for Metals).

A native of Argentina, Dr. Sagüés earned his undergraduate degree in physics from the National University of Rosario, Argentina, in 1968. He earned a Ph.D. in metallurgy from Case Western Reserve University in Cleveland in 1972. A citizen of the United States since 1979, Dr. Sagüés began his career as a visiting assistant professor at Columbia University in 1972, performed postdoctoral research in 1973, and was a guest scientist at the Solid State Research Institute of the Jülich Nuclear Research Center in West Germany from 1974 to 1976. He served as a research associate at Argonne National Laboratory from 1976 to 1978 and as senior metallurgist, manager, and associate laboratory director of the Kentucky Center for Energy Research Laboratory from 1978 to 1985. At the same time, he continued his teaching career at the University of Kentucky. In 1985, he moved to the University of South Florida as an associate professor. Dr. Sagüés became professor of materials engineering in 1991 and Distinguished University Professor, Department of Civil and Environmental Engineering, in 1999.

Dr. Sagüés resides in Lutz, Florida.

### **Jeffrey Wong, Ph.D.**

On June 11, 1999, President Bill Clinton reappointed Jeffrey Wong to serve on the Nuclear Waste Technical Review Board. Dr. Wong was first appointed to the Board in 1995. Dr. Wong's appointment ended June 25, 2002.

Dr. Jeffrey Wong is Deputy Director for Science, Pollution Prevention and Technology; Department of Toxic Substances Control; California Environmental Protection Agency. Dr. Wong has nearly 20 years of experience in toxicology, including assessment of exposure risks at hazardous waste sites, at hazardous waste treatment, storage, and disposal facilities, and at hazardous material spills and accidents. He is an instructor in environmental toxicology at the University of California, Davis, and he has worked with the California Department of Justice in forensic toxicology. Dr. Wong was a National Institutes of Environmental Health Sciences Predoctoral Fellow in environmental toxicology and was the recipient of the American Academy of Forensic Sciences Regional Award in Toxicology in 1984.

Dr. Wong brings to the Board extensive experience in risk assessment and scientific team management. He served as the risk evaluation expert on the external expert review panel to the Consortium for Environmental Risk Evaluation, a program of Tulane and Xavier universities.

Dr. Wong also has served on National Academy of Sciences/National Research Council committees relating to remedial action for hazardous waste sites and the U.S. Department of Energy's environmental restoration program. He is a member of the editorial board of *Journal of Contaminated Soils* and is an advisory board member for the Association for the Environmental Health of Soils.

Dr. Wong earned a bachelor of arts degree in bacteriology in 1973, a master of science degree in food science and technology in 1976, and a Ph.D. in pharmacology and toxicology in 1981, all from the University of California, Davis. He worked for the California Department of Justice as a senior forensic toxicologist after his doctoral work. He moved to the California Department of Food and Agriculture as a staff toxicologist before beginning his career with the California Environmental Protection Agency in July 1985. Before assuming his current position, he was chief of the Human and Ecological Risk Division of the Department of Toxic Substances Control, California Environmental Protection Agency.

Dr. Wong resides in Sacramento, California.

## Appendix B

# 2002 Meeting List

- January 29-30**      **Winter Board Meeting**  
*Pahrump, Nevada*  
Topics:  
• Update on scientific studies  
• Hydrogeological issues  
• External Reviews  
Transcript available
- January 31**      **Board Business Meeting**  
*Las Vegas, Nevada*  
Minutes available
- May 7-8**      **Spring Board Meeting**  
*Washington, D.C.*  
Topics:  
• Yucca mountain safety case  
• Staged repository concept  
• Corrosion testing  
Transcript available
- May 9**      **Board Business Meeting**  
*Arlington, Virginia*  
Minutes available
- September 10**      **Fall Board Meeting**  
*Las Vegas, Nevada*  
Topics:  
• Yucca Mountain science program  
• Barrier analysis  
Transcript available
- September 11**      **Board Business Meeting**  
*Las Vegas, Nevada*  
Minutes available

## Appendix C

# Panel Organization

### (Until June 26, 2002)

#### **Panel on Site Characterization**

Chair: Dr. Debra S. Knopman  
 Members: Dr. Priscilla P. Nelson  
 Dr. Richard R. Parizek  
 Dr. Donald D. Runnells  
 Dr. Alberto A. Sagüés

Staff: Leon Reiter\*  
 David M. Diodato

#### **Panel on the Repository**

Chair: Dr. Daniel B. Bullen  
 Members: Mr. John W. Arendt  
 Dr. Priscilla P. Nelson  
 Dr. Donald D. Runnells  
 Dr. Alberto A. Sagüés

Staff: Carlos A. W. Di Bella\*  
 John H. Pye  
 Karyn D. Severson

#### **Panel on the Waste Management System**

Chair: Mr. John W. Arendt  
 Members: Dr. Daniel B. Bullen  
 Dr. Norman L. Christensen, Jr.  
 Dr. Paul P. Craig  
 Dr. Debra S. Knopman

Staff: Daniel J. Fehring\*  
 Carlos A. W. Di Bella  
 Daniel S. Metlay  
 Karyn D. Severson

#### **Panel on the Environment, Regulations, and Quality Assurance**

Chair: Dr. Jeffrey J. Wong  
 Members: Mr. John W. Arendt  
 Dr. Norman L. Christensen, Jr.  
 Dr. Paul P. Craig  
 Dr. Debra S. Knopman

Staff: Daniel J. Fehring\*  
 Daniel S. Metlay

#### **Panel on Performance Assessment**

Chair: Dr. Daniel B. Bullen  
 Members: Dr. Paul P. Craig  
 Dr. Richard R. Parizek  
 Dr. Alberto A. Sagüés  
 Dr. Jeffrey J. Wong

Staff: Leon Reiter\*  
 Carlos A. W. Di Bella  
 David M. Diodato  
 Daniel S. Metlay

\* Staff coordinator

## Appendix D

# U.S. Nuclear Waste Technical Review Board Publications

The following publications are available by mail from the Nuclear Waste Technical Review Board or electronically from the Board's Web site at [www.nwtrb.gov](http://www.nwtrb.gov).

***Report to Congress and the Secretary of Energy. April 2002.***

This report summarizes the Board's major activities between February 1, 2001, and January 31, 2002. During this period, the Board focused on evaluating the technical basis of the DOE's work related to a site recommendation, including the DOE's characterization of the Yucca Mountain site, the DOE's design of the repository and waste package, and the DOE's estimates of how a repository system developed at the site might perform. The report includes a description of activities undertaken by the Board in developing its assessment of the technical basis for the DOE's current performance estimates.

***Report by letter to Congress and the Secretary of Energy. January 24, 2002.***

Letter report summarizing the Board's evaluation of the DOE's technical and scientific investigation of the Yucca Mountain site.

***Report to Congress and the Secretary of Energy. April 2001.***

In this report, the Board summarizes its major activities in calendar year 2000. During 2000, the Board identified four priority areas for evaluating the potential repository at Yucca Mountain. The areas are the following:

- meaningful quantification of conservatisms and uncertainties in the DOE's performance assessments

- progress in understanding the underlying fundamental processes involved in predicting the rate of waste package corrosion
- an evaluation and a comparison of the base-case repository design with a low-temperature design
- development of multiple lines of evidence to support the safety case of the proposed repository, the lines of evidence being derived independently of performance assessment and thus not being subject to the limitations of performance assessment.

The report summarizes the Board's views on each priority area. A more detailed discussion of the priorities can be found in letters to the DOE included among the appendices to the report.

***Report by letter to the Secretary of Energy and Congress. December 2000.***

This report, in the form of a letter, presents a brief update of the Board's views on the status of the DOE program.

***Report to the U.S. Congress and the Secretary of Energy. April 2000.***

In this report, the Board summarizes its major activities in calendar year 1999. Among the activities discussed in the report is the Board's 1999 review of the DOE's viability assessment (VA) of the Yucca Mountain site. The Board's evaluation of the VA concludes that Yucca Mountain continues to warrant study as the candidate site for a permanent geologic repository and that work should proceed to support a decision on whether to recommend the site for repository development. The Board suggests that the 2001 date for a

decision is very ambitious, and focused study should continue on natural and engineered barriers. The Board states that a credible technical basis does not currently exist for the above-boiling repository design included in the VA. The Board recommends evaluation of alternative repository designs, including lower-temperature designs, as a potential way to help reduce the significance of uncertainties related to predictions of repository performance.

***Report to the U.S. Congress and the Secretary of Energy. April 1999.***

In this report, the Board summarizes its major activities during calendar year 1998. The report discusses the research needs identified in the DOE's recently issued *Viability Assessment* of the Yucca Mountain site, including plans to gather information on the amount of water that will eventually seep into repository drifts, whether formations under the repository will retard the migration of radionuclides, the flow-and-transport properties of the groundwater that lies approximately 200 meters beneath the repository horizon, and long-term corrosion rates of materials that may be used for the waste packages. The report describes other activities undertaken by the Board in 1998, including a review of the hypothesis that there were hydrothermal upwellings at Yucca Mountain, a workshop held to increase understanding of the range of expert opinion on waste package materials, and a review of the DOE's draft environmental impact statement for the Yucca Mountain site.

***Report to the U.S. Congress and the Secretary of Energy: Moving Beyond the Viability Assessment. April 1999.***

In its report, the Board offers its views on the DOE's December 1998 *Viability Assessment* of the Yucca Mountain site in Nevada. The Yucca Mountain site is being characterized to determine its suitability as the location of a permanent repository for disposing of spent nuclear fuel and high-level radioactive waste. The Board discusses the need to address key uncertainties that remain about the site, including the performance of the engineered and natural barriers. The Board addresses the DOE's plans for reducing those

uncertainties and suggests that consideration be given to alternative repository designs, including ventilated low-temperature designs that have the potential to reduce uncertainties and simplify the analytical bases for determining site suitability and for licensing. The Board also comments on the DOE's total system performance assessment, the analytical tool that pulls together information on the performance of the repository system.

***Report to the U.S. Congress and the Secretary of Energy. November 1998.***

In its report, the Board offers its views on the direction of future scientific and technical research under way and planned by the DOE as part of its program for characterizing a site at Yucca Mountain, Nevada, as a potential repository for spent fuel and high-level radioactive waste. The Board discusses some of the remaining key scientific and technical uncertainties related to performance of a potential repository. The Board's report addresses some of these uncertainties by examining information about the proposed repository system presented to it in meetings and other technical exchanges. The Board considers and comments on some of the important connections between the site's natural properties and the current designs for the waste package and other engineered features of the repository.

***Review of Material on Hydrothermal Activity. July 24, 1998.***

This series of documents concerns the Board's review of material related to Mr. Jerry Szymanski's hypothesis of ongoing, intermittent hydrothermal activity at Yucca Mountain and large earthquake-induced changes in the water table there. The series includes a cover letter, the Board's review, and the reports of the four consultants the Board contracted with to assist in the review.

***1997 Findings and Recommendations. April 1998.***

This report details the Board's activities in 1997 and covers, among other things, the DOE's viability assessment, due later this year; underground exploration of the candidate repository

site at Yucca Mountain, Nevada; thermal testing under way at the site; what happens when radioactive waste reaches the water table beneath Yucca Mountain; transportation of spent fuel; and the use of expert judgment. The Board makes four recommendations in the report concerning (1) the need for the DOE to begin now to develop alternative design concepts for a repository, (2) the need for the DOE to include estimates of the likely variation in doses for alternative candidate critical groups in its interim performance measure for Yucca Mountain, (3) the need for the DOE to evaluate whether site-specific biosphere data is needed for license application, and (4) the need for the DOE to make full and effective use of formally elicited expert judgment.

***Report by letter to the Secretary of Energy and the Congress. December 23, 1997.***

This report, in the form of a letter, addresses several key issues, including the DOE's viability assessment of the Yucca Mountain site, design of the potential repository and waste package, the total system performance assessment, and the enhanced characterization of the repository block (east-west crossing).

***Report to the U.S. Congress and the Secretary of Energy: January to December 1996. March 1997.***

This report summarizes Board activities during 1996. Chapter 1 provides an overview of the Department of Energy's high-level nuclear waste management program from the Board's perspective, including the viability assessment, program status, and progress in exploration and testing. The chapter ends with conclusions and recommendations. Chapter 2 examines the three technical issues—hydrology, radionuclide transport, and performance assessment—and provides conclusions and recommendations. Chapter 3 deals with design, including the concept for underground operations, repository layout and design alternatives, construction planning, thermal loading, and engineered barriers. The Board also makes conclusions and recommendations. Chapter 4 provides an overview of recent Board activities, including the international exchange of information, the Board's visit to the River Mountains tunnel, and a presentation to the

NRC. Appendices include information on Board members, the organization of the Board's panels, meetings held in 1996 and scheduled for 1997, the DOE's responses to previous Board recommendations, a list of Board publications, references for the report, and a glossary of technical terms.

***Nuclear Waste Management in the United States—The Board's Perspective. June 1996.***

This publication was developed from remarks made by Dr. John Cantlon, Chairman of the Nuclear Waste Technical Review Board, at Topseal '96, an international conference on nuclear waste management and disposal. The meeting was sponsored by the Swedish Nuclear Fuel and Waste Management Company and the European Nuclear Society. The publication highlights the Board's views on the status of the U.S. program for management and disposal of commercial spent nuclear fuel and provides a brief overview of the program's organization. It summarizes the DOE's efforts to characterize the Yucca Mountain site and to develop a waste isolation strategy for the site. The publication also outlines legislative and regulatory changes under consideration at that time and the Board's views on the technical implications of those possible changes.

***Report to the U.S. Congress and the Secretary of Energy: 1995 Findings and Recommendations. April 1996.***

This report summarizes Board activities during 1995. Chapter 1 provides an overview of the DOE's high-level waste management program, including highlights, current status, legislative issues, milestones, and recommendations. Chapter 2 reports on Board Panel activities and Chapter 3 provides information on new Board members, meetings attended, interactions with Congress and congressional staff, Board presentations to other organizations, interactions with foreign programs, and a review of the Board's report on interim storage of spent nuclear fuel. Appendices include Board testimony and statements before Congress, Board correspondence of note, and the Department of Energy's responses to recommendations in previous Board reports.

***Disposal and Storage of Spent Nuclear Fuel—Finding the Right Balance. March 1996.***

This special report caps more than two years of study and analysis by the Board into the issues surrounding the need for interim storage of commercial spent nuclear fuel and the advisability and timing of the development of a federal centralized storage facility. The Board concludes in the report that the DOE's efforts should remain focused on permanent geologic disposal and the site investigations at Yucca Mountain, Nevada; that planning for a federal centralized spent fuel storage facility and the required transportation infrastructure be begun now, but actual construction delayed until after a site-suitability decision is made about the Yucca Mountain site; that storage should be developed incrementally; that limited, emergency backup storage capacity be authorized at an existing nuclear facility; and that, if the Yucca Mountain site proves unacceptable for repository development, other potential sites for both centralized storage and disposal be considered.

***Report by letter to the Secretary of Energy and the Congress. December 13, 1995.***

This report, in the form of a letter, addresses the DOE's progress in underground exploration with the tunnel boring machine, advances in the development of a waste isolation strategy, new work on engineered barriers, and progress being made in performance assessment.

***Report to the U.S. Congress and the Secretary of Energy: 1994 Findings and Recommendations. March 1995.***

This report summarizes Board activities during 1994. It covers aspects of the DOE's Program Approach, their emerging waste isolation strategy, and their transportation program. It also explores the Board's views on minimum exploratory requirements and thermal-loading issues. The report focuses a chapter on the lessons that have been learned in site assessment from projects around the world. Another chapter deals with volcanism and resolution of difficult issues. The Board also details its observations

from its visit to Japan and the Japanese nuclear waste disposal program. Findings and recommendations in the report centered around structural geology and geoengineering, hydrogeology and geochemistry, the engineered barrier system, and risk and performance analysis.

***Report to the U.S. Congress and the Secretary of Energy: January to December 1993. May 1994.***

This report summarizes Board activities primarily during 1993. It reviews the nuclear waste disposal programs of Belgium, France, and the United Kingdom; elaborates on the Board's understanding of the radiation protection standards being reviewed by the National Academy of Sciences; and, using "future climates" as an example, examines the DOE's approach to "resolving difficult issues." Recommendations center on the use of a systems approach in all of The Office of Civilian Radioactive Waste Management's (OCRWM) programs, prioritization of site-suitability activities, appropriate use of total system performance assessment and expert judgment, and the dynamics of the Yucca Mountain ecosystem.

***Letter Report to Congress and the Secretary of Energy. February 1994.***

This report is issued in letter format due to impending legislative hearings on the DOE's fiscal year 1995 budget and new funding mechanisms sought by the Secretary of Energy. The 8-page report restates a recommendation made in the Board's Special Report, that an independent review of the OCRWM's management and organizational structure be initiated as soon as possible. Also, it adds two additional recommendations: ensure sufficient and reliable funding for site characterization and performance assessment, whether the program budget remains level or is increased, and build on the Secretary of Energy's new public involvement initiative by expanding current efforts to integrate the views of the various stakeholders during the decision-making process—not afterward.

---

***Underground Exploration and Testing at Yucca Mountain: A Report to Congress and the Secretary of Energy. October 1993.***

This report focuses on the exploratory studies facility (ESF) at Yucca Mountain, Nevada: the conceptual design, planned exploration and testing, and excavation plans and schedules. In addition to a number of detailed recommendations, the Board makes three general recommendations. First, the DOE should develop a comprehensive strategy that integrates exploration and testing priorities with the design and excavation approach for the exploratory facility. Second, underground thermal testing should be resumed as soon as possible. Third, the DOE should establish a geoengineering board with expertise in the engineering, construction, and management of large underground projects.

***Special Report to Congress and the Secretary of Energy. March 1993.***

The Board's report provides a nontechnical approach for those not familiar with the details of the DOE's high-level nuclear waste management program. It highlights three important policy issues: the program is driven by unrealistic deadlines, there is no integrated waste management plan, and program management needs improvement. The Board makes three specific recommendations: amend the current schedule to include realistic intermediate milestones; develop a comprehensive, well-integrated plan for the overall management of all spent nuclear fuel and high-level defense waste from generation to disposal; and implement an independent evaluation of the OCRWM organization and management. These recommendations should be implemented without slowing the progress of site-characterization activities at Yucca Mountain.

***Sixth Report to the U.S. Congress and the U.S. Secretary of Energy. December 1992.***

The Board's report begins by summarizing recent Board activities, congressional testimony, changes in Board makeup, and the Little Skull Mountain earthquake. Chapter 2 details panel activities and offers seven technical recommen-

dations on the dangers of a schedule-driven program; the need for top-level systems studies; the impact of defense high-level waste; the use of high capacity, self-shielded waste package designs; and the need for prioritization among the numerous studies included in the site-characterization plans. In Chapter 3, the Board offers candid insights to the high-level waste management program in five countries, specifically those areas that might be applicable to the U.S. program, including program size and cost, utility responsibilities, repository construction schedules, and alternative approaches to licensing. Appendix F provides background on the Finnish and Swiss programs.

***Fifth Report to the U.S. Congress and the U.S. Secretary of Energy. June 1992.***

The Board's report focuses on the cross-cutting issue of thermal loading. It explores thermal-loading strategies (U.S. and others) and the technical issues and uncertainties related to thermal loading. It also details the Board's position on the implications of thermal loading for the U.S. radioactive waste management system. Also included are updates on Board and panel activities during the reporting period. The report offers 15 recommendations to the DOE on the following subjects: ESF and repository design enhancements, repository sealing, seismic vulnerabilities (vibratory ground motion and fault displacement), the DOE approach to the engineered barrier system, and transportation and systems program status.

***Fourth Report to the U.S. Congress and the U.S. Secretary of Energy. December 1991.***

The Board's report provides update on the Board's activities and explores in depth the following areas: ESF construction; test prioritization; rock mechanics; tectonic features and processes; volcanism; hydrogeology and geochemistry in the unsaturated zone; the engineered barrier system; regulations promulgated by the EPA, the NRC, and the DOE; the DOE performance assessment program; and quality assurance in the Yucca Mountain project. Ten

recommendations are made across these diverse subject areas. Chapter 3 offers insights from the Board's visit with officials from the Canadian nuclear power and spent fuel disposal programs. Background on the Canadian program is in Appendix D.

***Third Report to the U.S. Congress and the U.S. Secretary of Energy. May 1991.***

The Board's report briefly describes recent Board activities and congressional testimony. Substantive chapters cover exploratory shaft facility alternatives, repository design, risk-benefit analysis, waste package plans and funding, spent fuel corrosion performance, transportation and systems, environmental program concerns, more on the DOE task force studies on risk and performance assessment, federal quality assurance requirements for the repository program, and the measurement, modeling, and application of radionuclide sorption data. Fifteen specific recommendations are made to the DOE. Background information on the German and Swedish nuclear waste disposal programs is included in Appendix D.

***Second Report to the U.S. Congress and the U.S. Secretary of Energy. November 1990.***

The Board's report begins with the background and framework for repository development and then opens areas of inquiry, making 20 specific recommendations concerning tectonic features and processes, geoengineering considerations, the engineered barrier system, transportation and systems, environmental and public health issues, and risk and performance analysis. The report also offers concluding perspectives on DOE progress, the state of Nevada's role, the project's regulatory framework, the nuclear waste negotiator, other oversight agencies, and the Board's future plans.

***First Report to the U.S. Congress and the U.S. Secretary of Energy. March 1990.***

The Board's report sets the stage for the Board's evaluation of the DOE program to manage the disposal of the nation's spent fuel and high-level waste. The report outlines briefly the legislative history of the nation's spent fuel and high-level waste management program including its legal and regulatory requirements. The Board's evolution is described, along with its protocol, panel breakdown, and reporting requirements. The report identifies major issues based on the Board's panel breakdown, and highlights five cross-cutting issues.

## Appendix E

# Communication Between U.S. Nuclear Waste Technical Review Board and U.S. Department of Energy

In addition to published reports, the Board periodically writes letters to the Director of the U.S. Department of Energy's (DOE) Office of Civilian Radioactive Waste Management (OCRWM). The letters typically provide the OCRWM with the Board's views on specific technical areas earlier than do Board reports. The letters are posted on the Board's Web site after they have been sent to the OCRWM. For archival purposes, the eight Board letters written during the period covered by this report are reproduced here.

The OCRWM typically responds to the Board's reports and letters, indicating its plans to respond to the Board's recommendations. Included here are the OCRWM's responses received by the Board during calendar year 2002. Inclusion of these responses does not imply the Board's concurrence.

- Letter from J. Russell Dyer, Project Manager, Yucca Mountain Site Characterization Office, to Jared L. Cohon; January 24, 2002.  
Subject: Fluid inclusions in mineral deposits at Yucca Mountain
- Letter from Jared L. Cohon to Lake Barrett, Acting Director, OCRWM; March 11, 2002.  
Subject: DOE's participation at the January Board meeting
- Letter from Margaret S. Y. Chu, Director, OCRWM, to Jared L. Cohon; April 1, 2002.  
Subject: DOE's responses to the January 24, 2002 letter report
- Letter from Jared L. Cohon to Margaret S. Y. Chu, Director, OCRWM; June 20, 2002.  
Subject: DOE's participation at the May Board meeting
- Letter from Margaret S. Y. Chu, Director, OCRWM, to Michael L. Corradini; August 5, 2002.  
Subject: DOE's responses to recommendations in the March 11, 2002 letter
- Letter from Margaret S. Y. Chu, Director, OCRWM, to Michael L. Corradini; September 6, 2002.  
Subject: DOE's responses to recommendations in the June 20, 2002 letter
- Letter from Michael L. Corradini to Margaret S. Y. Chu, Director, OCRWM; November 22, 2002.  
Subject: DOE's participation at the September Board meeting
- Letter from Margaret S. Y. Chu, Director, OCRWM, to Michael L. Corradini; January 24, 2003.  
Subject: DOE's responses to recommendations in the November 22, 2002 letter



**Department of Energy**  
Office of Civilian Radioactive Waste Management  
Yucca Mountain Site Characterization Office  
P.O. Box 364629  
North Las Vegas, NV 89036-8629

QA: N/A

**JAN 24 2002**

Dr. Jared L. Cohon  
Chairman  
Nuclear Waste Technical Review Board  
2300 Clarendon Blvd.  
Suite 1300  
Arlington, VA 22201-3367

Dear Dr. Cohon:

On July 24, 1998, the Nuclear Waste Technical Review Board (the Board) provided the Acting Director, Office of Civilian Radioactive Waste Management with its evaluation of and conclusions about a set of material provided to it by the State of Nevada Attorney General's office. The set of material was presented as new evidence regarding the possible future upwelling of water into the proposed nuclear waste repository at Yucca Mountain. The Board concluded that the material it reviewed did not significantly affect the conclusions of the 1992 National Academy of Sciences (NAS) report on similar issues. The NAS considered such a scenario to be not credible. The U.S. Department of Energy (DOE) agreed with that conclusion then and now. The Board also suggested that DOE consider conducting some additional analyses to determine the ages of fluid inclusions in mineral deposits at Yucca Mountain.

As the Board suggested, the DOE funded a joint research program coordinated by Dr. Jean Cline, University of Nevada, Las Vegas (UNLV) in which scientists from the State of Nevada, the U.S. Geological Survey (USGS) and UNLV conducted detailed analyses of the fluid inclusions found in mineral deposits. Participants met on a regular basis between March 1999 and March 2001 to establish a common methodology for sample collection and handling and share the results of their investigations. The DOE appreciates the Board's ongoing interest in the fluid inclusions work, as evidenced by several invitations to Dr. Jean Cline and members of the working group of scientists, to present their findings to the Board. The Board staff and individual Board members also participated in the quarterly meetings and other fora where the work was presented.

Dr. Cline has given the DOE a two-part, draft report entitled "Thermochronological Evolution of Calcite Formation at the Potential Yucca Mountain Repository Site, Nevada: Part 1, Secondary Mineral Paragenesis and Geochemistry" (Wilson and Cline) and "Thermochronological Evolution of Calcite Formation at the Potential Yucca Mountain Repository Site, Nevada: Part 2, Fluid Inclusion Analyses and U-Pb Dating" (Wilson, Cline, and Amelin). The report was issued in draft form because the Harry Reid Center (HRC) acknowledges that there are some outstanding issues regarding the database generated by the scientists. Recent discussions with the HRC indicate these issues are nearly resolved and it is expected that the database will be submitted to the DOE Technical Data Management System in the near future.

The purpose of the Cline study was to independently examine the secondary mineral deposits and especially the fluid inclusions within these secondary minerals, and interpret the observations regarding the origin of the fluid inclusions and secondary mineralization. A reading of the report indicates the work provides independent confirmation of work on secondary minerals by DOE scientists. For example:

Dr. Jared L. Cohon

-2-

JAN 24 2002


Paces et al state in the abstract of the 2001 USGS report "Ages and Origins of Calcite and Opal in the Exploratory Studies Facility Tunnel, Yucca Mountain, Nevada": *The physical and isotopic data from calcite and opal indicate they formed from solutions of meteoric origin percolating through a limited network of connected fracture pathways in the unsaturated zone rather than by inundation from ascending groundwater originating in the saturated zone.*

Wilson, Cline, and Amelin state in the abstract for Part 2 of their report: *Results from this study are consistent with a model of descending meteoric water that infiltrated the cooling tuff sequence, became heated, and precipitated secondary minerals within the vadose zone. And further, This study demonstrates that the hypothesis of geologically recent upwelling hydrothermal fluids is untenable and should not disqualify the Yucca Mountain as a potential nuclear waste storage site.*

The position on this issue by scientists representing the State of Nevada seems unchanged. In a pre-publication excerpt from the "Scientific status of the lingering 'upwelling water' controversy in light of the joint UNLV/USGS/State of Nevada research project" by Jerzy S. Szymanski and Dr. Yuri V. Dublyansky, May 2001, pp. 19, *"The proposed conceptual model implies that vadose zone is occasionally subjected to an upward flux of heat and gas-charged fluid, in addition to being subjected to a small flux of infiltrating rainwater."*

The data collected by both DOE and UNLV researchers confirm that the conceptual model of descending percolation is correct. The DOE further concludes that the "upwelling waters" or "seismic pumping" hypotheses for the origin of secondary mineralization at the Yucca Mountain site have been adequately addressed and may be discounted. The DOE is continuing to examine secondary minerals in conjunction with studies involving infiltration, flux rates, thermal effects, waste package geochemistry, paleohydrology and for other studies. Specifically, DOE does have ongoing studies to investigate the thermal history of the younger inclusions. The DOE and our scientists remain open-minded and interested in the characterization of the geology and hydrology of the proposed Yucca Mountain site, and how it might perform as a repository for nuclear waste.

Sincerely,



J. Russell Dyer  
Project Manager

OL&RC:CMN-0488

Dr. Jared L. Cohon

-3-

**JAN 24 2002**

cc:

CMS Coordinator, BSC, Las Vegas, NV  
W. J. Boyle, DOE/YMSCO, Las Vegas, NV  
Stephan Brocoum, DOE/YMSCO, Las Vegas, NV  
D. H. Coleman, DOE/YMSCO, Las Vegas, NV  
R. L. Craun, DOE/YMSCO, Las Vegas, NV  
J. R. Dyer, DOE/YMSCO, Las Vegas, NV  
A. V. Gil, DOE/YMSCO, Las Vegas, NV  
D. G. Horton, DOE/YMSCO, Las Vegas, NV  
V. F. Iorii, DOE/YMSCO, Las Vegas, NV  
S. P. Mellington, DOE/YMSCO, Las Vegas, NV  
C. M. Newbury, DOE/YMSCO, Las Vegas, NV  
D. R. Williams, DOE/YMSCO, Las Vegas, NV  
Records Processing Center = "6"



UNITED STATES  
NUCLEAR WASTE TECHNICAL REVIEW BOARD

2300 Clarendon Boulevard, Suite 1300  
Arlington, VA 22201

March 11, 2002

Mr. Lake H. Barrett, Acting Director  
Office of Civilian Radioactive Waste Management  
U.S. Department of Energy  
1000 Independence Avenue, SW  
RW-2/5A-085  
Washington, DC 20585

Dear Mr. Barrett:

Thank you very much for the participation of the Department of Energy (DOE) and its contractors at the January 29-30, 2002, meeting of the U.S. Nuclear Waste Technical Review Board in Pahrump, Nevada. We very much appreciate the hard work and extensive preparation required for the meeting. The presentations and discussions were both interesting and informative.

On the basis of presentations at the meeting and its previous oversight activities, the Board has three principal recommendations. First, because of existing uncertainties, a sustained commitment to continued scientific and engineering investigations is required to improve the technical basis for evaluating the performance of the proposed nuclear waste repository at Yucca Mountain. Second, data and analyses from this research should be assimilated into a realistic total system performance assessment (TSPA) analysis. Third, the DOE needs to communicate its results more clearly and effectively to decision-makers and the public. The recommendations are explained further below.

***Scientific and Engineering Investigations***

It is very important that the DOE vigorously pursue sustained scientific and engineering investigations to improve understanding of the capability of the site and associated engineered systems to isolate radioactive waste.

The DOE has made considerable progress in quantifying uncertainties and conservatisms in many areas. The products of these efforts can help to guide or focus further scientific and engineering investigations. However, the Board is concerned that some hydrogeologic processes that may either substantially accelerate or retard radionuclide transport in the unsaturated zone and saturated zone in and under Yucca Mountain remain poorly understood. For example, colloid-facilitated transport may accelerate radionuclide migration, and secondary mineralization may retard it. Furthermore, there is not yet a technically credible analysis of water accumulation and movement in and around the bulkheaded section of the exploratory cross-drift, no empirical evidence exists to support the drift-shadow concept, no large-scale field measurements of hydraulic properties of major geologic faults at Yucca Mountain have ever been made, and

jlc120vf

improvements in the regional saturated zone hydrogeologic model have not been incorporated in the site-scale model.

The DOE's current base-case repository design would produce temperatures on the waste package of 120 °C or higher for 500 to 1,000 years and peak temperatures as high as approximately 160 °C. The Board questions the DOE's conclusion that there is no significant long-term difference in repository performance predictions that is attributable to temperature. That conclusion appears to be inconsistent with statements by DOE scientists at the meeting indicating that uncertainties in hydrologic processes increase at higher repository temperatures. Furthermore, experimental work and analyses clearly indicate that potentially corrosive aqueous environments are possible in a repository at Yucca Mountain at temperatures up to approximately 160 °C. Yet, the DOE has essentially no corrosion data for Alloy 22 above 120 °C under repository-relevant conditions. Therefore, assessing the likelihood that localized corrosion could penetrate waste packages (causing them to fail) during the first few thousand years after repository closure is not possible currently. These uncertainties weaken the technical basis of the DOE's performance predictions.

Performance assessment calculations in the site recommendation show igneous activity to be the largest contributor to radioactive dose during the first 10,000 years. As discussed at the Board's September 2001 meeting, significant differences exist between Nuclear Regulatory Commission-sponsored models and the DOE models. The Board expressed its concerns about this situation in its October 17, 2001, letter to the DOE. On the basis of the reports of external experts, which were provided to the Board subsequent to that letter (all available at [www.nwtrb.gov](http://www.nwtrb.gov)), the Board believes that the model proposed by the Nuclear Regulatory Commission-sponsored consultants may be overly conservative, and our concerns have lessened. However, because of the significance of igneous activity to the estimated dose, additional work leading to a better understanding of igneous consequences is needed to resolve this issue.

At the Board meeting and in a letter to the Board dated January 24, 2002, the DOE concluded that the hypotheses of hydrothermal upwelling proposed by Mr. Jerry Szymanski had been adequately addressed and may be discounted. These conclusions were based on the DOE's positive response to a Board recommendation that a joint federal-State of Nevada project be conducted to determine the ages of fluid inclusions at Yucca Mountain. A systematic joint study was coordinated by University of Nevada-Las Vegas scientists and can be considered a model for successful resolution of some contentious scientific issues. The Board concurs with the DOE's conclusions and considers this issue resolved. The Board also concurs with the stated commitment of the DOE to continue study of secondary minerals for the information they can provide about infiltration, flux rate, thermal effects, waste package geochemistry, paleohydrology, and radionuclide transport and to continue ongoing studies of the thermal history of the younger of the fluid inclusions.

#### ***Total System Performance Assessment***

The DOE's compliance-oriented TSPA for site recommendation contains a mix of conservative, realistic, and nonconservative elements. Making performance estimates more realistic and characterizing the full range of uncertainty would increase confidence in the DOE's performance estimates and would provide a mechanism for assessing the magnitude of conservatism of the current compliance-oriented TSPA. Building confidence in the analyses is particularly important in light of the unique long-term implications of the policy decisions to be

made in the near future. A realistic analysis can yield a better understanding of the performance of the major subsystems for radioactive waste isolation at Yucca Mountain, and especially an improved understanding of the behavior of the unsaturated and saturated zones (without engineered barriers). To that end, the DOE should perform “one-on” TSPA dose calculations from waste initially exposed at the accessible environment boundary, then mitigated by transport through the unsaturated zone, then further mitigated by transport through the saturated zone, and finally mitigated by the cumulative effect of the engineered barrier system in concert with the natural barriers.

***Clear and Effective Communication***

Technical information and—as important—uncertainties associated with that information should be communicated clearly and effectively to decision-makers and the public. The meeting offered satisfactory and unsatisfactory examples of clear and effective communication. For example, the explanations presented at the Board meeting related to the evaluation of the uncertainties tabulated by the DOE were important and comprehensible. On the other hand, the risk curves of probability-weighted dose resulting from low-probability igneous events, although required for regulatory analyses, by themselves mislead diverse audiences who may be trying to better understand either the consequences or the probability of these events.

Thank you again for participating in the Board’s meeting and for your cooperation with our ongoing efforts. We look forward to further interactions with the DOE on these issues.

Sincerely,

{Signed by}

Jared L. Cohon  
Chairman

**Department of Energy**

Washington, DC 20585

APR 01 2002

Dr. Jared L. Cohon  
Chairman  
Nuclear Waste Technical Review Board  
2300 Clarendon Boulevard  
Arlington, VA 22201-3367

Dear Dr. Cohon:

This letter transmits the U. S. Department of Energy's response to the Nuclear Waste Technical Review Board January 24, 2002, letter which provided the Board's comments on the Department's technical and scientific work related to a decision on a Yucca Mountain, Nevada, site recommendation.

The Department has developed technical analyses and regulatory evaluations that account for our understanding of the scientific and technical work in the Site Recommendation documents. Based on the analytical results and sound scientific principles, the Department has confidence that a Yucca Mountain repository would likely meet all applicable radiation protection standards.

The Board's letter recommends specific actions that the Department should consider if the Yucca Mountain site is designated, including:

- Systematically integrating new data and analyses from science and engineering investigations;
- Monitoring performance before, during, and after waste emplacement;
- Developing a strategy for modifying or stopping repository development if potential significant unforeseen circumstances are encountered; and
- Continued external review of the Department's technical activities.



Printed with soy ink on recycled paper

The Department agrees with these recommendations. If the site is designated, the Department will continue to integrate the results of ongoing data and analyses from the science and engineering investigations. The Department's Test and Evaluation Plan, and supporting Performance Confirmation Plan, provide the preliminary strategy for continued testing and for monitoring performance before, during, and after waste emplacement. The Department also has procedures in place to modify or delay work if potential significant unforeseen circumstances are encountered. For example, our procedure for *Reportable Geologic Condition* (which was used to address Chlorine 36) defines a systematic process for evaluating technically significant conditions, including conditions that could adversely impact the waste isolation capability of the site, could be a potential radiological hazard, or could result in a deviation from the Project's design bases. For significant conditions, the procedure requires a decision to modify the testing program or to delay work, depending on the nature of the observation. Should the evaluation of conditions warrant it, the Department would define activities for stopping repository development.

The Department has implemented a number of external reviews of the scientific testing and analysis completed for the Yucca Mountain site. Recent examples include the ongoing peer review of the waste package materials performance, the International Peer Review of the Total System Performance Assessment (TSPA) for Site Recommendation, ongoing reviews by the U. S. Nuclear Regulatory Commission and the Board, reviews by Project Oversight Boards, and the recent Biosphere Peer Review. These reviews have provided beneficial feedback to the Project and resulted in improvements in the scope of testing activities and analytical approaches. If the site is designated, the Department will continue to use external reviews to increase confidence in our scientific and engineering work and improve the technical basis for a potential license application.

Over the past two years, the Department has focused considerable effort on the Board's four priority areas for Site Recommendation. A brief summary of each of these areas and of the Board's recommendation for continued study of the natural hydrogeologic barriers is provided in the following paragraphs.

*Meaningful quantification of conservatisms and uncertainties*

The Department began an effort to quantify previously unquantified uncertainties and conservatisms in the TSPA in 2000. You noted that we have made significant progress in this area. We are committed to continue quantifying uncertainties in performance assessment models, documenting the technical basis for these assessments, exploring avenues for reducing uncertainties, and defining ways to communicate uncertainty to decision-makers. The proposed guidance for continued work to quantify uncertainties

and conservatisms is documented in the *Uncertainty Analysis and Strategy* document, issued in November of 2001. This guidance has been further developed in the “Guidelines for Developing and Documenting Alternative Conceptual Models, Model Abstractions, and Parameter Uncertainty in the TSPA for Potential License Application,” (March 2002). The guidance will be implemented throughout the performance assessment models and in the *TSPA Methods and Assumptions* document that is being developed for the TSPA for License Application, if the site is designated.

*Progress in understanding the underlying fundamental waste package processes*

The Department agrees with the Board that we have made significant progress in understanding fundamental corrosion processes. Consistent with the Board’s recommendation to continue efforts in this area, the Department has an ongoing comprehensive program for materials testing, which has been reviewed with the Board, that will continue if the site is designated. The Waste Package Peer Review panel has recently completed its report. The Department expects to incorporate many of the recommendations from that panel in its materials testing program.

*Evaluation and comparison of the base-case repository design with a low temperature design*

The Department continues to focus on the refinement of a design that can function effectively over a range of thermal conditions. The Department believes that this course of action preserves the ability to react to new information and evolving technology. Until sufficient information is available to make a decision on optimal thermal operating conditions, and until this decision is necessary, the Department will maintain the flexibility to operate in either a higher or lower thermal condition. At the appropriate time, the Department will select a preferred thermal condition, based on postclosure performance, preclosure safety, cost and schedule, and future national policy decisions. The Department has ongoing research and analysis to strengthen the technical basis for both a higher and a lower temperature operating mode. This work will provide a stronger basis for any future decision on the postclosure thermal conditions.

*Development of multiple lines of evidence that are independent of performance assessment*

As noted by the Board, the Department has increased its use of analogs over the last three years and is now placing greater reliance on analogs to support parameter development and ranges of parameter values for some process models. If the site is designated, the

Department will continue to evaluate natural analogs and alternative models to provide independent lines of evidence to increase confidence in the conclusions reached in its safety assessments. The Department is also planning to complete “one-on” analyses in the fall time frame to provide insight on the effectiveness of individual barriers. These analyses will support our evaluation of defense-in-depth.

*Natural hydrogeologic barriers*

The Board recommends that the Department continue scientific studies to develop more realistic and technically defensible predictions of fluid flow and transport in the unsaturated and saturated zones at Yucca Mountain for the range of radionuclides that may be emplaced at Yucca Mountain. The Board’s confidence in the Department’s analyses of fluid flow and transport could be substantially increased if the Department completes a concentrated research effort over the next few years. Bechtel SAIC Company, LLC, is defining the work scope that will lead to a License Application in 2004. The scientific investigations and analyses necessary to support License Application will be prioritized and considered with other project activities, such as design, to produce a balanced program within the funding constraints dictated by our budget. As indicated above, additional scientific investigations and analyses to improve our understanding and confidence in how natural and engineered systems work is planned to continue during License Application preparation and beyond.

The Department has benefited from the constructive views of the Board leading to the development of the technical basis for the Secretary’s Site Recommendation decision. If the site is designated and the Department proceeds to develop a License Application, we look forward to continuing our dialogue on these important issues with the Board.

Sincerely,



Dr. Margaret S. Y. Chu, Director  
Office of Civilian Radioactive  
Waste Management



UNITED STATES  
NUCLEAR WASTE TECHNICAL REVIEW BOARD  
2300 Clarendon Boulevard, Suite 1300  
Arlington, VA 22201

June 20, 2002

Dr. Margaret S. Y. Chu  
Director  
Office of Civilian Radioactive Waste Management  
U.S. Department of Energy  
1000 Independence Avenue, SW  
Washington, D.C. 20585

Dear Dr. Chu:

On behalf of the Nuclear Waste Technical Review Board, I would like to thank you and your colleagues from the Department of Energy (DOE) and its contractors who participated in the Board's meeting on May 7-8, 2002, in Washington, D.C. We appreciated your presentation and the presentation by Under Secretary of Energy Robert Card. We also were pleased that you were able to attend so much of the two-day meeting. The Board found it especially useful that, to varying degrees, all the presentations at the meeting touched on the important task of increasing confidence in the technical basis for the DOE's repository performance estimates.

### **Increasing Confidence**

#### *Waste Package Corrosion and Repository Design*

Two presentations directly addressed two Board priorities: (1) progress in understanding the underlying fundamental processes involved in predicting the rate of waste package corrosion and (2) an evaluation and a comparison of the DOE's base-case (high-temperature) repository design with a low-temperature design.

The Board commends the DOE for convening the Waste Package Materials Performance Peer Review Panel, whose excellent final report is both comprehensive and timely. The report contains many recommendations for further research and development that should increase confidence in the technical basis for predictions of the long-term performance of the waste package. The Board strongly endorses the recommendations in the report, especially the recommendation for better addressing issues related to waste package design, fabrication, and closure. Because of the importance to repository performance of the Alloy 22 protective passive layer, the Board continues to believe that the technical basis for extrapolating corrosion behavior over thousands of years needs to be more firmly established. The DOE should continue to search diligently for natural and archaeological analogues and should perform experimental and analytical studies on the analogues that appear to have been protected for long periods by passive layers.

One objective of repository design is to provide tunnel environments that will slow waste package corrosion and minimize its associated uncertainties. As you know, the Board believes that high temperatures increase uncertainties and decrease confidence in the predictions of performance of waste package materials. Therefore, the Board is encouraged that the DOE is

jlcl26vf

committed to preserving the option of a low-temperature repository. However, the technical basis for the DOE's selection of a high-temperature repository design for a potential license application remains unclear to the Board, particularly in view of the uncertainties associated with a high-temperature design and the lack of data on high-temperature corrosion. Furthermore, the DOE's current high-temperature repository design differs from the one assumed in the documentation for the site recommendation in key areas, such as waste package spacing. Finally, design flexibility deserves further analysis in light of recent ventilation calculations and the current uncertainties about the thermal conductivity of the rocks in the repository horizon. Seriously considering designs other than the DOE's current high-temperature base-case design may be of considerable value to the program if it proceeds into the licensing phase.

#### *Repository Safety Case and Performance Confirmation*

As stated in previous correspondence from the Board to the DOE, the Board strongly supports the DOE's efforts to develop a repository safety case now for supporting a potential license application and for improving the DOE's communication with decision-makers and the public. The safety case should explain how a repository at Yucca Mountain would isolate radioactive waste for many thousands of years and should rely on the numerical analyses used to predict repository performance as well as other evidence that supports those numerical analyses. Such supporting evidence addresses two other Board priorities: (1) meaningful quantification of conservatism and uncertainties in performance assessments and (2) development of multiple lines of evidence to support the repository safety case. Consistent with the approach taken in other countries, the Board recommends that the DOE prepare a working draft of its safety case as soon as possible to provide ample opportunities for modification and refinement in response to technical and public comment.

The Board believes that performance confirmation should focus on evaluating the validity of estimates of long-term repository performance and challenging their underlying assumptions. However, the DOE presentations did not make clear to the Board what the DOE's overall goal for performance confirmation is or how the DOE intends to validate its predictions of repository performance. Progress in developing a meaningful performance confirmation plan will be limited until a safety case has been drafted. Development of a meaningful plan may be complicated further by the potential for competing interpretations of the data that are gathered (e.g., efforts to explain chlorine-36 data and the appearance of water in the closed-off section of the cross-drift).

#### *Adaptive Staging*

Adaptive staging is a management approach that could potentially increase confidence in the DOE's repository development efforts by ensuring that the logic and the underlying technical arguments of the safety case will be reviewed periodically and that midcourse corrections will be made if necessary. As the National Research Council's panel on repository staging notes in its recently released progress report, adaptive staging differs significantly from a linear, predetermined repository development process, which is characterized by an unwavering commitment to a single course of action to secure a fixed outcome. The panel observes that adaptive staging is a "promising approach," but the panel also cautions that systematic organizational learning—a key requirement for adaptive staging—is challenging under the best of circumstances. The Board encourages the DOE to develop a better understanding of adaptive

staging and to analyze the implications of this approach for its present organization and for its interaction with the public.

The presentation on flexible repository design and thermal operating conditions came closest of all the presentations at the meeting to illustrating how adaptive staging might work during performance confirmation. In that presentation, discrete decision points were identified, additional data that need to be collected and integrated were specified, milestones for reevaluating and reassessing decisions were established, and choices that might foreclose future options were clearly highlighted. Just as technical flexibility will be a prerequisite for adaptive staging, it is essential that the DOE be willing to make midcourse technical or programmatic corrections during performance confirmation if they are required. In summary, using adaptive staging will require that the DOE address with specificity the following questions: What information can be gathered over what time frame? How will that information be used to determine whether previous decisions and assumptions about repository performance remain valid? What midcourse corrections or remedial actions, if any, are warranted?

### **New Organizational Structure**

As noted in the Board's January 24, 2002, letter report to Congress and the Secretary of Energy, improving understanding and filling in existing data gaps are important for increasing confidence in estimates of repository performance and for better defining necessary activities associated with performance confirmation. At the May meeting, the DOE informed the Board that it had established a task force to develop options for increasing fundamental understanding of the proposed repository system and for increasing confidence in projections of repository performance. Of course, the Board expects that work directed toward a potential license application would increase confidence as well. New information and analyses may have important implications for the development of a safety case as well as for repository design.

Any work undertaken by this task force not only should supplement but also should be integrated with the work already planned for a potential license application. The Board looks forward to reviewing the studies initiated by the new task force as well as the ongoing efforts to refine parameter estimates, models, and scenarios and to develop the next iteration of performance assessment.

Again, the Board thanks you, the DOE staff, and the DOE's contractors for supporting its May Board meeting. It looks forward to your promised September update, which could provide more details about investigations to improve understanding of the role of natural barriers, such as the saturated zone, in containing and isolating waste. The Board also would like to hear how the DOE plans to address the issues discussed in this letter.

Sincerely,

{Signed by}

Jared L. Cohon  
Chairman

cc: Robert G. Card

**Department of Energy**

Washington, DC 20585

**AUG 05 2002**

Dr. Michael L. Corradini, Chairman  
Nuclear Waste Technical Review Board  
2300 Clarendon Boulevard, Suite 1300  
Arlington, VA 22201-3367

Dear Dr. Corradini:

This is in response to Dr. Jared Cohen's letter of March 11, 2002, providing the Nuclear Waste Technical Review Board's (Board) perspective on information presented by the U.S. Department of Energy (DOE) at the Board's January 2002 Board Meeting. Based on the presentations at the meeting and previous oversight activities, the Board provided three principal recommendations for DOE to consider in planning future studies at the Yucca Mountain, Nevada site:

- Sustained commitment to continued science and engineering investigations.
- Assimilation of the data and analyses from these investigations into a realistic total system performance assessment.
- Clear and effective communication to decision makers and the public.

The DOE fully concurs with the Board in the importance of these recommendations to the Office of Civilian Radioactive Waste Management program. Our current plans include work that will address all three of your recommendations. Each of these recommendations is discussed in the enclosure to this letter.

The DOE has benefited from the constructive views of the Board. As DOE proceeds to develop a license application, we will look forward to continuing our dialogue with the Board on these and other important issues.

Sincerely,

A handwritten signature in black ink, appearing to read "Margaret S. Y. Chu".

Dr. Margaret S. Y. Chu, Director  
Office of Civilian Radioactive  
Waste Management

Enclosure:

*U.S. Department of Energy's Responses to  
Recommendations in the March 11, 2002,  
Letter from the Nuclear Waste Technical  
Review Board*



Printed with soy ink on recycled paper

Dr. Michael L. Corradini

cc w/encl:

D. K. Kim, DOE/HQ (RW-2), FORS  
R. A. Milner, DOE/HQ (RW-2), FORS  
S. L. Waisley, DOE/HQ (RW-2), FORS  
N. H. Slater-Thompson, DOE/HQ (RW-52), FORS  
S. H. Hanauer, DOE/HQ (RW-2), Las Vegas, NV  
Richard Goffi, BAH, Washington, DC  
J. N. Bailey, BSC, Las Vegas, NV  
CMS Coordinator, BSC, Las Vegas, NV  
M. W. Pendleton, BSC, Las Vegas, NV  
N. H. Williams, BSC, Las Vegas, NV  
R. C. Murray, MTS, Las Vegas, NV  
W. J. Boyle, DOE/YMSCO, Las Vegas, NV  
Stephan Brocoum, DOE/YMSCO, Las Vegas, NV  
R. L. Craun, DOE/YMSCO, Las Vegas, NV  
J. R. Dyer, DOE/YMSCO, Las Vegas, NV  
V. Gil, DOE/YMSCO, Las Vegas, NV  
D. G. Horton, DOE/YMSCO, Las Vegas, NV  
V. F. Iorii, DOE/YMSCO, Las Vegas, NV  
S. P. Mellington, DOE/YMSCO, Las Vegas, NV  
M. Newbury, DOE/YMSCO, Las Vegas, NV  
R. E. Spence, DOE/YMSCO, Las Vegas, NV  
J. T. Sullivan, DOE/YMSCO, Las Vegas, NV  
M. C. Tynan, DOE/YMSCO, Las Vegas, NV  
R. Williams, DOE/YMSCO, Las Vegas, NV  
J. D. Ziegler, DOE/YMSCO, Las Vegas, NV  
L. J. Desell, DOE/YMSCO, (RW-2), FORS

bcc w/encl:

Records Processing Center – “11”

MFR:OL&RC:CMN-1346

---

## Enclosure

### **U.S. Department of Energy (Department) Responses to Recommendations in the March 11, 2002, Letter from the Nuclear Waste Technical Review Board (Board)**

#### *Sustained Commitment to Scientific and Engineering Investigations*

The Department believes that the work currently planned and funded to strengthen the technical basis for a potential license application is adequate to request a construction authorization from the U.S. Nuclear Regulatory Commission (NRC). However, the Department is committed to continuing scientific and engineering investigations that will be structured to focus on scientific and technical issues that, if resolved satisfactorily, could bring significant cost reductions and systems enhancements to the implementation of a repository at the site. Such investigations would also be structured to provide increased confidence in the understanding of the physical processes at Yucca Mountain and to improve the defense of long-term projections of site performance. In addition, this effort will evaluate new and emerging technologies for the waste management system. In general, information resulting from these continuing science and technology efforts will not be available for the initial license application, but will be made available throughout the licensing and operational phase of the repository. As such, science and technology related activities not currently underway for the development of the license application can still be undertaken in the continuing scientific and engineering investigations effort, should funding be available.

The Board has identified areas of investigation that could improve understanding of the capability of the site and the engineered system to limit releases to the accessible environment. The Department will be planning scientific and engineering investigations in the areas identified by the Board discussed below and will consider other areas of investigation to enhance our fundamental understanding of system performance.

#### *Hydrologic processes that accelerate or retard radionuclide transport in the unsaturated and saturated zone*

The Board notes that some hydrologic processes that may either substantially accelerate or retard radionuclide transport in the unsaturated and saturated zones are poorly understood. The Board's examples are discussed in the following paragraphs.

Current work on transport in the unsaturated and saturated zone is primarily focused on the evaluation, and validation as appropriate, of existing models. Ongoing transport testing work at Busted Butte will be completed, but planned field tests of colloid transport for the unsaturated zone has been cancelled. For the saturated zone, enhancements to the colloid transport model are not planned in the near term. Uncertainty in the colloid transport models for the unsaturated and saturated zones will be evaluated through sensitivity analyses. After submitting information feeds to performance assessment for use in the Total System Performance Assessment (TSPA) for

License Application, the Department will evaluate technical issues related to colloid transport in the unsaturated and saturated zone to determine the need for additional work on colloids both in terms of strengthening the license application case for subsequent updates and improving scientific understanding.

Testing in the bulkheaded section of the Exploratory Studies Facility (ESF), Cross Drift is continuing to focus on evaluating the accumulation and movement of moisture in and around the drift. Available chemical analyses suggest that the source of water in this section of the ESF Cross Drift is condensate rather than seepage. Monitoring will continue to evaluate the source of this moisture.

The predicted consequence of preferential diversion of water around underground openings is the development of a dry-out zone beneath the opening. If a dry-out zone or drift shadow zone of drier conditions exists beneath the drifts at Yucca Mountain, advective and diffusive transport would be greatly reduced in the vicinity of potential points of radionuclide release, leading to longer transport times in the region directly below the waste emplacement drifts. To date, the Department has only partly included the concept in performance assessment calculations of transport in the unsaturated zone. Additional studies to evaluate this concept are likely necessary to take credit for the full shadow zone concept in performance assessment calculations. There is a potential for significant delay in and lowering of peak dose, if diffusive and advective transport rates from the engineered system into the mountain-scale flow system are significantly lowered.

More realistic models of the flow of water in the system after a return to ambient temperature conditions and a more realistic look at the potential for no continuous moisture pathways from the waste form to the invert are additional areas that might lead to increased confidence in system performance. If this work is coupled with drift shadow zone work, it promises to have an impact on both the overall scientific understanding of the system and on calculations of expected dose in the very long term.

#### *Large scale measurement of hydraulic properties of faults*

Although there are no large-scale field measurements of hydraulic properties of major geologic faults in the saturated zone at Yucca Mountain, flow in the tuff aquifer is believed to occur in a fracture network that exhibits a preferential north-south strike. Faults mapped at the surface have a similar preferred orientation and are represented implicitly both in the new regional flow model and in the site-scale flow and transport model as zones of enhanced permeability.

It is reasonable to expect variability in fault properties in the saturated zone. The field testing in the area of the Paintbrush Fault penetrated in the well UE25 p-1 indicates that the Paintbrush Fault system at this locality serves as a barrier to flow. However, in other areas, air permeability and flow tests suggest that the fracture and fault zones in Tertiary volcanics exhibit a fairly high permeability relative to the non-faulted rock. The Department believes that the current approach to modeling fault properties in the

saturated zone as zones of enhanced permeability is consistent with the data, however, in some areas of the site this may be conservative. Additional long-term field-testing may lead to a more representative saturated zone flow and transport model.

In the unsaturated zone, direct measurements of fault-specific properties of the Bow Ridge Fault and the Ghost Dance Fault have been conducted using air-injection tests in the ESF. These data suggest that, within the welded units of the Topopah Spring and the Tiva Canyon tuffs, the fractures in the fault zones are more permeable and porous than the fractures in the formation. From these data, it is inferred that faults within the Paintbrush and Calico Hills nonwelded units have higher permeabilities than the adjacent non-faulted rock.

Natural variability in fault properties could result in low permeabilities in portions of these units and retard movement of water. This would lead to slower transport to the water table. Faults are modeled as high permeability structures in the Paintbrush and Calico Hills nonwelded units because there is insufficient data to limit interpretations to a single conceptual model. Long-term testing and analyses may reduce the conservatism in this model and lead to greater performance from the unsaturated zone.

The primary focus of ongoing work on the site-scale saturated zone model is evaluation of this model, and validation as appropriate. The effort is taking into account new data from the Nye County wells and single-well tests at the Alluvial Testing Complex and a comparison of the updated, 2001 United States Geological Survey model with the site-scale saturated zone model. This work will provide the inputs from the site-scale saturated zone model to performance assessment analysts for development of the TSPA for the License Application. The United States Geological Survey is continuing to develop their regional saturated zone model.

#### *Localized Corrosion*

The Department has a comprehensive ongoing and planned experimental program to investigate localized corrosion in repository-relevant conditions. The Department has been considering a range of thermal conditions for the repository. At the high end, this range includes thermal conditions in which the surface temperature of the waste package is expected to be less than 180°C. At the low end, this range includes thermal conditions in which the surface temperature of the waste package is expected to be less than 85°C. A key concern for the higher end of the range of thermal conditions is the time at which the surface temperature of the waste package approaches 120°C. That is the temperature at which salts could facilitate formation of moisture on the waste package surface and is the subject of continuing investigations. Continued investigations will focus on the range of susceptibility.

Under projected repository conditions, aqueous solutions at elevated temperatures (>120°C) could occur if chloride salts of calcium (CaCl<sub>2</sub>) or magnesium (MgCl<sub>2</sub>) are present. In support of understanding the effect of these hygroscopic salts, atmospheric corrosion studies (i.e. aqueous thin film studies) with deposited CaCl<sub>2</sub> are being

conducted at temperatures up to 150°C using a thermogravimetric analyzer and an environmental chamber. The project is addressing the likelihood of CaCl<sub>2</sub> and MgCl<sub>2</sub> deposition on the waste packages and the quantities that could be expected. Thermodynamic modeling is also underway to understand the compositions of aqueous solutions that could develop under the projected temperature and relative humidity conditions.

#### *Consequences of Igneous Activity*

The Department agrees with the Board's assessment that the model proposed by the NRC consultants is overly conservative. The Department has planned additional work to improve the understanding of the consequences of igneous activity, because performance analyses indicate that igneous activity is potentially the largest contributor to the probability-weighted mean annual radioactive dose during the first 10,000 years. An external peer review of the planned work on potential consequences of igneous activity is now underway. The peer review panel is reviewing the current technical basis for the evaluation of the consequences of igneous activity, proposed work to analyze the consequences of igneous activity, and the adequacy of the associated modeling program. They will recommend any augmentations to planned work that would strengthen the technical basis for the evaluation of consequences from igneous activity.

#### *Hydrothermal Upwelling*

The Department is pleased that the Board considers the issue of hydrothermal upwelling resolved. As discussed in our letter (Dyer to Cohen, 1/24/02), while the issue of upwelling is closed, we plan to continue the study of secondary minerals to provide additional insights into the understanding of various aspects of flow and transport in the unsaturated and saturated zones.

#### ***Assimilation of the data and analyses from these investigations into a realistic total system performance assessment***

As we noted at the January 2002 Board Meeting, the TSPA for a potential License Application will, to the extent practicable, include a better treatment of uncertainty than previous iterations of TSPA. The Project is following the approach presented in the 2001 *Uncertainty Analyses and Strategy Letter Report*<sup>1</sup> in developing the TSPA for a potential license application. This is a continuing effort to replace single bounding values with probability distribution values that is highly dependent on the nature and quantity of data available and obtainable. Analyses of the impact of that uncertainty on subsystem and system performance will be included. The Department will continue to assimilate the results of ongoing scientific and engineering investigations into future iterations of the TSPA; however, some conservatism will, of necessity, remain due to the nature of the parameter being considered.

The Department is conducting sensitivity analyses to increase our understanding of the significance of the influence of various components used in the TSPA model. These

analyses include “one-off” neutralization analyses, “one-on” analyses to look at individual barriers, and sequential analyses in which barriers are added one at a time to observe the combined effects of the barriers for gaining insight on individual and combined barrier effects.

---

<sup>1</sup>Nancy H. Williams. 2001. "Contract Number DE-AC08-01RW12101, *Uncertainty Analyses and Strategy Letter Report*, Revision 00, Activity #SA011481M4." Letter from N. H. Williams (BSC) to S. J. Brocoum (DOE/YMSCO), November 19, 2001, JM:cs-1116010483, with enclosure. ACC: MOL.20020109.0064.

### ***Clear and Effective Communication***

The Department agrees that clear and effective communication of technical information and the uncertainties in that information to decision makers and the public is important. The Department has also learned from experience that conveying highly technical information to those same audiences is difficult. The 2002 *Uncertainty Analyses and Strategy Letter Report* provides initial guidance on methods for expressing and communicating uncertainty, including examples of approaches used by other projects to communicate uncertainty. This guidance is being implemented in the development of alternative conceptual models, model abstractions, and parameter uncertainty for the next iteration of the TSPA. The Department is evaluating comments and recommendations from the recent international review of the TSPA, completed to support Site Recommendation, to see how best to communicate highly technical concepts, such as probabilistic calculations and their results and uncertainties, to diverse audiences.

**Department of Energy**

Washington, DC 20585

September 6, 2002

Dr. Michael L. Corradini, Chairman  
Nuclear Waste Technical Review Board  
2300 Clarendon Boulevard  
Arlington, VA 22201-3367

Dear Dr. Corradini:

On behalf of the Department, I would like to extend my congratulations on your appointment as Chairman of the Nuclear Waste Technical Review Board. I look forward to a long and positive association with you and the Board. I would also like to take this opportunity to extend my thanks to the outgoing Board Chairman, Dr. Jared L. Cohon, and to Dr. Donald D. Runnells, Dr. Alberto A. Sagüés, and Dr. Jeffery Wong for their years of dedicated service as members of the Board.

In his June 20, 2002, letter, Dr. Cohon provided the Board's perspective on information presented by the Department at the Board's May 2002 Board Meeting. Based on the presentations at that meeting and previous oversight activities, the Board provided comments in two general areas for the Department to consider in planning future studies at the Yucca Mountain site:

- Increasing confidence in the understanding of waste package corrosion and long term repository performance
- The potential value of a new organizational structure that will increase fundamental understanding of the repository system

The DOE agrees with the Board about the importance of both of these topics. Our current plans include work that will address the comments that the Board provided in its June letter. Those comments are discussed in the attachment to this letter.

The Department has benefited from the constructive views of the Board. We appreciate the Board's review of our activities as we develop a license application for a repository at Yucca Mountain, and look forward to continuing our dialogue with the Board on these and other important issues.

Sincerely,

A handwritten signature in black ink, appearing to read "Margaret S. Y. Chu".

Dr. Margaret S.Y. Chu, Director  
Office of Civilian Radioactive  
Waste Management

Enclosure



Printed with soy ink on recycled paper

*DOE discussion of NWTRB Comments on  
Increasing Confidence in the Technical Basis for Estimates of Repository  
Performance, June 20, 2002*

*Waste Package Corrosion*

*The Board commends the DOE for convening the Waste Package Materials Performance Peer Review Panel, whose excellent final report is both comprehensive and timely. The report contains many recommendations for further research and development that should increase confidence in the technical basis for predictions of the long-term performance of the waste package. ...The Board continues to believe that the technical basis for extrapolating corrosion behavior over thousands of years needs to be more firmly established. The DOE should continue to search diligently for natural and archaeological analogues and should perform experimental and analytical studies on the analogues that appear to have been protected for long periods by passive layers.*

The DOE agrees that this Peer Review produced an excellent and comprehensive review of the current basis for predicting the long-term performance of waste package and drip shield materials and the adequacy of plans for future study. The DOE is in the process of evaluating the Panel recommendations as we plan testing and analysis for the next phase of the Yucca Mountain Project. We will continue to look for natural and archaeological analogs that appear to have been protected by passive layers for long periods. If found, they would be excellent candidates for experimental work to establish independent lines of evidence for the behavior of passive layers.

*Repository Design*

*...the Board is encouraged that the DOE is committed to preserving the option of a low-temperature repository. However, the technical basis for the DOE's selection of a high-temperature repository design for a potential license application remains unclear to the Board in view of the uncertainties associated with a high-temperature design and the lack of data on high-temperature corrosion.*

In 1998, the DOE did evaluate a high temperature design with a drift spacing of 28 meters as the base case for the Viability Assessment (VA). The performance assessment analyses for that design projected postclosure thermal conditions in which the boiling zones of adjacent drifts coalesced. For the Site Recommendation (SR), we selected a single design with a drift spacing of 81 meters. Analyses of that design showed postclosure thermal conditions that were lower than those projected for the VA design. Moreover, the SR design accommodates a range of preclosure operating modes that can be used to modify the early postclosure conditions. For the base-case operating mode of the SR design, drift wall temperatures are projected to be above boiling in the early phases of the postclosure scenario and a dry-out zone extends several meters into the rock around the drifts, but a portion of the pillars between drifts remains below the boiling point of water. This concept is intended to promote drainage of thermally mobilized

water through the central portion of the pillars and thus to ensure hydrologic independence of the individual drifts. The lower temperature postclosure conditions in the base-case SR design, compared to the Viability Assessment design, have tended to increase confidence and reduce uncertainties in the analysis and modeling of thermal effects on the natural system. This results from reducing the volume of rock and water that is perturbed by the thermal pulse.

DOE also analyzed the SR design for an alternative case where preclosure operating modes were used to modify the postclosure thermal conditions, keeping the average surface temperature of the waste package below 85°C. In comparing the postclosure results of the two cases, the uncertainties in the base-case SR design may be greater than the cooler alternative case during the first few thousand years. However, those uncertainties are primarily related to the subsystem performance calculations for the near-field environment, and there is no discernable difference in uncertainty as measured in the current total system performance assessment models. Results of the total system performance assessment analyses for both cases indicate that calculated dose rates using the SR design are well below the limits set by the Nuclear Regulatory Commission and the Environmental Protection Agency. The DOE believes that the base-case operating mode for the SR design, that results in postclosure thermal conditions at the higher end of the expected range, provides a better balance of postclosure thermal conditions and preclosure advantages for construction and operations, flexibility, and cost. While this operating mode has been selected for evaluating repository performance in the Total System Performance Assessment for the License Application (TSPA-LA), DOE will continue to evaluate the lower temperature option as an alternative operating mode. The lower temperature option will be carried forward with the objective of minimizing impacts on the overall schedule if this option is selected. For the purpose of the License Application, it is necessary to analyze the proposed operating mode in order to demonstrate whether or not the repository system meets the Nuclear Regulatory Commission's applicable regulatory criteria. If a different operating mode is eventually selected, then that mode would require approval by the NRC.

The DOE has decided to provide a repository design that will allow loading the repository to accommodate a range of operating modes and to defer the final decision on postclosure thermal conditions until more data are available to support this decision. These data may be collected as part of our baseline program, or as part of the new Science and Technology Program. We have also laid out a time frame to monitor ongoing data collection and to evaluate if new data support a decision on the postclosure thermal conditions, as presented to the Board in May 2002. In the Waste Package Material Performance Peer Review<sup>1</sup>, the Panel concludes that

“...the benefits of moving from the high temperature operating mode, as currently defined, to a low temperature operating mode are not clearly greater and might be

<sup>1</sup> Beavers, J.A.; Devine, T.M., Jr.; Frankel, G.S.; Jones, R.H.; Kelly, R.G.; Latanision, R.M.; and Payer, J.H. 2002. *Final Report, Waste Package Materials Performance Peer Review Panel, February 28, 2002.* [Las Vegas, Nevada]: Waste Package Materials Performance Peer Review Panel.

offset by the effects of radiolysis, in addition to long-term ventilation and increased area for the repository.”

The DOE concurs with the Panel’s conclusion with respect to the postclosure thermal conditions. As noted above, testing and analyses are ongoing to improve the technical bases for projecting both higher and lower postclosure thermal conditions. As additional data and analyses are completed, the DOE will re-evaluate the postclosure thermal strategy.

*...DOE’s current high-temperature repository design differs from the one assumed in the documentation for the site recommendation in key areas, such as waste package spacing.*

The current baseline design is the SR design. This design has fixed engineering parameters, such as drift spacing and drift diameter, and variable operating parameters, such as areal mass loading, average waste package spacing and ventilation system operation. Various combinations of operating parameters were used to evaluate different postclosure thermal conditions that can be achieved with the SR design. These scenarios included average waste package spacing that varied from 0.1 meters to 6 meters. While all permutations of operating parameters were not evaluated, DOE is confident that the combinations that were evaluated adequately bound the postclosure conditions. Current design considerations are consistent with the SR approach and within the range of operating parameters considered for the SR design. As discussed previously, the DOE will evaluate repository performance in the TSPA-LA based on an operating mode that results in above boiling conditions in the early phases of the postclosure period.

#### *Repository Safety Case*

*...the Board strongly supports the DOE’s efforts to develop a repository safety case now for supporting a potential license application and for improving the DOE’s communication with decision-makers and the public.*

The DOE believes that the case for safety of a repository will be embodied in the licensing bases being developed for the LA. The licensing bases for both preclosure and postclosure repository performance will include the results of quantitative assessments of the performance of the repository system, as well as other lines of evidence that provide confidence that the results are reasonable and robust. For the postclosure evaluation, these additional lines of evidence will include the description of multiple natural and engineered features and systems that will act as barriers to the migration of radionuclides and the use of natural and man-made analogs to assess the reliability of the systems performance models. The licensing bases will also include a commitment to a performance confirmation (PC) program. For preclosure, the evaluation will include a quantitative safety analysis of all repository structures, systems, and components. Additional confidence building measures defined for the preclosure licensing bases include the use of margin and defense-in-depth in design, consequence analysis of

beyond-design basis events, reliance on commercial nuclear reactor precedent and experience, and compliance with all license specifications and surveillances.

#### *Performance Confirmation*

*...The Board believes that performance confirmation should focus on evaluating the validity of estimates of long-term repository performance and challenging their underlying assumptions.*

The Test and Evaluation Program and the Performance Confirmation (PC) Program are being revised in response to the issuance of 10 CFR Part 63<sup>2</sup> and the draft Yucca Mountain Review Plan<sup>3</sup>. Analysis of the regulation identified seven types of required testing, one of which is performance confirmation. DOE has developed an approach to manage these seven types of testing in an integrated manner, and has identified interfaces between them as well as the overlap of some tests among multiple regulatory requirements. 10 CFR 63.2 defines Performance Confirmation as “the program of tests, experiments, and analyses that is conducted to evaluate the adequacy of the information used to demonstrate compliance with the performance objectives of Subpart E of this part” (10 CFR Part 63).

10 CFR Part 63 Subpart F defines the requirements for a PC program. In developing the PC program, DOE will define the parameters and the extent of testing and monitoring for each parameter using a risk-informed performance-based approach. A decision analysis process is underway to develop and apply parameter selection criteria. The risk-informed approach to PC program definition is strongly related to the licensing bases, which includes numerical analyses and qualitative arguments of the complementary performance of nine individual natural and engineered barriers. Thus, the revision of the PC program and the development of the licensing bases are being conducted in tandem.

#### *Adaptive Staging*

*The Board encourages the DOE to develop a better understanding of adaptive staging and to analyze the implications of this approach for its present organization and for its interaction with the public.*

The concept as described in the National Research Council panel's interim report<sup>4</sup> was generic - intended to be broadly applicable to any repository program at any stage of development. In the United States (U.S.), a comprehensive law specifying national policy, court-affirmed contractual obligations for the Federal government to accept and dispose of spent fuel, a fully-developed regulatory framework, and formal designation of

<sup>2</sup> 66 FR 55732. Disposal of High-Level Radioactive Wastes in a Proposed Geologic Repository at Yucca Mountain, NV. Final Rule 10 CFR Part 63.

<sup>3</sup> Center for Nuclear Waste Regulatory Analyses. 2002. *Yucca Mountain Review Plan, Draft Report for Comment*. NUREG-1804, Rev. 2. Washington, D.C.: U.S. Nuclear Regulatory Commission, Office of Nuclear Material Safety and Safeguards.

<sup>4</sup> National Research Council. 2002. *Principles and Operational Strategies for Staged Repository Systems: Progress report*. Washington, D.C.: National Academy Press.

a site at Yucca Mountain are already in place. DOE believes that the elements of adaptive staging already exist in the U.S. waste management system but are constrained by the realities of where the DOE is in the repository development process. The program has changed in many ways over the years in response to new information from various affected and interested parties, including the NWTRB. DOE expects that there will be continued opportunities to make improvements to design and operations as information is obtained from the Science and Technology Program that was described at the Board's May 2002 meeting. DOE also believes that there may be better ways to stage repository development within the present regulatory and legislative constraints. DOE is looking forward to the findings and recommendations of the panel concerning the application of the concept of adaptive staging to the specific case of the Yucca Mountain project and will give careful consideration to any findings and recommendations.

*The presentation on flexible repository design and thermal operating conditions came closest of all the presentations at the meeting to illustrating how adaptive staging might work during performance confirmation. In that presentation, discrete decision points were identified, additional data that need to be collected and integrated were specified, milestones for reevaluating and reassessing decisions were established, and choices that might foreclose future options were clearly highlighted. Just as technical flexibility will be a prerequisite for adaptive staging, it is essential that the DOE be willing to make midcourse technical or programmatic corrections during performance confirmation if they are required. In summary, using adaptive staging will require that the DOE address with specificity the following questions: What information can be gathered over what time frame? How will that information be used to determine whether previous decisions and assumptions about repository performance remain valid? What midcourse corrections or remedial actions, if any, are warranted?*

The DOE agrees that the approach being developed for dealing with postclosure thermal conditions through use of a design with flexible preclosure operating modes may be a good example of the application of adaptive staging during the repository development and operations phase. DOE also expects to extend that approach to other aspects of repository development that could be affected by new information that could become available during repository construction and operation.

The DOE will make any changes to the program necessary to assure worker and public health and safety, in response to new information gained during repository development through the NRC licensing process, if necessary. The NRC requires continued evaluation of new information obtained during licensing, construction, operation, and monitoring of the repository to determine whether the essential assumptions and bases for the postclosure compliance evaluation are within the limits assumed in the licensing review and are functioning as intended and anticipated. DOE must report significant deviations from expected conditions and recommend any action (including design changes or even retrieval of emplaced waste) that might be required in accordance with 10 CFR 63.44. These requirements are an example of how the existing U.S. system for managing high-level waste already contains significant elements of adaptive staging as described by the National Research Council.

DOE is establishing a separate group to deal with research and development activities that are not directly linked to the licensing and regulatory process but that could lead to improvements that could be incorporated into the system at some stage during repository development and operation. Such improvements will include developing a better understanding of the coupled (thermal-chemical-hydrologic-mechanical) processes that will affect repository performance. If any of these activities support a conclusion that a change to the reference design or operating plan would be desirable, we would certainly consider proposing such a change and seeking a license amendment if that were required. As you know, we are also considering adoption of a modular construction approach that would further enhance flexibility to incorporate design or operational changes during the course of repository development.

#### *New Organizational Structure*

*As noted in the Board's January 24, 2002, letter report to Congress and the Secretary of Energy, improving understanding and filling in existing data gaps are important for increasing confidence in estimates of repository performance and for better defining necessary activities associated with performance confirmation. At the May meeting, the DOE informed the Board that it had established a task force to develop options for increasing fundamental understanding of the proposed repository system and for increasing confidence in projections of repository performance. Of course, the Board expects that work directed toward a potential license application would increase confidence as well. New information and analyses may have important implications for the development of a safety case as well as for repository design.*

*Any work undertaken by this task force not only should supplement but also should be integrated with the work already planned for a potential license application.*

The DOE fully agrees with the Board about the value of improving understanding and addressing data gaps related to repository performance. As a result of the work of the DOE Science and Technology Task Force described at the May meeting, we are establishing a Science and Technology program aimed at increasing confidence in repository performance and improving safety, operations, schedule, and cost over the many decades of the repository's operating life. Such a program has been recommended by the National Research Council<sup>5</sup> and DOE's Strategic Laboratory Council<sup>6</sup>. This effort will engage the expertise of the National Laboratories, universities, and the international scientific community. It will seek to increase confidence in the repository by advancing the basic scientific and technical understanding of the waste isolation processes at Yucca Mountain and exploring technological improvements that could improve repository

<sup>5</sup> National Research Council. 2001. A Strategic Vision for Department of Energy Environmental Quality Research and Development. Washington, D.C., p.50.

<sup>6</sup> Department of Energy. September 2000. Adequacy Analysis of the Environmental Quality Research and Development Portfolio. Washington, D.C., p. 27.

performance and increase system efficiency. It will also continue to refine and optimize the repository system design and operating plan, based on laboratory and university research, value engineering, and the experience from the initial period of repository operation. Improvements can be incorporated, consistent with the concept of staged development. As noted earlier, activities in this program will focus on areas that are important to our mission, but may not be immediately incorporated into the licensing and regulatory process. DOE will also continue its Core Science Program and Performance Confirmation activities that are required for the near-term licensing effort. As suggested by the Board, the work in the new Science and Technology program will be coordinated and integrated with these other activities directed towards the licensing process.



UNITED STATES  
NUCLEAR WASTE TECHNICAL REVIEW BOARD  
2300 Clarendon Boulevard, Suite 1300  
Arlington, VA 22201

November 22, 2002

Dr. Margaret S. Y. Chu  
Director  
Office of Civilian Radioactive Waste Management  
U.S. Department of Energy  
1000 Independence Avenue, SW  
Washington, DC 20585

Dear Dr. Chu:

On behalf of the Nuclear Waste Technical Review Board, I thank you for participating in the Board's meeting on September 10, 2002, in Las Vegas, Nevada. We appreciated your program overview and were pleased that you were able to stay for so much of the day's proceedings. Board members, especially the new members, found the technical presentations by individuals from the Department of Energy (DOE) and its contractors very useful. Members also feel that the field trip to Yucca Mountain was a valuable experience. The Board realizes that the high quality of the meeting and the site visit was due in great part to the effort put forth by your team.

The DOE is entering a new phase of its activities as it prepares an application to the U.S. Nuclear Regulatory Commission (NRC) for constructing a repository at Yucca Mountain. The Board's role, however, has not changed from what was envisioned by Congress in the 1987 Nuclear Waste Policy Amendments Act. It will continue to carry out a broad scientific and technical review of the DOE's work and will make recommendations on improving the technical defensibility of that work.

In that light, the Board presents in this letter its views on three areas covered at the meeting and, where appropriate, references your letter September 6, 2002, to the Board. The three areas are (1) the DOE's technical analyses of the potential repository's natural system, (2) the DOE's technical analyses of the potential repository's engineered system, and (3) the DOE's integration of the potential repository's natural and engineered systems.

#### **Natural System**

The Board believes that the interim report of the DOE-supported Yucca Mountain Igneous Consequences Peer Review Panel is a significant accomplishment and that the panel has made progress in defining the fundamental processes. This work is very important because on

the basis of the most recent performance assessment, volcanism appears to be the largest potential contributor to dose. For this reason, the Board waits with interest for the panel's final report.

The Board also is pleased that one of the priorities you have given the new Science and Technology unit is to determine whether the potential repository's natural system makes a greater contribution to isolating and containing waste than current performance assessments suggest. If a *strong technical case* can be made for such an increased contribution, it would provide additional defense-in-depth, thereby increasing confidence that public health, safety, and the environment would be protected over the longterm. For this reason, the Board believes that work in this area could have a major payoff and suggests that it be accelerated.

For nearly two years, the DOE has been trying to explain two conditions that have been observed at Yucca Mountain. The first involves two independent laboratory analyses that result in contradictory data with respect to the presence of bomb-pulse chlorine-36 at the repository horizon. The second condition involves moisture observed within the closed-off part of the cross-drift and whether this moisture is due to condensation or infiltration. To date, the DOE has not provided a persuasive explanation for either of these two conditions.

The Board strongly urges the DOE to continue its efforts in these two areas and looks forward to reviewing the work in the near future. The Board believes that it is essential that the DOE develop an understanding of key processes affecting repository performance, specifically seepage and the potential for waste package corrosion when packages are subjected to a range of conditions representative of the postclosure in-drift environment.

#### **Engineered System, Including Repository Design**

The Board has reviewed your letter of September 6, 2002, and the DOE presentations on repository design at the Board's May and September meetings. Still unclear to the Board are what decisions the DOE has made about repository design. However, in your September 6, letter and the DOE presentations, the DOE appears to have decided to seek a license for constructing a repository based on a design "*... that results in thermal conditions at the higher end of the expected range, provides a better balance of postclosure thermal conditions and preclosure advantages for construction and operations, flexibility and cost.*" We request that the DOE provide the Board with the criteria, analyses, and weighting factors that constitute the technical basis for the apparent selection of the repository design as stated in your September 6, letter.

According to the DOE presentation made at the September Board meeting, the DOE's design decision seems to be supported by the following two conclusions: (1) projected performance for the high-temperature design is comparable to a low-temperature design and, in any case, is well below the regulatory limit; and (2) *overall* uncertainty in the projected performance of the two designs is roughly equivalent. In response to the DOE's decision, the Board has several comments on the technical basis for these assertions.

The DOE's presentation on corrosion testing may call into question the first conclusion. The increase in corrosion potential due to the presence of nitrate leads to less of a margin at

temperatures above 140°C. Moreover, in back-up material from the presentation, the short-term weight-loss measurements based on linear polarization, when extrapolated to higher temperatures, show a significant increase in the rate of corrosion and indicate a definite thermal dependency that is not reflected in current models of performance assessment. The Board encourages continued corrosion testing and analysis supporting *basic understanding* of waste package corrosion and the in-drift environment.

Regarding the second conclusion, the DOE asserted at the meeting that performance assessment shows that the ranges of dose uncertainty for high- and low-temperature repository designs are similar. The Board notes that performance assessment is not capable of showing uncertainty unless the models appropriately incorporate uncertainty. Some parts of some key performance assessment models for the evolution of waste package environments and for corrosion at high temperatures are not based on data but on a number of *assumptions*. For example, TSPA assumes that there will be no liquid water above 120°C and no significant separation of chloride ions from beneficial anions and that low-temperature corrosion models are valid at high temperatures. To use these assumptions about high-temperature uncertainties as input into TSPA models and then say that performance assessment reveals that uncertainties are equivalent for high- and low-temperature operations constitute, in the Board's view, circular and therefore faulty reasoning.

The Board has noted for quite some time that the DOE's estimates of the total uncertainty in projected repository performance presume that the underlying conceptual models used to analyze both the low-temperature design and the high-temperature design are appropriate. For example, the models should capture relevant thermal sensitivities in a technically defensible manner. Many experiments, such as the drift-scale thermal test and additional high-temperature material investigations, have not been completed. Thus, the DOE's second conclusion may be premature.

### **Integrated Repository System**

The Board understands that the DOE realizes that the repository safety case not only must rely on complex calculations of performance assessment but also must include multiple lines of evidence and argument, which could include natural and man-made analogues and traditional notions of defense-in-depth. The Board also supports the DOE's recognition that the safety case needs to address various audiences, including those not directly involved in the licensing process. International organizations, such as the Nuclear Energy Agency of the Organization for Economic Cooperation and Development, have assembled reports on this subject. The Board recommends that the DOE give serious consideration to the logic developed in those reports as well as the specific suggestions they contain.

Presentations at the meeting and the short roundtable discussion at the end of the meeting highlighted several points. The DOE's projections of repository performance, derived from performance assessment, have varied considerably over the last two years and differ in many important respects from those carried out by the Electric Power Research Institute and other groups. Many of these differences can be traced to the assumptions used and the influence of new data. However, confidence in these projections will depend in part on understanding and

explaining clearly why variations arise. The Board therefore urges the DOE to analyze the different estimates, assess their significance, and address any concerns that may arise about the overall uncertainty in estimating repository performance. The stability of these projections is an important element in building confidence.

The Board is pleased that the DOE has carried out the “one-on” barrier analysis. The roundtable discussion on this topic at the meeting suggested both the value and the potential limitations of such analyses. On balance, however, the Board believes that such analyses utilizing different approaches can provide important insights into the roles of the different natural and engineered barriers. For that reason, the Board urges the DOE to continue supporting this kind of work and to consider using it to better articulate its repository safety case.

The Board still has questions about the relative role and scope of the DOE’s proposed research and development, science and technology, and core science programs. As indicated in the DOE’s letter, the scope of performance confirmation (PC) is limited to a regulatory context. The Board believes that a PC program should focus on confirming the safety case by challenging the validity of estimates of long-term repository performance and their underlying assumptions. The Board would like to understand the key elements of the DOE’s PC plan; the specific tests and related analyses considered a priority for the PC plan for license application; the testing that will be undertaken during repository construction; and how PC information will be integrated and used by the project.

The Board believes that the DOE’s commitment to “jump-starting” transportation planning and activities is imperative, in particular the DOE’s recognition of the need to reactivate institutional activities to address the concerns of the State, Tribes, and affected counties.

Once again, I thank you, the DOE staff, and the DOE’s contractors for supporting the Board’s September meeting. The Board looks forward to continuing to review and comment on DOE activities.

Sincerely,

{Signed by}

Michael L. Corradini  
Chairman

mlc003vf



**Department of Energy**  
Washington, DC 20585

January 24, 2003

Dr. Michael L. Corradini  
Chairman  
Nuclear Waste Technical Review Board  
2300 Clarendon Boulevard  
Arlington, VA 22201-3367

Dear Dr. Corradini:

Thank you for your letter of November 22, 2002 expressing the Board's perspective on information presented by the Department at the Board's September 2002 meeting and on information from my letter to you of September 6, 2002.

DOE appreciates the Board's continuing review of our activities as we develop a license application for a repository at Yucca Mountain. Our responses to the views expressed by the Board are discussed in the attachment to this letter.

The Department has benefited from the constructive views of the Board. As the Department proceeds to develop a license application, we look forward to continuing our dialogue with the Board.

Sincerely,

A handwritten signature in black ink, appearing to read "Margaret Chu", written in a cursive style.

Dr. Margaret Chu, Director  
Office of Civilian Radioactive  
Waste Management

Enclosure



Printed with soy ink on recycled paper

## Responses to the September 22, 2002 letter to DOE from the Nuclear Waste Technical Review Board

### *Natural System*

*The Board believes that the interim report of the DOE-supported Yucca Mountain Igneous Consequences Peer Review Panel is a significant accomplishment and that the panel has made progress in defining the fundamental processes. This work is very important because on the basis of the most recent performance assessment, volcanism appears to be the largest potential contributor to dose. For this reason, the Board waits with interest for the panel's final report.*

**Response:** The DOE agrees with the Board's assessment of the interim report from the ongoing Igneous Consequences Peer Review Panel<sup>1</sup>. We are looking forward to the Panel's final report. The interim report summarizes the Panel's key issues, including dike and crack propagation, particularly in the vicinity of the repository, and the complex processes that occur once magma interacts with the repository drifts. Within these areas, we believe that four issues are of particular importance, and discuss briefly below how the Project is addressing these issues.

#### 1. Dike tip phenomena during dike ascent and dike/drift interaction

The dike tip cavity region may have an important impact on dike propagation and the nature of the initial magma/drift interaction. There are complex interacting processes that control the cavity size. Because we have little information to predict the details of the cavity region in a propagating dike, our approach is to parameterize this zone with respect to length and pressure and perform parametric studies to assess the effects under a wide range of conditions. In the dike propagation code, the cavity pressure will be specified and the appropriate cavity length that is required to accommodate this pressure will be calculated.

#### 2. Magma viscosity as a function of temperature, volatile content, and bubble content, and its impact on magma migration down drifts and magma/waste package interactions

The effects of temperature, dissolved volatile content, and exsolved vapor bubbles on the shear viscosity of basaltic melt should be included in future studies of the material properties of potential disruptive Yucca Mountain basalt. We plan to do calculations with higher and/or lower viscosities. The numerical model in the baseline version of the Computational Fluid Dynamics Library will only allow a fixed Newtonian viscosity. However, we plan to incorporate variability in viscosity related to

---

<sup>1</sup> Budnitz, R.J., Detournay, E.M., Mastin, L., Pearson, J.R.A., Rubin, A.M., and F.J. Spera 2001. *Yucca Mountain Igneous Consequences Peer Review Panel Interim Report*. Las Vegas, Nevada: Igneous Consequences Peer Review Panel. ACC: MOL.20011010.0084.

temperature and volatile-content this year. Incorporation of the effects of bubbles with a capillary number approach will be considered in plans for later years, and could yield useful confirmatory information.

3. The dog-leg scenario (magma intrudes drifts and initiates a second dike at some distance from the original dike)

Magma/drift interaction modeling will include 3-D models to simulate magma flow from a dike into a drift, as well as the continuation of magma flow upward within the original dike and within a possible second dike. Two cases will be modeled to assess the plausibility of including the dog-leg scenario in the Total System Performance Assessment (TSPA). The first case will assume a short secondary dike has formed at the end of a drift in order to determine initial magma injection flow rates or pressure within the second dike for input into dike propagation models. The second case will assume a second dike has formed at the end of a drift in order to determine the difference in magma flow rates within the primary and secondary dikes due to viscous drag within the intervening drift and differences in the hydraulic properties of the two dikes.

4. A shock wave propagates down a drift following explosive magma decompression

The Panel concluded that rising magma would be partially degassed before it intersects a drift, minimizing to some extent the magnitude of a potential shock wave traveling down a drift. Scoping calculations that take into account the geometry of initial dike/drift intersection and the presence of waste packages within the drift also indicate that shock wave formation will be diminished given more realistic models of dike/drift interactions. Modeling planned for this year will provide a more detailed and realistic technical basis to assess shock wave phenomena within drifts.

*The Board also is pleased that one of the priorities you have given the new Science and Technology unit is to determine whether the potential repository's natural system makes a greater contribution to isolating and containing waste than current performance assessments suggest. If a strong technical case can be made for such an increased contribution, it would provide additional defense-in-depth, thereby increasing confidence that public health, safety, and the environment would be protected over the long term. For this reason, the Board believes that work in this area could have a major payoff and suggests that it be accelerated.*

**Response:** The DOE agrees with the Board's recommendation that the new Science and Technology (S&T) Program should have as one of its priorities to work on improving our understanding of natural-system performance. We are currently evaluating a whole range of ideas for the first round of projects to be supported under the S&T Program, and ideas related to studying the natural system are certainly among those high on our list, along with ideas involving new or improved technologies that can achieve efficiencies and savings. However, it is important to note that benefits in all of these areas may take years to realize.

The S&T program objectives continue to be a) to improve existing and develop new technologies to achieve efficiencies and savings in the waste management system; and, b) to increase understanding of repository performance. Major additional benefits will include promoting technical excellence, maintaining leadership in nuclear waste management, and assuring cognizance of emerging technical developments. Our current efforts include developing long-term strategic research plans for all of the technical areas within OCRWM's purview (with the assistance of external subject-matter experts). A subset of these technical areas will be selected for initiation in Fiscal Year 2003. The balance will help us as we develop the long-term program (Fiscal Year 2004 and later).

Any technical insights, technical data, or new technical tools derived from the S&T work will be folded into the LA process wherever appropriate.

*For nearly two years, the DOE has been trying to explain two conditions that have been observed at Yucca Mountain. The first involves two independent laboratory analyses that result in contradictory data with respect to the presence of bomb-pulse chlorine-36 at the repository horizon. The second condition involves moisture observed within the closed-off part of the cross-drift and whether this moisture is due to condensation or infiltration. To date, the DOE has not provided a persuasive explanation for either of these two conditions.*

*The Board strongly urges the DOE to continue its efforts in these two areas and looks forward to reviewing the work in the near future. The Board believes that it is essential that the DOE develop an understanding of key processes affecting repository performance, specifically seepage and the potential for waste package corrosion when packages are subjected to a range of conditions representative of the postclosure in-drift environment.*

**Response:** The DOE agrees, and is continuing investigations focused on these two issues ( $^{36}\text{Cl}$  and moisture in the cross-drift). The linkage to potential waste-package corrosion is discussed later in this letter.

With respect to the chlorine-36 issue, the DOE is pursuing a resolution of the legacy discrepant data sets by (1) having the institutions involved to date document the results to date and propose a path forward for resolution of the discrepancies, and (2) conducting an independent new validation study as a parallel, complementary effort. Individuals from domestic or foreign academic/technical organization(s) with the requisite expertise will be selected to conduct this new study. One of the key criteria for selection of the individual(s) will be no prior involvement in the  $^{36}\text{Cl}/\text{Cl}$  work at Yucca Mountain. The independent validation study will include a new sampling and analysis program to attempt to better understand the previous  $^{36}\text{Cl}/\text{Cl}$  observations. The background, about which we believe the Board is fully aware, is that because of differences in the implications for unsaturated-zone flow between important  $^{36}\text{Cl}$  data and other data, the DOE initiated a validation project in 1999 to address the presence of bomb-pulse  $^{36}\text{Cl}$  at

the repository horizon. All of the analytical data generated during this  $^{36}\text{Cl}$  ongoing validation project are being compiled and a summary report, due June 11, 2003, is being prepared jointly by the United States Geological Survey (USGS), Los Alamos National Laboratory (LANL), and Lawrence Livermore National Laboratory (LLNL). The report will contain a recommendation for a path forward based upon a review and interpretation of the existing data.

The report will include the latest analyses conducted in the spring of 2002 that focused on core from Niche 1 in the Exploratory Studies Facility where previous LANL results indicated a high probability of finding bomb-pulse  $^{36}\text{Cl}$ . Selected intervals of remaining core samples were split and allocated to the USGS and LANL for processing. Isotopic analyses of rock leachates were conducted by LLNL. USGS leachates yielded  $^{36}\text{Cl}/\text{Cl}$  ratios of 244 E-15 to 708 E-15 with Cl concentrations ranging from 0.17 to 0.26 mg/kg. LANL leachates yielded larger values of 1140 E-15 to 8580 E-15 with Cl concentrations of 0.13 to 0.67 mg/L. Because the water-to-rock ratios are 1:1, the measurements of Cl concentrations are comparable. To further investigate the source of the differences, the USGS crushed and leached 99.999 percent pure computer-chip grade silicon and determined that the crushing blanks used in the analysis were acceptable. LANL investigators have not yet performed a similar test. The reasons for the disagreement in the USGS and LANL results are not currently understood, which is why we have decided to pursue the new independent validation study.

DOE looks forward to providing further details and results of the independent validation study at future Board meetings.

With respect to the second issue, moisture was found in several segments of the closed-off section of the cross drift during entries between September 1999 and June 2002 to collect samples, install additional bulkheads, and conduct other construction and repair activities. The moisture was observed at different locations at different times. There is indication that the amount of moisture decreases with time, especially in 2002 after the power to the tunnel boring machine was cut off. This trend will be further confirmed in the next entry. All available data, including geochemical measurements of water collected, indicate that the moisture observed in the closed off sections of the cross drift is likely to be condensate. The water samples collected in the June 2000 entry had low chloride and silicate contents (Cl was 0.23-1.44 mg/L as compared to cross drift pore water data of 19-66 mg/L.  $\text{SiO}_2$  was 0.24-0.42 mg/L as compared to cross drift pore water data of 40-65 mg/L). The moisture is likely driven by temperature gradients, possibly associated with residual heat from cross drift excavation, power consumed by the tunnel boring machine parked at the terminal end of the cross drift, and other electrical instrumentation underground. Other indicators of condensation include the observation in October 2001 of droplets on a painted surface where the paint effectively isolated the exposed surface from the underlying rock. Droplets and rust were observed on other metal surfaces of underground structures during the entries. Observations and

early data are documented in the report *In Situ Field Testing of Processes*.<sup>2</sup> This report will be revised in 2003 to include additional data collected in the cross drift.

Only limited samples have been collected in the cross drift so far. In response to the need to distinguish clearly whether the moisture observed is due to condensation or seepage, DOE increased the number of instruments emplaced in the closed-off sections of the cross drift in October and November 2001 and installed a fourth bulkhead. The first two bulkheads were installed in June 1999 and the third bulkhead in July 2000 to isolate the tunnel boring machine. The first bulkhead has been open since July 2002 to accommodate activities related to rock properties testing. The last three sections of the cross drift are expected to be closed off for at least another year so that we can continue the investigation of moisture observed in the cross drift. The currently available instruments in the closed-off sections include hanging tarps, pH strips, relative humidity, temperature, and pressure sensors, electrical resistance probes along the drift floor, psychrometers installed in boreholes, and dedicated water collectors at a location that was previously observed to be wet. The transducers at the bottom of water collectors have detected no signal so far, indicating no collection of water at this location. The collectors are designed either to collect pure condensate or to collect condensate and seepage. We will use the information from the collectors and all other instruments to help resolve the source of moisture observed within the closed-off part of the cross drift and to evaluate whether this moisture is due to condensate or seepage.

In addition to field monitoring activities, DOE has started a modeling study aimed at developing a better understanding of the moisture and gas flow within the closed-off sections, taking into account the evaporation and condensation processes and moisture movement in the surrounding fractured rocks. The surrounding rocks provide water and vapor for condensation and flow paths for seepage into the drift.

#### ***Engineered System, Including Repository Design***

*The Board has reviewed your letter of September 6, 2002, and the DOE presentations on repository design at the Board's May and September meetings. Still unclear to the Board are what decisions the DOE has made about repository design. However, in your September 6, letter and the DOE presentations, the DOE appears to have decided to seek a license for constructing a repository based on a design "... that results in thermal conditions at the higher end of the expected range, provides a better balance of postclosure thermal conditions and preclosure advantages for construction and operations, flexibility and cost." We request that the DOE provide the Board with the criteria, analyses, and weighting factors that constitute the technical basis for the apparent selection of the repository design as stated in your September 6, letter.*

**Response:** As a general matter, OCRWM has not developed or used quantitative "weighting factors" in an explicit sense in any of its decisions about the thermal-

---

<sup>2</sup> BSC (Bechtel SAIC Company) 2001. *In Situ Field Testing of Processes*. ANL-NBS-HS-000005 REV 01. Las Vegas, Nevada: Bechtel SAIC Company. ACC: MOL.20020108.0351

operating-mode issue. The issue is much too complex, involving as it does judgmental tradeoffs among factors that we have not expressed in a common framework for explicit “weighting.”

The criteria that the Department used as the basis for selecting the design to be used as the basis for the LA were documented in the report *License Application Design Selection (LADS)*.<sup>3</sup> The LADS study describes these criteria as being applied qualitatively rather than quantitatively. Of the criteria, the most important was the objective criterion of long term performance. That criterion did not dominate the decision, because all of the designs examined in the LADS study were found to meet the postclosure performance criterion by a large margin, regardless of whether they employed hotter or cooler operating modes. The postclosure criterion used in the LADS study is consistent with the standard promulgated by the EPA in 2001.

The selection of the preferred design of the LADS study instead involved balancing a potential reduction in uncertainty in long term performance, for which there is a large safety margin, that could be obtained by lower-temperature operation, against a certain increase in worker health effects, operational impacts, and cost resulting from the measures needed to achieve a lower-temperature mode. This balancing was inherently judgmental, and supported a decision to select a hotter operating mode as the basis for LA. There have been subsequent refinements of the design concept selected in the LADS study. However, the Department's considerations still involve the same balancing between potential reductions in uncertainty in postclosure performance projections that are well below regulatory limits, and certain increases in impacts in the preclosure period.

Of course, the Department recognizes that a crucial element of NRC's regulatory decision will be whether the analyses and data submitted by the applicant (DOE) are adequate to support a positive decision, and that uncertainties in the analyses are a central part of why the regulatory decision will not be easy. However, even if the uncertainties in analyzing a colder operating mode are smaller than those for a hotter operating mode, which may or may not turn out to be the case in the end, it is DOE's current judgment that either operating mode will meet the NRC standards for post-closure performance with a large margin, and that uncertainties arising elsewhere in the overall analysis dominate.

Undersecretary Card stated at the NWTRB meeting in May 2002 that the Department is committed to maintaining a colder-operating-mode option until it is either selected or no longer important. The Department has done conceptual design work and layouts for such an option, but based on the above its License Application will be based on a hotter operating mode.

*According to the DOE presentation made at the September Board meeting, the DOE's design decision seems to be supported by the following two conclusions: (1) projected performance for the high-temperature design is comparable to a low-temperature design*

---

<sup>3</sup> CRWMS M&O 1999. *License Application Design Selection Report*. B00000000-01717-4600-00123 REV 01 ICN 01. Las Vegas, Nevada: CRWMS M&O. ACC: MOL.19990908.0319.

*and, in any case, is well below the regulatory limit; and (2) overall uncertainty in the projected performance of the two designs is roughly equivalent. In response to the DOE's decision, the Board has several comments on the technical basis for these assertions.*

*The DOE's presentation on corrosion testing may call into question the first conclusion. The increase in corrosion potential due to the presence of nitrate leads to less of a margin at temperatures above 140°C. Moreover, in back-up material from the presentation, the short-term weight-loss measurements based on linear polarization, when extrapolated to higher temperatures, show a significant increase in the rate of corrosion and indicate a definite thermal dependency that is not reflected in current models of performance assessment. The Board encourages continued corrosion testing and analysis supporting basic understanding of waste package corrosion and the in-drift environment.*

*Regarding the second conclusion, the DOE asserted at the meeting that performance assessment shows that the ranges of dose uncertainty for high- and low-temperature repository designs are similar. The Board notes that performance assessment is not capable of showing uncertainty unless the models appropriately incorporate uncertainty. Some parts of some key performance assessment models for the evolution of waste package environments and for corrosion at high temperatures are not based on data but on a number of assumptions. For example, TSPA assumes that there will be no liquid water above 120°C and no significant separation of chloride ions from beneficial anions and that low-temperature corrosion models are valid at high temperatures. To use these assumptions about high-temperature uncertainties as input into TSPA models and then say that performance assessment reveals that uncertainties are equivalent for high- and low-temperature operations constitute, in the Board's view, circular and therefore faulty reasoning.*

*The Board has noted for quite some time that the DOE's estimates of the total uncertainty in projected repository performance presume that the underlying conceptual models used to analyze both the low-temperature design and the high-temperature design are appropriate. For example, the models should capture relevant thermal sensitivities in a technically defensible manner. Many experiments, such as the drift-scale thermal test and additional high-temperature material investigations, have not been completed. Thus, the DOE's second conclusion may be premature.*

**Response:** DOE agrees with the Board comment on the need for continued corrosion testing and analysis to improve basic understanding of waste package corrosion and of the in-drift environment. DOE has been developing new data to support development of and validation of our corrosion models. The new testing and results presented to the Board at the September 10, 2002 meeting are part of the Project's ongoing work to enhance basic understanding of the corrosion processes and improvement of the models. An increase in the corrosion potential with nitrate-containing solutions above 120°C

(Gordon<sup>4</sup>, Slide 13) is observed. Nitrate solutions are known to be oxidizing under acidic conditions. The oxidation-reduction characteristics of the nitrate-nitrite-ammonium-nitrogen system are complex and the Project is analyzing this system in terms of the expected repository conditions. In addition, the Project believes that the possibility of development of such corrosion environments to a significant extent on the surface of the waste package is highly unlikely due to the presence of the drip shield.

With the drip shield intact, the potential waste package surface environment is expected to be a thin aerated brine film formed by deliquescence of soluble salts in the dust deposits. Chemical analysis of typical dust deposits suggests that the brines likely to form from the deliquescence of these deposits will not evolve to calcium and/or magnesium chloride type brines. Thus, the maximum expected boiling point of these aqueous films are approximately 125°C to 135°C, characteristic of a concentrated sodium/potassium chloride/nitrate environment. Such an environment is similar to the Simulated Saturated Water environment that has been used for testing at 120°C. Cyclic polarization tests indicate that there is greater than a 450 to 700 mV margin between the corrosion potential and any apparent passive film breakdown potential at temperatures up to 120°C (Figure 3-444, page 3-58, of the *Waste Package Degradation Process Model* report<sup>5</sup>). Thus, the assumptions related to applicable environments for extrapolation of corrosion rates appear to be supported by the new data.

The temperature dependency cited by the Board is being evaluated within the on-going testing program. The short-term electrochemical tests (linear polarization tests shown in Gordon<sup>6</sup>, Slide 25) are intended to provide only the temperature dependency i.e., the slope, and not absolute corrosion rates. The rates for uniform general corrosion will continue to be obtained from the Long-Term Corrosion Test Facility. The project also believes that the temperature dependency observed from the tests should be regarded as a weak dependency, with the activation energies in the range of 17 to 23 kJ/mole. Extrapolation of the corrosion rates to 140°C and 160°C using these activation energies would result in a corrosion rate increase of approximately 2 to 2.5 times. This increase would have insignificant effect on the waste package performance in view of the extremely low corrosion rates measured in the Long-Term Corrosion Test Facility (0.01 microns/year after a two-year exposure).

The temperature dependency of the corrosion rates was included in the analyses documented in Section 7.3.5 of the *FY 01 Supplemental Science and Performance Analyses* (SSPA) report<sup>7</sup>. These analyses were conducted with significantly higher

---

<sup>4</sup> Gordon, G. 2002. *Update on Corrosion Testing*. Presentation at the Nuclear Waste Technical Review Board Fall Meeting, September 10, 2002. Las Vegas, Nevada.

<sup>5</sup> CRWMS M&O 2000. *Waste Package Degradation Process Model Report*. TDR-WIS-MD-000002 REV 00 ICN 02. Las Vegas, Nevada: CRWMS M&O. ACC: MOL.20001228.0229.

<sup>6</sup> Gordon, G. 2002 (*op. cit.*).

<sup>7</sup> BSC (Bechtel SAIC Company) 2001. *FY 01 Supplemental Science and Performance Analyses, Volume 1: Scientific Bases and Analyses*. TDR-MGR-MD-000007 REV 00 ICN 01. Las Vegas, Nevada: Bechtel

general corrosion rates at higher temperatures to account for the uncertainties in the Long-Term Corrosion Test Facility corrosion measurements and the possibility of the occurrence of magnesium/calcium-chloride environments. General corrosion rates for Alloy 22 at 25, 60, 125, and 165°C were calculated using a temperature dependent corrosion model with activation energy of about 36 kJ/mole for the temperature dependency. The temperature of 165°C was selected to represent the highest temperature for an aqueous condition that may result from deliquescence of highly hygroscopic salts such as CaCl<sub>2</sub> and MgCl<sub>2</sub> that could be deposited on the waste package surface from dripping water. The median of our distribution for the general corrosion rate at 165°C is about 1.0 micron/year and the upper bound is about 3.0 microns/year. Although it is not expected that aqueous conditions can be sustained on the waste package at 165°C, even with the use of these high corrosion rates the waste package failure times are significantly beyond the regulatory period of 10,000 years. The variation in the general corrosion rate is considered to be solely due to uncertainty.

It should also be pointed out that the Project removed the temperature dependent corrosion model from the *Final Environmental Impact Statement (FEIS)*<sup>8</sup> because the model showed the waste package failure times are significantly longer than those calculated without the temperature dependant model. This is due to the fact that the waste packages remain at high temperatures for a relatively shorter period of time compared to the low temperature regime. The decision to remove this model was made to provide more conservative dose estimates.

In summary, DOE is continuing to develop data contributing to a better understanding of corrosion processes and will incorporate these data into the models supporting the TSPA for the LA.

The DOE agrees with the Board that “performance assessment is not capable of showing uncertainty unless the models appropriately incorporate uncertainty.” To that end, the Project has been working on several fronts to develop models that represent advances compared to those used in the TSPA-SR. Some of the Board comments above seem to be based on assumptions in the TSPA-SR that have now been supplemented by data to provide the firmer foundation that the Board apparently feels was lacking earlier. This is particularly true for Board concerns about the TSPA approach regarding waste package environment and corrosion. For the high-temperature and low-temperature operating modes considered by the Project, the TSPA models associated with the waste package environment and corrosion are equally applicable based on the available data. Regardless

---

SAIC Company. ACC: MOL.20010801.0404; MOL.20010712.0062; MOL.20010815.0001; BSC (Bechtel SAIC Company) 2001; *FY01 Supplemental Science and Performance Analyses, Volume 2: Performance Analyses*. TDR-MGR-PA-000001 REV 00. Las Vegas, Nevada: Bechtel SAIC Company. ACC: MOL.20010724.0110.

<sup>8</sup> DOE (U.S. Department of Energy) 2002. *Final Environmental Impact Statement for a Geologic Repository for the Disposal of Spent Nuclear Fuel and High-Level Radioactive Waste at Yucca Mountain, Nye County, Nevada*. DOE/EIS-0250. Washington, D.C.: U.S. Department of Energy, Office of Civilian Radioactive Waste Management. ACC: MOL.20020524.0314; through; MOL.20020524.0320.

of the thermal strategy adopted, the temperature at which the liquid contacts the waste package for the initiation of corrosion is dependent on the deliquescence of the soluble species in the waste package surface deposits.

In order to characterize high-temperature corrosion processes, the Project is conducting tests in highly corrosive environments such as concentrated bulk calcium chloride environments (8 to 9M) with and without nitrate at temperatures above 120°C. The preliminary results from these tests were presented to the Board in September 2002. These results showed that there is little margin between Alloy 22 corrosion potential and the critical potential for the initiation of localized corrosion. However, the presentation also included results of aqueous film corrosion tests (Gordon<sup>9</sup>, Slides 14-15) with temperatures as high as 150°C and 22.5% relative humidity using polished Alloy 22 specimens. The calcium chloride concentrations were very high (up to ~62% calcium chloride) under these test conditions. Results to date indicate no evidence of localized corrosion attack under these aqueous film conditions.

The temperature dependency for the extrapolation of low-temperature general corrosion rate data to higher temperatures was discussed above in response to the Board's comment on thermal dependency, and was shown to have an insignificant effect on waste package performance.

The Board observes that future results of ongoing experiments such as the drift-scale thermal test could provide additional information relevant to modeling of thermal processes, and that some of DOE's conclusions may therefore be premature. We agree. However, we believe that the information available and used to date is sound enough to support all decisions made to date.

### ***Integrated Repository System***

*The Board understands that the DOE realizes that the repository safety case not only must rely on complex calculations of performance assessment but also must include multiple lines of evidence and argument, which could include natural and man-made analogues and traditional notions of defense-in-depth. The Board also supports the DOE's recognition that the safety case needs to address various audiences, including those not directly involved in the licensing process. International organizations, such as the Nuclear Energy Agency of the Organization for Economic Cooperation and Development, have assembled reports on this subject. The Board recommends that the DOE give serious consideration to the logic developed in those reports as well as the specific suggestions they contain.*

**Response:** The DOE appreciates the Board's observations that the safety case will need to address audiences beyond those involved directly in the NRC licensing process. The

---

<sup>9</sup> Gordon G. 2002. (*op. cit.*)

licensing process itself will address multiple lines of evidence such as those suggested by the Board, for example through the requirements for descriptions of capability of the natural and engineered barriers included in the system, and through DOE's use of analogue information as an additional line of evidence to support several of the analyses.

The DOE also recognizes the need for effectively presenting the safety case to broader audiences. The DOE will continue to evaluate recommendations from the Nuclear Energy Agency and others in the international community both for improving the way the Program's safety-case logic is presented, and for improving the safety-case presentation itself.

*Presentations at the meeting and the short roundtable discussion at the end of the meeting highlighted several points. The DOE's projections of repository performance, derived from performance assessment, have varied considerably over the last two years and differ in many important respects from those carried out by the Electric Power Research Institute and other groups. Many of these differences can be traced to the assumptions used and the influence of new data. However, confidence in these projections will depend in part on understanding and explaining clearly why variations arise. The Board therefore urges the DOE to analyze the different estimates, assess their significance, and address any concerns that may arise about the overall uncertainty in estimating repository performance. The stability of these projections is an important element in building confidence.*

**Response:** The DOE recognizes the value of such comparative analyses as the Board is recommending. To this end, the Project included discussions of model changes since TSPA for Site Recommendation and their impacts at the subsystem and system level in the SSPA (Volume 2, sections 3 and 4). Summaries of the SSPA model changes and their impacts were presented to the Board in June of 2001. Briefer discussions of model changes were included in the documentation of the TSPA update to support the FEIS.

Recent EPRI results were not available at the time of the SSPA and FEIS, and differences between the EPRI and the DOE analyses were therefore discussed only in very general terms (e.g., presence or absence of a model for diffusive transport, differing assumptions about water consumption by the receptor) at the Board meeting in September 2002. Because both the DOE and EPRI models are continually evolving, the DOE expects to do a detailed comparison between the two only after the completion of the TSPA-LA. In the interim, the Program will attempt to understand the reasons for any important differences, so that this understanding can inform the ongoing TSPA work.

*The Board is pleased that the DOE has carried out the "one-on" barrier analysis. The roundtable discussion on this topic at the meeting suggested both the value and the potential limitations of such analyses. On balance, however, the Board believes that such analyses utilizing different approaches can provide important insights into the roles of the different natural and engineered barriers. For that reason, the Board urges the DOE*

*to continue supporting this kind of work and to consider using it to better articulate its repository safety case.*

**Response:** The DOE recognizes both the value of the “one-on” style of analyses in providing insights into barrier performance and the potential limitations noted during the roundtable discussion at the September 2002 Board meeting. As discussed in Section 7.2.3.1 of the *TSPA-LA Methods and Approach* document<sup>10</sup>, the DOE may use sequential one-on analyses as one of several types of analyses included in the confidence-building activities that will support validation of the TSPA-LA model. Other types of possible analyses include comparisons to simplified models, detailed analysis of selected deterministic cases, and neutralization or “one-off” cases. For the descriptions of 10,000-year barrier capability required by 10 CFR Part 63.115<sup>11</sup>, the DOE proposes to supplement these analyses with additional techniques including intermediate performance measures from the full TSPA and pinch point analyses that report radionuclide mass flux or concentrations at selected interfaces between model components (Section 8.3 of the *TSPA-LA Methods and Approach* document).

*The Board still has questions about the relative role and scope of the DOE’s proposed research and development, science and technology, and core science programs. As indicated in the DOE’s letter, the scope of performance confirmation (PC) is limited to a regulatory context. The Board believes that a PC program should focus on confirming the safety case by challenging the validity of estimates of long-term repository performance and their underlying assumptions. The Board would like to understand the key elements of the DOE’s PC plan; the specific tests and related analyses considered a priority for the PC plan for license application; the testing that will be undertaken during repository construction; and how PC information will be integrated and used by the project.*

**Response:** The DOE believes that the Performance Confirmation program will represent only a subset of a much more comprehensive test and evaluation program.

Based on the language in 10 CFR Part 63<sup>12</sup>, the DOE is revising its PC program to focus resources using a risk-informed, performance-based (RIPB) approach. A formal decision analysis process is being used to evaluate the value (in terms of confirming expected barrier performance) and cost of several hundred combinations of a PC parameter and a data-acquisition method. The results are being assembled into several alternative portfolios. One portfolio will be selected soon for development to support the LA. The

<sup>10</sup> BSC (Bechtel SAIC Company) 2002. *Total System Performance Assessment-License Application Methods and Approach*. TDR WIS-PA-000006, Rev. 00, Las Vegas, Nevada: Bechtel SAIC Company. ACC: MOL.200202923.0175.

<sup>11</sup> 66 FR 55732. Disposal of High-Level Radioactive Wastes in a Proposed Geologic Repository at Yucca Mountain, NV. Final Rule 10 CFR Part 63. US Nuclear Regulatory Commission.

<sup>12</sup> *Ibid.*

alternative portfolios under development include activities to confirm barrier performance (using the RIPB approach), as well as activities to meet NRC requirements in 10CFR63 Subpart F that must be addressed independent of their significance to barrier performance or total-system performance.

In addition to the baseline work, the Science and Technology Program may develop data, test techniques, or design enhancements that could be brought into the testing programs after initial submittal of a license application or at an appropriate time during the construction and operation of a repository at a later stage.

The proposed PC program is expected to be mature enough to present to the NWTRB at its May 2003 meeting, if that is the desire of the Board.

*The Board believes that the DOE's commitment to "jump-starting" transportation planning and activities is imperative, in particular the DOE's recognition of the need to reactivate institutional activities to address the concerns of the State, Tribes, and affected counties.*

**Response:** DOE believes that it is critical to "jump-start" the transportation program and agrees with the Board's observation that resumption of institutional activities is very important. To accomplish the re-emphasis on the transportation activities DOE has requested Fiscal Year 2003 funds to restart the Transportation Program. The Secretary of Energy has committed to Congress to have a transportation plan prepared by the end of this fiscal year. This plan is currently in preparation. We look forward to working with you as the plans develop on this vitally important issue. We will also, of course, support the February 25 meeting on this subject with your Panel on the Waste Management System.

## Appendix F

# Communication Between the U.S. Nuclear Waste Technical Review Board and Congress

- Letter from Jared L. Cohon to Senator Harry Reid; January 24, 2002.  
Subject: Responses to questions posed in letter of November 26, 2001
- Letter from Jared L. Cohon to Senator John Ensign; January 24, 2002.  
Subject: Responses to questions posed in letter of November 26, 2001
- Letter from Jared L. Cohon to Congressman Joe Barton; January 24, 2002.  
Subject: Responses to questions posed in letter of December 11, 2001
- Letter from Jared L. Cohon to Congressman John Shimkus; January 24, 2002.  
Subject: Responses to questions posed in letter of December 5, 2001
- Testimony of Jared L. Cohon before the U.S. House of Representatives, Subcommittee on Energy and Air Quality; April 18, 2002.
- Letter from the Honorable Joe Barton to Jared L. Cohon; April 22, 2002.  
Subject: Questions from members of the U.S. House of Representatives, Subcommittee on Energy and Air Quality
- Letter from Jared L. Cohon to Congressman Joe Barton; May 22, 2002.  
Subject: Responses to questions posed in letter of April 22, 2002
- Testimony of Jared L. Cohon before the Senate Committee on Energy and Natural Resources; May 23, 2002.
- Letter from Jared L. Cohon to Senator Jeff Bingaman, May 31, 2002.  
Subject: Responses to questions posed by the Committee on May 29, 2002



UNITED STATES  
NUCLEAR WASTE TECHNICAL REVIEW BOARD  
2300 Clarendon Boulevard, Suite 1300  
Arlington, VA 22201

January 24, 2002

Honorable Harry Reid  
United States Senate  
528 SHOB  
Washington, DC 20510-2893

Dear Senator Reid:

Enclosed are responses to the questions posed in letter of November 26, 2001 from you and Senator John Ensign. As you know, the Board provides independent advice on the technical issues associated with the management of the country's commercial spent nuclear fuel and defense high-level radioactive waste. The Board offers its technical views to help inform the larger consideration of issues that face the Department of Energy and Congress in their evaluation of the suitability of the Yucca Mountain candidate repository site.

The Board is keenly aware that many of the issues that must be considered in making decisions in this policy area are technical ones, but that other issues are not. We believe that Congress and the Secretary will find it useful to have our views on the technical and scientific information related to a possible site recommendation. As noted in our responses, policy-makers will decide how much technical certainty is acceptable for a site recommendation.

Please let me or the Board's staff know if we can provide you or your staff with additional information on the enclosed responses.

Sincerely,

{Signed by}

Jared L. Cohon  
Chairman

Enclosure

NUCLEAR WASTE TECHNICAL REVIEW BOARD  
RESPONSE TO QUESTIONS FROM  
SENATORS HARRY REID AND JOHN ENSIGN  
JANUARY 24, 2002

*1. How strong is the current technical basis for DOE's repository design and for the analysis that supports the site recommendation?*

In evaluating the DOE's technical and scientific work related to individual natural and engineered components of the proposed repository system, the Board finds varying degrees of strength and weakness. Such variability is not surprising, given that the Yucca Mountain project is in many respects a first-of-a-kind, complex undertaking. When the DOE's technical and scientific work is taken as a whole, the Board's view is that the technical basis for the DOE's repository performance estimates is weak to moderate at this time. As discussed in the Board's January 24, 2002 letter to Congress and the Secretary of Energy, the Board believes that it is possible to increase confidence in the DOE's projections of repository system performance.

The DOE's estimates of repository performance currently rely heavily on engineered components of the repository system, making corrosion of the waste package very important. High temperatures in the DOE's base-case repository design increase uncertainties and decrease confidence in the performance of waste package materials. Confidence in waste package and repository performance potentially could increase if the DOE adopts a low-temperature repository design. However, a full and objective comparison of high- and low-temperature repository designs should be completed before the DOE selects a final repository design concept.

The Board makes no judgment on the question of whether the Yucca Mountain site should be recommended or approved for repository development. Those judgments, which involve a number of public policy considerations as well as an assessment of how much technical certainty is necessary at various decision points, go beyond the Board's congressionally established mandate.

*2. How confident are you that the current DOE program would lead to a safe repository that protects human health and the environment at Yucca Mountain?*

At this point, no individual technical or scientific factor has been identified that would automatically eliminate Yucca Mountain from consideration as the site of a permanent repository. The Board believes, however, that specific activities can and should be pursued to increase confidence in the projections of performance of the proposed repository at Yucca Mountain. Those activities include identifying, quantifying, and communicating clearly the extent of the uncertainty associated with the DOE's performance estimates; comparing and evaluating a low-temperature repository design with the DOE's current base-case high-temperature design; increasing the fundamental understanding of the potential behavior of the proposed repository system; developing multiple lines of evidence; and strengthening arguments about defense-in-depth (or redundancy). The Board also believes that uncertainties related to the performance of waste package materials under high-temperature conditions should be addressed.

The Board's January 24, 2002 letter to Congress and the Secretary of Energy also contains suggestions about new initiatives that the DOE might undertake to increase confidence. Many factors, such as the DOE's ability to improve the integration of scientific and engineering activities, are likely to influence whether those activities can be successfully completed.

*3. Is it premature for the DOE to make a recommendation that the site is suitable for a geologic repository?*

The timing of a decision on whether the Yucca Mountain site should be recommended or approved for repository development is a judgment involving a number of public policy considerations as well as an assessment of how much technical certainty policy-makers believe is necessary at the time decisions are made. As stated in the answer to question 1, these judgments go beyond the Board's congressionally established mandate.



UNITED STATES  
NUCLEAR WASTE TECHNICAL REVIEW BOARD  
2300 Clarendon Boulevard, Suite 1300  
Arlington, VA 22201

January 24, 2002

Honorable John Ensign  
United States Senate  
364 SROB  
Washington, DC 20510-2805

Dear Senator Ensign:

Enclosed are responses to the questions posed in letter of November 26, 2001 from you and Senator Harry Reid. As you know, the Board provides independent advice on the technical issues associated with the management of the country's commercial spent nuclear fuel and defense high-level radioactive waste. The Board offers its technical views to help inform the larger consideration of issues that face the Department of Energy and Congress in their evaluation of the suitability of the Yucca Mountain candidate repository site.

The Board is keenly aware that many of the issues that must be considered in making decisions in this policy area are technical ones but that other issues are not. We believe that Congress and the Secretary will find it useful to have our views on the technical and scientific information related to a possible site recommendation. As noted in our responses, policy-makers will decide how much technical certainty is acceptable for a site recommendation.

Please let me or the Board's staff know if we can provide you or your staff with additional information on the enclosed responses.

Sincerely,

{signed by}

Jared L. Cohon  
Chairman

Enclosure

NUCLEAR WASTE TECHNICAL REVIEW BOARD  
RESPONSE TO QUESTIONS FROM  
SENATORS HARRY REID AND JOHN ENSIGN  
JANUARY 24, 2002

*1. How strong is the current technical basis for DOE's repository design and for the analysis that supports the site recommendation?*

In evaluating the DOE's technical and scientific work related to individual natural and engineered components of the proposed repository system, the Board finds varying degrees of strength and weakness. Such variability is not surprising, given that the Yucca Mountain project is in many respects a first-of-a-kind, complex undertaking. When the DOE's technical and scientific work is taken as a whole, the Board's view is that the technical basis for the DOE's repository performance estimates is weak to moderate at this time. As discussed in the Board's January 24, 2002 letter to Congress and the Secretary of Energy, the Board believes that it is possible to increase confidence in the DOE's projections of repository system performance.

The DOE's estimates of repository performance currently rely heavily on engineered components of the repository system, making corrosion of the waste package very important. High temperatures in the DOE's base-case repository design increase uncertainties and decrease confidence in the performance of waste package materials. Confidence in waste package and repository performance potentially could increase if the DOE adopts a low-temperature repository design. However, a full and objective comparison of high- and low-temperature repository designs should be completed before the DOE selects a final repository design concept.

The Board makes no judgment on the question of whether the Yucca Mountain site should be recommended or approved for repository development. Those judgments, which involve a number of public policy considerations as well as an assessment of how much technical certainty is necessary at various decision points, go beyond the Board's congressionally established mandate.

*2. How confident are you that the current DOE program would lead to a safe repository that protects human health and the environment at Yucca Mountain?*

At this point, no individual technical or scientific factor has been identified that would automatically eliminate Yucca Mountain from consideration as the site of a permanent repository. The Board believes, however, that specific activities can and should be pursued to increase confidence in the projections of performance of the proposed repository at Yucca Mountain. Those activities include identifying, quantifying, and communicating clearly the extent of the uncertainty associated with the DOE's performance estimates; comparing and evaluating a low-temperature repository design with the DOE's current base-case high-temperature design; increasing the fundamental understanding of the potential behavior of the proposed repository system; developing multiple lines of evidence; and strengthening arguments about defense-in-depth (or redundancy). The Board also believes that uncertainties related to the performance of waste package materials under high-temperature conditions should be addressed.

The Board's January 24, 2002 letter to Congress and the Secretary of Energy also contains suggestions about new initiatives that the DOE might undertake to increase confidence. Many factors, such as the DOE's ability to improve the integration of scientific and engineering activities, are likely to influence whether those activities can be successfully completed.

*3. Is it premature for the DOE to make a recommendation that the site is suitable for a geologic repository?*

The timing of a decision on whether the Yucca Mountain site should be recommended or approved for repository development is a judgment involving a number of public policy considerations as well as an assessment of how much technical certainty policy-makers believe is necessary at the time decisions are made. As stated in the answer to question 1, these judgments go beyond the Board's congressionally established mandate.



UNITED STATES  
NUCLEAR WASTE TECHNICAL REVIEW BOARD  
2300 Clarendon Boulevard, Suite 1300  
Arlington, VA 22201

January 24, 2002

Honorable Joe Barton  
Chairman  
Subcommittee on Energy and Power  
Committee on Energy and Commerce  
U.S. House of Representatives  
Room 2125, Rayburn House Office Building  
Washington, DC 20515-6115

Dear Mr. Barton:

Enclosed are responses to the questions posed in your letter of December 11, 2001. As you know, the Board provides independent advice on the technical issues associated with the management of the country's commercial spent nuclear fuel and defense high-level radioactive waste. The Board offers its technical views to help inform the larger consideration of issues that face the Department of Energy and Congress in their evaluation of the suitability of the Yucca Mountain candidate repository site.

The Board is keenly aware that many of the issues that must be considered in making decisions in this policy area are technical ones but other issues are not. We believe that Congress and the Secretary will find it useful to have our views on the technical and scientific information related to a possible site recommendation. As noted in our responses, policy-makers will decide how much technical certainty is acceptable for a site recommendation.

Please let me or the Board's staff know if we can provide you or your staff with additional information on the enclosed responses.

Sincerely,

{Signed by}

Jared L. Cohon  
Chairman

Enclosure

NUCLEAR WASTE TECHNICAL REVIEW BOARD  
RESPONSE TO QUESTIONS FROM  
REPRESENTATIVE JOE BARTON  
JANUARY 24, 2002

*1. Does the Board have any reason to believe that the site currently being studied at Yucca Mountain could not be made suitable for the development of a repository? If so, please explain any such reason(s)?*

At this point, no individual technical or scientific factor has been identified that would automatically eliminate Yucca Mountain from consideration as the site of a permanent repository. However, the DOE uses a complex integrated performance assessment model to project repository system performance. Performance assessment is a useful tool because it assesses how well the repository system as a whole, not just the site or the engineered components, might perform. However, gaps in data and basic understanding cause important uncertainties in the concepts and assumptions on which the DOE's performance estimates are now based. Because of these uncertainties, the Board has limited confidence in current performance estimates generated by the DOE's performance assessment model. This is not an assessment of the Board's level of confidence in the Yucca Mountain site.

The Board believes that confidence in performance estimates can be increased. Future scientific investigations may show that components of the repository system perform better than or not as well as the DOE's performance assessment model now projects. It is impossible to know with absolute certainty whether issues or concerns that cannot be mitigated might arise in the future. This would be the case at any potential repository site.

*2. What improvements can DOE make in its research and design that would improve the effectiveness of a repository at that location? In keeping with the "step-wise repository development" approach recommended by the National Academy of Sciences, how can such improvements best be phased into the evolving repository design?*

If policy-makers decide to approve the Yucca Mountain site, the Board strongly recommends that in addition to demonstrating regulatory compliance, the DOE continue a vigorous well-integrated scientific investigation to increase its fundamental understanding of the potential behavior of the repository system. The Board believes, in addition, that specific activities can and should be pursued to increase confidence in the projections of performance of the proposed repository at Yucca Mountain. Those activities include systematically integrating new data and analyses produced by ongoing scientific and engineering investigations; identifying, quantifying, and communicating clearly the extent of the uncertainty associated with its performance estimates; comparing and evaluating a low-temperature repository design with the DOE's current base-case high-temperature design; increasing the fundamental understanding of the potential behavior of the proposed repository system; developing multiple lines of evidence; and strengthening arguments about defense-in-depth (or redundancy). The Board also believes that uncertainties related to the performance of waste package materials under high-temperature conditions should be addressed.

The Board has not evaluated the implications of a “step wise” approach to repository development. However, in its January 24, 2002 letter to Congress and the Secretary of Energy, the Board suggests several new actions that should be considered if policy-makers approve the Yucca Mountain site, regardless of the development approach used. The actions include monitoring repository performance before, during, and after waste emplacement; developing a strategy for modifying or stopping repository development if potentially significant unforeseen circumstances are encountered; and continuing external review of the DOE’s technical and scientific activities. The Board notes that the National Academy of Sciences (NAS) is scheduled soon to release a preliminary report describing the advantages and disadvantages of applying a step wise approach specifically to the development of a repository at Yucca Mountain. As part of its ongoing evaluation, the Board will review the technical and scientific validity of any plans that the DOE adopts in response to the NAS report.



UNITED STATES  
NUCLEAR WASTE TECHNICAL REVIEW BOARD  
2300 Clarendon Boulevard, Suite 1300  
Arlington, VA 22201

January 24, 2002

Honorable John Shimkus  
Committee on Energy and Commerce  
U.S. House of Representatives  
Rayburn House Office Building  
Washington, DC 20515-1320

Dear Mr. Shimkus:

Enclosed are responses to the questions posed in your letter of December 5, 2001. As you know, the Board provides independent advice on the technical issues associated with the management of the country's commercial spent nuclear fuel and defense high-level radioactive waste. The Board offers its technical views to help inform the larger consideration of issues that face the Department of Energy and Congress in their evaluation of the suitability of the Yucca Mountain candidate repository site.

The Board is keenly aware that many of the issues that must be considered in making decisions in this policy area are technical ones but that other issues are not. We believe that Congress and the Secretary will find it useful to have our views on the technical and scientific information related to a possible site recommendation. As noted in our responses, policy-makers will decide how much technical certainty is acceptable for a site recommendation.

Please let me or the Board's staff know if we can provide you or your staff with additional information on the enclosed responses.

Sincerely,

{signed by}

Jared L. Cohon  
Chairman

Enclosure

**NUCLEAR WASTE TECHNICAL REVIEW BOARD  
RESPONSE TO QUESTIONS FROM  
REPRESENTATIVE JOHN SHIMKUS  
JANUARY 24, 2002**

*Are you aware of any technical issues or concerns applicable to the site recommendation phase of the Yucca Mountain Project, that directly and negatively impact human health and safety, that could not be mitigated prior to the closure of the repository, which under current design, would occur 100-300 years after its opening?*

At this point, no individual technical or scientific factor has been identified that would automatically eliminate Yucca Mountain from consideration as the site of a permanent repository. However, the DOE uses a complex integrated performance assessment model to project repository system performance. Performance assessment is a useful tool because it assesses how well the repository system as a whole, not just the site or the engineered components, might perform. However, gaps in data and basic understanding cause important uncertainties in the concepts and assumptions on which the DOE's performance estimates are now based. Because of these uncertainties, the Board has limited confidence in current performance estimates generated by the DOE's performance assessment model. This is not an assessment of the Board's level of confidence in the Yucca Mountain site.

The Board believes that confidence in performance estimates can be increased. Future scientific investigations may show that components of the repository system perform better than or not as well as the DOE's performance assessment model now projects. It is impossible to know with absolute certainty whether issues or concerns that cannot be mitigated might arise in the future. This would be the case at any potential repository site.

---

Statement of  
Dr. Jared L. Cohon, Chairman  
U.S. Nuclear Waste Technical Review Board  
Before the  
Subcommittee on Energy and Air Quality  
Committee on Energy and Commerce  
U.S. House of Representatives  
April 18, 2002

Good morning, Mr. Chairman and members of the Subcommittee. I am Jared Cohon, Chairman of the Nuclear Waste Technical Review Board. All members of the Board are appointed by the President and serve on a part-time basis. In my case, I also am president of Carnegie Mellon University in Pittsburgh, Pennsylvania.

I am pleased to be here today to present the Board's technical and scientific evaluation of the Department of Energy's work related to the recommendation of a site at Yucca Mountain in Nevada as the location of a permanent repository for spent nuclear fuel and high-level radioactive waste. We hope that the Subcommittee and other policy-makers will find the Board's technical and scientific evaluation useful as you consider the various issues that will affect a decision on whether to proceed with repository development. With your permission, Mr. Chairman, I will summarize the Board's findings, and I request that my full statement and the Board's January 24, 2002, letter report to Congress and the Secretary of Energy be included in the hearing record.

As you know, Mr. Chairman, Congress created the Board in the 1987 amendments to the Nuclear Waste Policy Act. Congress charged the Board with performing an ongoing independent evaluation of the technical and scientific validity of activities undertaken by the Secretary of Energy related to disposing of spent nuclear fuel and high-level radioactive waste. The Board also reviews the DOE's activities related to transporting and packaging such waste. Since the Board was established, its primary focus has been the DOE's efforts to characterize a site at Yucca Mountain in Nevada to determine its suitability as the location of a potential repository.

Early last year, Secretary of Energy Spencer Abraham indicated that he would make a decision at the end of 2001 on whether to recommend the Yucca Mountain site for repository development. As the Secretary's decision approached, the Board decided it was important to comment to the Secretary and Congress, within the context of the Board's ongoing evaluation of the technical and scientific validity of DOE activities, on the DOE's work related to a site recommendation. So, in November 2001, the Board met to review comprehensively the DOE's efforts in this area. In December 2001, the Board sent a letter to the Secretary indicating that the Board would provide its comments within a few weeks. The Board conveyed those comments in a letter, which included attachments with supporting details, that was sent to Congress and the Secretary on January 24, 2002.

I will now summarize the Board's review procedures and the results of the Board's evaluation.

The Board's evaluation represents the collective judgment of its members and was based on the following:

- The results of the Board's ongoing review of the DOE's Yucca Mountain technical and scientific investigations since the Board's inception.
- An evaluation of the DOE's work on the natural and engineered components of the proposed repository system, using a list of technical questions identified by the Board.

- A comprehensive Board review of draft and final documents supplied by the DOE through mid-November 2001.
- Field observations by Board members at Yucca Mountain and related sites.

To focus its review, the Board considered the following 10 questions for components of the repository system:

1. Do the models used to generate input to the total system performance assessment (TSPA) and the representations of processes and linkages or relationships among processes within TSPA have a sound basis?
2. Have uncertainties and conservatisms in the analyses been identified, quantified, and described accurately and meaningfully?
3. Have sufficient data and observations been gathered using appropriate methodologies?
4. Have assumptions and expert judgments, including bounding estimates, been documented and justified?
5. Have model predictions been verified or tested?
6. Have available data that could challenge prevailing interpretations been collected and evaluated?
7. Have alternative conceptual models and model abstractions been evaluated, and have the bases for accepting preferred models been documented?
8. Are the bases for extrapolating data over long times or distances scientifically valid?
9. Can the repository and waste package designs be implemented so that the engineered and natural barriers perform as expected?
10. To the extent practical, have other lines of evidence, derived independently of performance assessments, been used to evaluate confidence in model estimates?

In evaluating the DOE's work related to individual natural and engineered components of the proposed repository system, the Board found varying degrees of strength and weakness. For example, the Board considers the DOE's estimates of the probabilities of volcanic events and earthquakes at Yucca Mountain strengths, while the lack of data related to corrosion of materials proposed for the waste packages under conditions that would likely be present in the repository and the very short experience with these materials are considered weaknesses.

This kind of variability is not surprising, given that the Yucca Mountain project is a complex, and in many respects, a first-of-a-kind undertaking. An important conclusion in the Board's letter is that when the DOE's technical and scientific work is taken as a whole, the Board's view is that the technical basis for the DOE's repository performance estimates is weak to moderate at this time.

The Board made no judgment in its January 24 letter on the question of whether the Yucca Mountain site should be recommended or approved for repository development. Those judgments, which involve a number of public-policy considerations as well as an assessment of how much technical uncertainty is acceptable at various decision points, go beyond the Board's congressionally established mandate.

Let me explain in a little more detail, Mr. Chairman, the basis for the Board's conclusion on performance estimates. The DOE uses a complex, integrated performance assessment model to project repository system performance. Performance assessment is a useful tool because it assesses how well the repository system as a whole, not just the site or the engineered components, might perform. However, gaps in data and basic understanding cause important uncertainties in the concepts and assumptions on which the DOE's performance estimates are now based. Therefore, while no individual technical or scientific factor has been identified that would automatically eliminate Yucca Mountain from consideration at this point, the Board has limited confidence in current performance estimates generated by the

---

DOE's performance assessment model. As I will discuss in just a moment, the Board believes that confidence in the DOE's projections of repository performance can be increased.

But first let me clarify the comment I just made on the current state of knowledge of technical and scientific factors that could potentially eliminate Yucca Mountain from consideration. The Board considers the very precise statement in its letter that at this point, no individual technical or scientific factor has been identified that would automatically eliminate Yucca Mountain from consideration a necessary condition for a discussion of site suitability to take place. But this threshold condition, by itself, is not necessarily sufficient for a definitive determination of site suitability.

How can confidence in the DOE's performance estimates be increased? As noted in the Board's letter, the Board believes that a fundamental understanding of the potential behavior of a proposed repository system is very important. Therefore, if policy-makers decide to approve the Yucca Mountain site, the Board strongly recommends that, in addition to demonstrating regulatory compliance, the DOE continue a vigorous, well-integrated scientific investigation to increase its fundamental understanding of the potential behavior of the repository system. Increased understanding could show that components of the repository system perform better than or not as well as the DOE's performance assessment model now projects. In either case, making performance projections more realistic and characterizing the full range of uncertainty could increase confidence in the DOE's performance estimates.

The DOE's estimates of repository performance currently rely heavily on engineered components of the repository system, making corrosion of the waste package very important. As the Board has mentioned in many of its previous reports and letters over the last 11 years, we believe that high temperatures in the DOE's base-case repository design increase uncertainties and decrease confidence in the performance of waste package materials. It is possible that confidence in waste package and repository performance could increase if the DOE adopts a low-temperature repository design. However, the Board continues to believe that the DOE should complete a full and objective comparison of high- and low-temperature repository designs before it selects a final repository design concept.

Over the last several years, the Board has made several other recommendations that could increase confidence in the DOE's projections of repository performance. For example, the Board recommended that the DOE identify, quantify, and communicate clearly the extent of the uncertainty associated with its performance estimates. The Board also recommended that the DOE use other lines of evidence and argument to supplement the results of its performance assessment. Moreover, the DOE could strengthen its arguments about how multiple barriers in its proposed repository system provide "defense-in-depth" (or redundancy). Although the DOE has made progress in each of these areas, more work is needed.

Other actions that might be considered if policy-makers approve the Yucca Mountain site include systematically integrating new data and analyses produced by ongoing scientific and engineering investigations; monitoring repository performance before, during, and after waste emplacement; developing a strategy for modifying or stopping repository development if potentially significant unforeseen circumstances are encountered; and continuing external review of the DOE's technical and scientific activities.

Mr. Chairman, eliminating all uncertainty associated with estimates of repository performance would never be possible at any repository site. Policy-makers will decide how much scientific uncertainty is acceptable at the time various decisions are made on site recommendation or repository development. The Board hopes that the information provided in the testimony and in its letter report to Congress and the Secretary will be useful to policy-makers faced with making these important decisions.

Not surprisingly, Mr. Chairman, people have drawn from the Board's January 24 letter the points that support their case. The Board is concerned, however, that lifting individual statements from the letter and using them without context can be confusing for policy-makers and the public. Therefore, we urge those charged with making decisions about Yucca Mountain to consider the full text or our 3-page letter.

Thank you very much, Mr. Chairman. I will be happy to respond to questions.

MICHAEL BLIRAKS, FLORIDA  
 JOE BARTON, TEXAS  
 FRED UPTON, MICHIGAN  
 CLIFF STEARNS, FLORIDA  
 PAUL E. GILLMORE, OHIO  
 JAMES C. GREENWOOD, PENNSYLVANIA  
 CHRISTOPHER COX, CALIFORNIA  
 NATHAN DEAL, GEORGIA  
 RICHARD BURR, NORTH CAROLINA  
 ED WHITFIELD, KENTUCKY  
 GREG GANSKE, IOWA  
 CHARLIE NORWOOD, GEORGIA  
 BARBARA CLISH, WYOMING  
 JOHN SHIMKUS, ILLINOIS  
 HEATHER WILSON, NEW MEXICO  
 JOHN B. SHADEGG, ARIZONA  
 CHARLES "CHIP" PICKERING, MISSISSIPPI  
 VITO FOSSELLA, NEW YORK  
 ROY BLUNT, MISSOURI  
 TOM DAVIS, VIRGINIA  
 ED BRYANT, TENNESSEE  
 ROBERT L. IBRILICH, JR., MARYLAND  
 STEVE BUYER, INDIANA  
 GEORGE RADANOVICH, CALIFORNIA  
 CHARLES F. BASS, NEW HAMPSHIRE  
 JOSEPH R. PITTS, PENNSYLVANIA  
 MARY BONO, CALIFORNIA  
 GREG WALDEN, OREGON  
 LEE TERRY, NEBRASKA  
 ERNE RUTCHER, KENTUCKY

APR 29 2002

ONE HUNDRED SEVENTH CONGRESS

U.S. House of Representatives  
 Committee on Energy and Commerce  
 Washington, DC 20515-6115

W.J. "BILLY" TAUZIN, LOUISIANA,  
 CHAIRMAN

April 22, 2002

JOHN D. DINGELL, MICHIGAN  
 HENRY A. WAXMAN, CALIFORNIA  
 EDWARD J. MARKEY, MASSACHUSETTS  
 RALPH M. HALL, TEXAS  
 RICK BOUCHER, VIRGINIA  
 EDOLPHUS TOWNS, NEW YORK  
 FRANK PALLONE, JR., NEW JERSEY  
 SHERRILL BROWN, OHIO  
 BART GORDON, TENNESSEE  
 PETER DEUTSCH, FLORIDA  
 BOBBY L. RUSH, ILLINOIS  
 ANNA G. ESHOO, CALIFORNIA  
 THOMAS M. BARRETT, WISCONSIN  
 ELIOT L. ENGEL, NEW YORK  
 TOM SAWYER, OHIO  
 ALBERT R. WYNN, MARYLAND  
 GENE GREEN, TEXAS  
 KAREN MCCARTHY, MISSOURI  
 TED STRICKLAND, OHIO  
 DIANA DEBETTE, COLORADO  
 THOMAS M. BARRETT, WISCONSIN  
 BILL LUTHER, MINNESOTA  
 LOIS CAPPS, CALIFORNIA  
 MICHAEL F. DOYLE, PENNSYLVANIA  
 CHRISTOPHER JOHN, LOUISIANA  
 JANE HARMAN, CALIFORNIA

DAVID V. MARVENTANO, STAFF D

Dr. Jared L. Cohon  
 Chairman  
 Nuclear Waste Technical Review Board  
 Suite 1300  
 2300 Clarendon Boulevard  
 Arlington, VA 22201

Dear Dr. Cohon:

I am writing to thank you for appearing before the Subcommittee on Energy and Air Quality on April 18, 2002, to present testimony on President's recommendation to develop a nuclear waste repository at Yucca Mountain, Nevada. Your testimony allowed the Subcommittee's Members to gain a better understanding of this extremely important issue.

Pursuant to the Chair's order of April 18, 2002, the record of the Subcommittee's hearing remains open to permit Members to submit questions to witnesses in writing. Attached you will find questions submitted by Members of the Subcommittee. I would appreciate it if you could respond to these questions in writing no later than the close of business on May 17, 2002, in order to facilitate the printing of the hearing record.

Thank you again for your time and effort in preparing and delivering testimony before the Subcommittee.

Sincerely,

  
 Joe Barton  
 Chairman

Subcommittee on Energy and Air Quality

Attachment

Questions from Congressman Ed Markey:

1. In addition to the Nuclear Waste Technical Review Board (NWTRB), the International Atomic Energy Agency/Nuclear Energy Agency has reviewed the scientific and technical work of the DOE. They state in their review that "In general, the level of understanding of the hydro-geology of the site... is low, unclear and insufficient to support an assessment of the realistic performance." They continue "Until these questions are answered, it is not possible to develop a realistic conceptual model of the site, or to build a probabilistic saturated zone local model." Do you agree with their assessment? Is the DOE's model unrealistic because of lack of data and basic understanding of physical processes?
2. The DOE is relying heavily on the ability of the canisters to withstand corrosion and contain the radioactive waste for long periods of time. The NWTRB report states that essentially no corrosion data exists for conditions above 275 degrees (120 C), despite the fact the repository could reach temperatures as high as 350 degrees (165 C). In your opinion, can the DOE make any real assessment of the engineered barriers above 275 degrees? What are some of the effects that elevated temperatures could have on the canisters?
3. The DOE only has 2 years of corrosion data for alloy 22 based canisters, yet they are extrapolating this data to 10,000 years. Is this acceptable? Is there currently anyway to adequately determine the integrity of these canisters 10,000 years in the future?
4. The Chlorine -36 "fingerprints" of above ground nuclear testing have been found in the interior of Yucca Mountain, suggesting that water from the surface can migrate 1000 feet to the repository level of the mountain within 50 years. What are the implications of this data for contamination of the ground water below the repository? What are the implications for corrosion of the canisters?
5. Secretary Abraham said in his testimony that Yucca Mountain will meet the EPA radiological exposure standard. But the NWTRB report notes that DOE has not published updated calculations of radiological doses based on the recent travel time estimates. Is the Secretary's statement premature? Can DOE be confident that Yucca Mountain will meet the EPA's standard without having completed these calculations?
6. Spent fuel - uranium dioxide - will be the majority of the stored waste in Yucca Mountain. What will happen to the fuel rods as they sit in the repository? Will they rust? Has the DOE considered the effect of rusting in their assessment of Yucca Mountain and containment of the radioactive waste?

Questions from Congressman George Radanovich:

1. Would you agree with the statement "Geologic isolation cannot and will not play any significant role at the Yucca Mountain repository?"
2. What is the NWTRB opinion of the ability of the man-made containers to meet the NRC and EPA standards for radioactive release into the environment?



UNITED STATES  
NUCLEAR WASTE TECHNICAL REVIEW BOARD  
2300 Clarendon Boulevard, Suite 1300  
Arlington, VA 22201

May 22, 2002

Honorable Joe Barton  
Chairman  
Subcommittee on Energy and Air Quality  
Committee on Energy and Commerce  
U.S. House of Representatives  
2125 RHOB  
Washington, DC 20515-6115

Dear Mr. Barton:

Thank you very much for the opportunity to present the views of the Nuclear Waste Technical Review Board at a hearing before the Subcommittee on Energy and Air Quality on April 18, 2002. Enclosed are responses to questions from Representatives Ed Markey and George Radanovich that were enclosed in your letter of April 22, 2002. The questions follow up on issues raised during the hearing.

As you know, the Board is charged by Congress with conducting an ongoing and independent review of the technical and scientific validity of activities undertaken by the Secretary of Energy associated with the management of the country's commercial spent nuclear fuel and defense high-level radioactive waste. The Board provides its technical views to help inform the larger consideration of issues that face the Department of Energy and Congress related to nuclear waste disposal.

Please do not hesitate to contact me or have your staff contact Bill Barnard, Board Executive Director, if you have questions related to the Board's responses or any other issue related to the Board's technical and scientific review.

Sincerely,

{Signed by}

Jared L. Cohon  
Chairman

Enclosure

Questions from Congressman Ed Markey:

1. *In addition to the Nuclear Waste Technical Review Board (NWTRB), the International Atomic Energy Agency/Nuclear Energy Agency has reviewed the scientific and technical work of the DOE. They state in their review that "In general, the level of understanding of the hydro-geology of the site. . .is low, unclear and insufficient to support an assessment of the realistic performance." They continue "Until these questions are answered, it is not possible to develop a realistic conceptual model of the site, or to build a probabilistic saturated zone local model." Do you agree with their assessment? Is the DOE's model unrealistic because of lack of data and basic understanding of physical process?*

Answer: We agree generally with the concerns expressed by the International Atomic Energy Agency/Nuclear Energy Agency Peer Review Panel (International Panel) but would like to make several observations to put their comments in perspective. The International Panel comment cited above includes three elements: (1) an assessment of the realistic performance, (2) a realistic conceptual model of the site, and (3) a saturated zone local model. (In the context of this question, *realism* may be viewed as the set of models and assumptions that most nearly describes the natural and engineered repository system and produces neither overly pessimistic nor overly optimistic predictions of waste isolation.) The three elements are interlinked: A realistic performance assessment requires a realistic saturated zone site-scale model, and that requires a realistic conceptual model. Although the general concepts of the Yucca Mountain hydrogeologic system are understood, important details remain unresolved. Consequently, the performance estimates for the saturated zone in the Total System Performance Assessment for Site Recommendation (TSPA-SR) may not be realistic. The TSPA-SR was the sole focus of the International Panel. Since that time, results released by the DOE in subsequent documents indicate that some progress has been made in addressing questions raised by the International Panel and in developing a credible conceptual model of the site. Those results have not been incorporated in performance assessments, however, and substantial work remains to be done to develop a realistic saturated zone site-scale model on which a realistic assessment of performance attributable to site hydrogeology could be based.

In answer to your question on the DOE's model, the Board stated in its January 24, 2002, letter report to Congress and the Secretary of Energy that it has limited confidence in current DOE performance estimates because of uncertainties created by gaps in data and basic understanding of the proposed repository system (including the saturated zone). The Board has recommended that, if policy-makers decide to approve the Yucca Mountain site, the DOE should continue a vigorous, well-integrated scientific investigation to increase its

fundamental understanding of the potential behavior of the repository system. Increasing understanding could show that components of the repository system, including the saturated and unsaturated zones, perform better than or not as well as the DOE's performance assessment model now projects. In either case, making performance projections more realistic and characterizing the full range of uncertainty could improve the DOE's performance estimates.

2. *The DOE is relying heavily on the ability of the canisters to withstand corrosion and contain the radioactive waste for long periods of time. The NWTRB report states that essentially no corrosion data exists for conditions above 275 degrees (120° C), despite the fact the repository could reach temperatures as high as 350 degrees (165° C). In your opinion, can the DOE make any real assessment of the engineered barriers above 275 degrees? What are some of the effects that elevated temperatures could have on the canisters?*

Answer: To answer your second, more general, question first: The severity of corrosion tends to increase with increasing temperatures. In fact, some forms of corrosion are not even observed unless the temperature exceeds a certain threshold value. This applies to essentially all alloys and metals used as construction materials, including Alloy 22, the material that the DOE has chosen to provide corrosion resistance for its waste package. In addition, and perhaps more important, predicting the chemistry (composition and strength) of salt solutions contacting the waste packages becomes more difficult and more uncertain with increasing temperature. The type and severity of corrosion depend on the makeup of those solutions.

Regarding your first question, data on the chemistry of salt solutions that may contact the waste package as well as data on corrosion of Alloy 22 exposed to such waste package environments are both essentially nonexistent for temperatures above 120° C. These key data needed to assess the likelihood that corrosion could penetrate waste packages during the 10,000-year regulatory period. This absence of information weakens the technical basis of the DOE's performance estimates for its high-temperature, base-case repository design. Uncertainty about waste package performance decreases, however, with lower repository temperatures because more corrosion data and more data on the chemistry of salt solutions that may contact waste package surfaces are available. Uncertainty also is reduced with low temperatures because corrosion severity generally decreases as temperatures decrease. The Board believes, therefore, that confidence in waste package and repository performance potentially could increase if the DOE adopts a low-temperature repository design. However, a full and objective comparison of high- and low-temperature repository designs should be completed before the DOE selects a final repository design concept.

3. *The DOE only has 2 years of corrosion data for alloy 22 based canisters, yet they are extrapolating this data to 10,000 years. Is this acceptable? Is there currently any way to adequately determine the integrity of these canisters 10,000 years in the future?*

Answer: Alloy 22 relies on the formation of an ultrathin passive (i.e., nonreactive) film for its corrosion resistance. The DOE's models predict that corrosion will not penetrate Alloy 22 waste packages for at least 10,000 years, perhaps for longer than a million years. However, experience with Alloy 22 and comparable alloys spans only several decades, and experience with alloys that rely on passive films for corrosion resistance spans only about a century. Although a few natural or man-made materials have been identified that might provide insights into the long-term passivity of metals, none has been confirmed yet as a suitable analogue. Thus, this type of corrosion resistance over many thousands of years can be extrapolated only by using theories and assumptions. At this point, on the basis of the information developed by the DOE and others, Board members believe that claims of minimum waste package durability of a few thousand years to a few tens of thousands of years are not out of the question. Underlying this belief are the following suppositions: that temperatures and chemical conditions on the waste-package surface will be no more severe or uncertain than those in the DOE's preliminary analysis of the low-temperature operating mode; that supporting research will be continued to fill in data gaps and to rule out unexpected modes of failure; that research, development, and demonstration of waste-package welding, fabrication, and inspection are completed successfully; and that no major "surprises" are found.

4. *The Chlorine-36 "fingerprints" of above ground nuclear testing have been found in the interior of Yucca Mountain, suggesting that water from the surface can migrate 1000 feet to the repository level of the mountain within 50 years. What are the implications of this data for contamination of the ground water below the repository? What are the implications for corrosion of the canisters?*

Answer: The discovery of elevated amounts of chlorine-36 (a product of nuclear testing in the 1950's) at the depth of the proposed repository at Yucca Mountain would provide direct evidence of the existence of "fast paths" through which rainwater could travel from the surface of Yucca Mountain to the repository horizon within about 50 years. However, questions have been raised about the validity of the results of the original chlorine-36 study that showed evidence of such fast paths. In 1999, the DOE sought to validate the original tests. Scientists using different testing procedures have shown differing estimates of the amount of chlorine-36 present in the underground rocks. The validation study is still under way, and the DOE has not reached any conclusions. The DOE's current models of repository performance are based on the general assumption that some fast-flow paths *do* exist in Yucca Mountain.

To answer the question on the effects of possible fast paths on groundwater contamination, it would be necessary to verify that they exist and to estimate the volume of water being transported along the pathways under current and future climate conditions. The chlorine-36 validation study may resolve the question of the presence or absence of fast pathways for water flow. Estimation of the volumetric flux associated with fast pathways requires additional investigations, some of which are ongoing and some of which are planned.

In terms of the effects of fast paths on waste package corrosion rates, if the assumption is (as the DOE's is) that corrosion proceeds as rapidly under high-humidity conditions as under dripping conditions (a reasonable assumption), whether fast paths are present or absent has essentially no effect on waste package corrosion rates. However, larger fluxes of water generally result in shorter times of radioactive waste isolation. Current models, based on multiple lines of evidence, do not allow for large volumes of water to flow through these fast pathways. If the current thinking is found to be incorrect, then radionuclide transport predictions may need to be revised.

5. *Secretary Abraham said in his testimony that Yucca Mountain will meet the EPA radiological exposure standard. But the NWTRB report notes that DOE has not published updated calculations of radiological doses based on the recent travel time estimates. Is the Secretary's statement premature? Can DOE be confident that Yucca Mountain will meet the EPA's standard without having completed these calculations?*

Answer: The DOE's performance calculations should be updated to take into account new information on travel-time estimates. However, because many things, in addition to groundwater travel times, affect the DOE's projections of compliance, the effect of revised travel-time estimates on judging compliance with the EPA standard may not be large. For example, current DOE models show that the waste package will last longer than the 10,000-year compliance period.

The Board believes that the technical basis for the DOE's current repository performance estimates is weak to moderate. The question of whether the Secretary's statement is premature depends on how much uncertainty one finds acceptable at this decision point. That is a policy question, which is outside the Board's technical and scientific mandate.

6. *Spent fuel – uranium dioxide – will be the majority of the stored waste in Yucca Mountain. What will happen to the fuel rods as they sit in the repository? Will they rust? Has the DOE considered the effect of rusting in their assessment of Yucca Mountain and containment of the radioactive waste?*

Answer: The spent-fuel rods consist of uranium dioxide pellets enclosed in metallic cladding. The cladding for the vast majority of the rods is zircaloy, a very corrosion-resistant alloy of zirconium. Once the cladding is exposed to aqueous or high-humidity environments (e.g., after penetration of the waste package), the cladding will begin to corrode. Eventually, corrosion will cause the cladding to fail after thousands of years. The DOE has considered cladding corrosion in its performance assessment models. However, the Board believes that the DOE's current level of understanding of cladding performance is incomplete and should be improved.

Questions from Congressman George Radanovich:

1. *Would you agree with the statement “Geologic isolation cannot and will not play any significant role at the Yucca Mountain repository?”*

Answer: No, the statement is too strong. Although the DOE’s current estimates of repository performance rely heavily on components of the engineered barrier system, the natural barriers do play a role. Further analysis and the reduction of uncertainties will permit a more realistic assessment of the relative significance of the contribution of the engineered and natural barriers in the proposed repository system.

2. *What is the NWTRB opinion of the ability of the man-made containers to meet the NRC and EPA standards for radioactive release into the environment?*

Answer: At this point, on the basis of the information developed by the project (and others), Board members believe that claims of minimum waste package durability of a few thousand years to a few tens of thousands of years are not out of the question under relatively mild and less uncertain (lower temperature) in-drift conditions. Underlying this belief are the following suppositions: that temperatures and chemical conditions on the waste-package surface will be no more severe or uncertain than those in the DOE’s preliminary analysis of the low-temperature operating mode; that supporting research will be continued to fill in data gaps and to rule out unexpected modes of failure; that research, development, and demonstration of waste-package welding, fabrication, and inspection are completed successfully; and that no major “surprises” are found.

Statement of  
Dr. Jared L. Cohon, Chairman  
U.S. Nuclear Waste Technical Review Board  
Before the  
Committee on Energy and Natural Resources  
U.S. Senate  
May 23, 2002

Good morning, Mr. Chairman and members of the Committee. I am Jared Cohon, Chairman of the Nuclear Waste Technical Review Board. All members of the Board are appointed by the President and serve on a part-time basis. In my case, I also am president of Carnegie Mellon University in Pittsburgh, Pennsylvania.

I am pleased to be here today to present the Board's technical and scientific evaluation of the Department of Energy's work related to the recommendation of a site at Yucca Mountain in Nevada as the location of a permanent repository for spent nuclear fuel and high-level radioactive waste and to respond to questions posed by the Committee in its invitation letter. We hope that the Committee and other policy-makers will find the Board's testimony useful as you consider the various issues that will affect a decision on whether to proceed with repository development. With your permission, Mr. Chairman, I will summarize the Board's findings, and I request that my full statement and the Board's January 24, 2002, letter report to Congress and the Secretary of Energy be included in the hearing record.

As you know, Mr. Chairman, Congress created the Board in the 1987 amendments to the Nuclear Waste Policy Act. Congress charged the Board with performing an ongoing independent evaluation of the technical and scientific validity of activities undertaken by the Secretary of Energy related to disposing of spent nuclear fuel and high-level radioactive waste. The Board also reviews the DOE's activities related to transporting and packaging such waste. Since the Board was established, its primary focus has been the DOE's efforts to characterize a site at Yucca Mountain in Nevada to determine its suitability as the location of a potential repository.

Early last year, Secretary of Energy Spencer Abraham indicated that he would make a decision at the end of 2001 on whether to recommend the Yucca Mountain site for repository development. As the Secretary's decision approached, the Board decided it was important to comment to the Secretary and Congress, within the context of the Board's ongoing evaluation of the technical and scientific validity of DOE activities, on the DOE's work related to a site recommendation. So, in November 2001, the Board met to review comprehensively the DOE's efforts in this area. In December 2001, the Board sent a letter to the Secretary indicating that the Board would provide its comments within a few weeks. The Board conveyed those comments in a letter, which included attachments with supporting details, that was sent to Congress and the Secretary on January 24, 2002.

I will now summarize the Board's review procedures and the results of the Board's evaluation. Questions posed by the Committee in its invitation letter are addressed in the context of the Board's evaluation.

The Board's evaluation of the DOE's work represents the collective judgment of its members and was based on the following:

- The results of the Board's ongoing review of the DOE's Yucca Mountain technical and scientific investigations since the Board's inception.
- An evaluation of the DOE's work on the natural and engineered components of the proposed repository system, using a list of technical questions identified by the Board.

- A comprehensive Board review of draft and final documents supplied by the DOE through mid-November 2001.
- Field observations by Board members at Yucca Mountain and related sites.

To focus its review, the Board considered the following 10 questions for components of the repository system:

1. Do the models used to generate input to the total system performance assessment (TSPA) and the representations of processes and linkages or relationships among processes within TSPA have a sound basis?
2. Have uncertainties and conservatisms in the analyses been identified, quantified, and described accurately and meaningfully?
3. Have sufficient data and observations been gathered using appropriate methodologies?
4. Have assumptions and expert judgments, including bounding estimates, been documented and justified?
5. Have model predictions been verified or tested?
6. Have available data that could challenge prevailing interpretations been collected and evaluated?
7. Have alternative conceptual models and model abstractions been evaluated, and have the bases for accepting preferred models been documented?
8. Are the bases for extrapolating data over long times or distances scientifically valid?
9. Can the repository and waste package designs be implemented so that the engineered and natural barriers perform as expected?
10. To the extent practical, have other lines of evidence, derived independently of performance assessments, been used to evaluate confidence in model estimates?

In evaluating the DOE's work related to individual natural and engineered components of the proposed repository system, the Board found varying degrees of strength and weakness. For example, the Board considers the DOE's estimates of the probabilities of volcanic events and earthquakes at Yucca Mountain strengths and the lack of data related to corrosion of materials proposed for the waste packages under conditions that would likely be present in the repository and the very short experience with these materials weaknesses.

This kind of variability is not surprising, given that the Yucca Mountain project is a complex, and in many respects, a first-of-a-kind undertaking. An important conclusion in the Board's January letter is that when the DOE's technical and scientific work is taken as a whole, the Board's view is that the technical basis for the DOE's repository performance estimates is weak to moderate at this time. However, if all the recommendations in the Board's January 24, 2002, letter report are implemented and no surprises are found, the Board's view of the technical basis would likely improve. The predicted repository performance, however, might be either better or worse, depending on what is discovered.

The Board concurs with the consensus within the international scientific community that deep geologic disposal is technically feasible at a suitable site. However, the Board made no judgment in its January letter on the question of whether the Yucca Mountain site should be recommended or approved for repository development. Those judgments, which involve a number of public-policy considerations as well as an assessment of how much technical uncertainty is acceptable at various decision points, go beyond the Board's congressionally established mandate.

---

Let me explain in a little more detail, Mr. Chairman, the basis for the Board's conclusion on performance estimates. The DOE uses a complex, integrated performance assessment model to project repository system performance. Performance assessment is a useful tool because it assesses how well the repository system as a whole, not just the site or the engineered components, might perform. However, gaps in data and basic understanding cause important uncertainties in the concepts and assumptions on which the DOE's performance estimates are now based. Therefore, while no individual technical or scientific factor has been identified that would automatically eliminate Yucca Mountain from consideration at this point, the Board has limited confidence in current performance estimates generated by the DOE's performance assessment model.

But first let me expand a bit on the comment I just made that at this point, no individual technical or scientific factor has been identified that would automatically eliminate Yucca Mountain from consideration. The Board considers this minimum threshold finding to be a necessary, but by itself not a sufficient, condition for a positive determination of site suitability.

How can confidence in the DOE's performance estimates be increased? As noted in the Board's January letter report, the Board believes that a fundamental understanding of the potential behavior of a proposed repository system is very important. Therefore, if policy-makers decide to approve the Yucca Mountain site, the Board strongly recommends that, in addition to demonstrating regulatory compliance, the DOE continue a vigorous, well-integrated scientific investigation to increase its fundamental understanding of the potential behavior of the repository system. Increased understanding could show that components of the repository system perform better than or not as well as the DOE's performance assessment model now projects. In either case, making performance projections more realistic and characterizing the full range of uncertainty could improve the DOE's performance estimates.

The DOE's estimates of repository performance currently rely heavily on engineered components of the repository system, making corrosion of the waste package very important. As the Board has mentioned in many of its previous reports and letters, we believe that high temperatures in the DOE's base-case repository design increase uncertainties and decrease confidence in the performance of waste package materials. Confidence in projections of waste package and repository performance potentially could increase if the DOE adopts a low-temperature repository design. However, the Board continues to believe that the DOE should complete a full and objective comparison of high- and low-temperature repository designs before it selects a final repository design concept.

Over the last several years, the Board has made several other recommendations that could improve the DOE's projections of repository performance. For example, the Board recommended that the DOE identify, quantify, and communicate clearly the extent of the uncertainty associated with its performance estimates. The Board also recommended that the DOE use additional lines of evidence and argument to supplement the results of its performance assessment. Moreover, the DOE could strengthen its arguments about how multiple barriers in its proposed repository system provide "defense-in-depth" (or redundancy). Although the DOE has made progress in each of these areas, more work is needed.

Other actions that might be considered if policy-makers approve the Yucca Mountain site include systematically integrating new data and analyses produced by ongoing scientific and engineering investigations; monitoring repository performance before, during, and after waste emplacement; developing a strategy for modifying or stopping repository development if potentially significant unforeseen circumstances are encountered; and continuing external review of the DOE's technical and scientific activities.

Mr. Chairman, your letter of invitation asked what the Board's views are on whether sufficient technical information is or will be available to the Nuclear Regulatory Commission to enable it to assess the safety and environmental impact of a repository at Yucca Mountain.

This is the Board's answer to that question. The NRC issued the following statement in November 2001, "The NRC believes that sufficient at-depth site characterization analysis and waste form proposal information, although not available now, will be available at the time of a potential license application such that development of an acceptable license application is achievable." The NRC and the DOE have agreed on a list of "key technical issues" (KTI) that need to be addressed in the DOE's license application. The NRC, not the Board, will judge the adequacy of the DOE's efforts to resolve these issues for a license application. However, the Board believes that given the significant uncertainties associated with the DOE's current performance estimates, addressing all of the KTI's in the 2004 time frame that has been discussed will be an ambitious undertaking.

Mr. Chairman, let me close by observing that eliminating all uncertainty associated with estimates of repository performance would never be possible at any repository site. Policy-makers will decide how much scientific uncertainty is acceptable at the time various decisions are made on site recommendation or repository development. The Board hopes that the information provided in this testimony and in its letter report to Congress and the Secretary will be useful to policy-makers faced with making these important decisions.

Thank you for the opportunity to present the Board's views. I will be happy to respond to additional questions from the Committee.



UNITED STATES  
NUCLEAR WASTE TECHNICAL REVIEW BOARD  
2300 Clarendon Boulevard, Suite 1300  
Arlington, VA 22201

May 31, 2002

The Honorable Jeff Bingaman  
Chairman  
Committee on Energy and Natural Resources  
U.S. Senate  
Washington, DC 20510-6105

Dear Senator Bingaman:

Thank you very much for the opportunity to present the views of the Nuclear Waste Technical Review Board at the hearing of the Committee on Energy and Natural Resources on May 23, 2002. Following up on issues raised during the hearing, the Committee sent questions to the Board on May 29, 2002. Enclosed are the Board's responses to those questions.

As you know, the Board is charged by Congress with conducting an ongoing and independent review of the technical and scientific validity of activities undertaken by the Secretary of Energy associated with the management of the country's commercial spent nuclear fuel and defense high-level radioactive waste. The Board provides its technical views to help inform policy-makers as they deliberate on issues that face the Department of Energy related to nuclear waste disposal.

Please do not hesitate to contact me or have your staff contact Bill Barnard, the Board's executive director, if you have questions related to the Board's responses or any other issue related to the Board's technical and scientific review.

Sincerely,

{Signed by}

Jared L. Cohon  
Chairman

**RESPONSES TO QUESTIONS ASKED BY  
THE SENATE COMMITTEE ON ENERGY AND NATURAL RESOURCES**

*Could you further explain what you meant in your testimony about “gaps in data and basic understanding cause important uncertainties in ... DOE’s performance estimates”?*

Gaps in data and basic understanding exist in a number of areas including: the hydraulic properties of faults and other significant rock-mass discontinuities at Yucca Mountain; thermal, hydrologic, and mechanical characteristics of the repository rock formations (especially thermal conductivity); the properties of the in-drift environment; fundamental mechanisms underlying long-term corrosion and passive-film behavior; the chemical composition of salt solutions on the waste package surface that could promote corrosion; colloid formation and dissolution; modeling of rock-matrix diffusion and radionuclide transport in the drift shadow; oxidation-reduction conditions in the saturated zone; and consequences of igneous activity. Because of the cumulative effect of these and other uncertainties, the Board has limited confidence in current estimates of repository performance generated by the DOE’s performance assessment model. Increased understanding in these key areas could show that components of the repository system perform better than or not as well as the DOE’s performance assessment model now projects.

*Based on the International Atomic Energy Agency’s (IAEA) assertion that the modeling already incorporates many conservatisms, do you believe that many of the uncertainties in the performance estimates may already be well within an acceptable risk range?*

Although the IAEA peer review group pointed out a number of conservatisms, it also mentioned a number of potential non-conservatism and areas where additional data are required to achieve an increased level of understanding and confidence. More specifically, in the Board’s view, the DOE’s current performance estimates for Yucca Mountain are based on a mix of conservative, realistic, and non-conservative models and assumptions. This mix and the gaps in data and basic understanding, such as those mentioned above, make it very difficult to estimate what the “true” overall level of uncertainty is and whether or not this uncertainty lies within an acceptable range of risk. So that policy-makers can determine whether the risks and associated uncertainties are acceptable, the Board has recommended that meaningful quantification of conservatisms and uncertainties be a high priority for the DOE.

## Appendix G

# U.S. Nuclear Waste Technical Review Board Strategic Plan: Fiscal Years 2003–2008

### Statement of the Chairman

The Nuclear Waste Policy Amendments Act of 1987 directed the U.S. Department of Energy (DOE) to characterize one site, at Yucca Mountain in Nevada, to determine its suitability as the location of a permanent repository for disposing of spent nuclear fuel and high-level radioactive waste. The Act also established the U.S. Nuclear Waste Technical Review Board as an independent agency within the executive branch of the United States Government. The Act requires the Board to evaluate continuously the technical and scientific validity of activities undertaken by the Secretary of Energy related to implementing the Act and to report its findings and recommendations to the Secretary and Congress at least twice yearly. Congress created the Board to perform ongoing independent and unbiased technical and scientific evaluation—crucial for public acceptance of decisions related to nuclear waste disposal.

In 2002, Congress approved the President's recommendation that the DOE proceed to develop a license application for constructing a repository at Yucca Mountain. As a result, the DOE plans to prepare and submit an application to the Nuclear Regulatory Commission (NRC) for repository construction. The DOE plans to have the application ready for submittal to the NRC in December

2004. After the application is submitted, the NRC will have 3 years, with the option for a fourth, to review the application.

This strategic plan includes the Board's goals and objectives for fiscal years 2003 through 2008. During that period, the DOE will develop a license application and will undertake important technical and scientific activities related to (a) gaining a better understanding of the potential behavior of a Yucca Mountain repository; (b) developing a repository design; (c) reducing technical uncertainties; (d) confirming estimates of repository performance; and (e) developing and implementing plans for a waste management system that incorporates waste transportation, handling, and packaging and repository operations. In accordance with its statutory mandate, the Board will continue its evaluation of the technical and scientific validity of the DOE's work in these areas. Because many crucial technical and scientific decisions will be made throughout this period, the Board's "systems view" of repository and waste management activities and its ongoing independent technical and scientific review of the DOE's efforts will continue to be critically important.

On behalf of the Board,

Michael L. Corradini  
Chairman

## Mission

The Board's mission, established in the Nuclear Waste Policy Amendments Act (NWPAA) of 1987 (Public Law 100-203), is to "...evaluate the technical and scientific validity of activities [for management of high-level radioactive waste] undertaken by the Secretary after the date of the enactment of the Nuclear Waste Policy Amendments Act of 1987..." By law, the Board shall cease to exist not later than one year after the date on which the Secretary begins disposal of high-level radioactive waste or spent nuclear fuel in a repository.

## Vision

By performing ongoing and independent technical and scientific review of the highest quality, the Board makes a unique and essential contribution to the implementation of the Nuclear Waste Policy Act (NWPA), to the credibility of the scientific effort, to Congress's understanding of technical and scientific issues, and to the public's access to technical and scientific issues and information related to the disposal of spent nuclear fuel and high-level radioactive waste. The Board performs critical technical and scientific peer review of the DOE's work related to (a) gaining a better understanding of the potential behavior of a repository at Yucca Mountain; (b) developing a repository design for safe and efficient repository operations; (c) establishing a program for confirming estimates of repository performance; and (d) developing and implementing plans for a waste management system that incorporates waste transportation, handling, and packaging and repository operations.

## Values

To achieve its goals, the Board conducts itself according to the following values:

- The Board strives to ensure that its members and staff have no conflicts of interest—real or

perceived—related to the Secretary of Energy's efforts to implement the DOE's nuclear waste program.

- The Board members arrive at their conclusions on the basis of objective evaluations of the technical and scientific validity of the Secretary's activities.
- The Board's practices and procedures are open and conducted so that the Board's integrity and objectivity are above reproach.
- The Board's findings, conclusions, and recommendations are technically and scientifically sound and are based on the best available technical analysis and information.
- The Board's findings, conclusions, and recommendations are communicated clearly and in time for them to be most useful to Congress, the Secretary, and the public.
- The Board encourages public comment and discussion of DOE activities and Board findings, conclusions, and recommendations.

## Goals and Strategic Objectives

### *National Goals*

The nation's goals related to the disposal of spent nuclear fuel and high-level radioactive waste were set forth by Congress in the Nuclear Waste Policy Act of 1982 (NWPA). The goals are to develop a repository or repositories for disposing of high-level radioactive waste and spent nuclear fuel at a suitable site or sites and to establish a program of research, development, and demonstration for the disposal of such waste.

The Nuclear Waste Policy Amendments Act of 1987 (NWPAA) limited repository development activities to a single site at Yucca Mountain in Nevada. The NWPAA also established the Board and charged it with evaluating the technical and scientific validity of the Secretary of Energy's activities associated with implementing the

NWPA. The activities include characterizing the Yucca Mountain site and packaging and transporting spent nuclear fuel and high-level radioactive waste.

The Board's general goals have been established in accordance with its statutory mandate and with congressional action in 2002 authorizing the DOE to proceed with the development of an application to be submitted to the NRC for constructing a repository at Yucca Mountain. The Board's goals reflect the continuity of the Board's ongoing technical and scientific evaluation and the Board's "systems view" of the repository and of waste management activities.

### *General Goals of the Board*

To accomplish its congressional mandate, the Board has established four general goals:

1. Evaluate the technical and scientific validity of activities undertaken by the DOE related to understanding, testing, analyzing, and modeling geologic and other natural components of a proposed Yucca Mountain repository system.
2. Evaluate the technical and scientific validity of activities undertaken by the DOE related to modeling, understanding, testing, and analyzing the engineered components of a proposed Yucca Mountain repository system.
3. Evaluate the technical and scientific validity of activities undertaken by the DOE related to understanding and modeling the interactions of natural and engineered repository system components, estimating the performance of the proposed repository system, and integrating scientific and engineering activities.
4. Evaluate the technical and scientific validity of activities undertaken by the DOE related to planning, integrating, and implementing a waste management system, including the transportation, packaging, and handling of spent nuclear fuel and high-level radioactive waste and the operation of a repository.

### *Strategic Objectives of the Board*

To achieve its general goals, the Board has established the following long-term objectives:

#### *1. Objectives Related to the Natural System*

- 1.1 Evaluate the technical and scientific validity of data and analyses related to the contributions of the natural barriers to waste isolation in a Yucca Mountain repository.
- 1.2. Monitor DOE analyses and investigations related to hydrologic, geologic, geotechnical, seismic, volcanic, climatic, biological, and other natural features, events, and processes at the Yucca Mountain site and at related analogue sites.
- 1.3. Monitor DOE efforts to increase fundamental understanding of the potential behavior of the repository in a natural system.
- 1.4. Evaluate DOE and other studies and analyses related to repository tunnel environments.\*
- 1.5. Review DOE integration of technical and scientific activities related to the natural system.
- 1.6. Review DOE efforts to confirm estimates of natural-system performance, including tests of models and assumptions and the pursuit of independent lines of evidence.

#### *2. Objectives Related to the Engineered System*

- 2.1. Evaluate the technical and scientific validity of DOE data and analyses related to the contribution of the engineered system to waste isolation in a Yucca Mountain repository.
- 2.2. Evaluate DOE and other studies and analyses related to repository tunnel environments.\*

---

\* This is a shared objective under the natural system and the engineered system.

- 2.3. Assess DOE efforts to increase understanding of fundamental corrosion processes in a proposed repository.
- 2.4. Review waste package designs, including the performance attributes and technical bases for such designs, and assess the need to revise waste package designs on the basis of the results of ongoing technical and scientific studies.
- 2.5. Evaluate the integration of science and engineering in the DOE program, especially the integration of new data into repository and waste package designs.
- 2.6. Review DOE activities related to confirming the predicted performance of the engineered system.

### *3. Objectives Related to Repository System Performance and Integration*

- 3.1. Evaluate the technical and scientific validity of the DOE's technical basis for its estimates of repository system performance.
- 3.2. Review the technical and scientific validity of DOE models used to predict repository system performance.
- 3.3. Evaluate DOE efforts to increase confidence in its estimates of repository performance.
- 3.4. Evaluate the technical and scientific validity of DOE efforts to gain a more realistic understanding of the interaction of the natural and engineered components of a repository system.
- 3.5. Evaluate the integration of science and engineering with performance assessment.
- 3.6. Evaluate the technical bases for the DOE's repository safety case, including efforts to integrate the safety case with multiple lines of evidence and performance confirmation.

- 3.7. Monitor the development of DOE plans and activities for performance confirmation.

### *4. Objectives Related to the Waste Management System*

- 4.1. Review DOE efforts related to the interaction of components of the waste management system from a life-cycle systems perspective, including at-reactor storage, waste acceptance, transportation, and repository design and operations.
- 4.2. Review the technical and scientific validity of the DOE's plans for safely handling and packaging spent nuclear fuel and high-level radioactive waste for transport to a permanent repository and for disposal in a permanent repository.
- 4.3. Review the technical and scientific aspects of the DOE's transportation plans.
- 4.4. Review the technical and scientific validity of the DOE's plans for developing a transportation infrastructure.
- 4.5. Evaluate design and engineering of the facility components or subsystems that involve innovative features, assumptions, and approaches.
- 4.6. Review the process through which the DOE provides technical and scientific information to stakeholders and includes stakeholders in the development of waste management plans.

## **Achieving the Goals and Objectives**

The NWPAA grants significant investigatory powers to the Board. In accordance with the NWPAA, the Board may hold such hearings, sit and act at such times and places, take such testimony, and receive such evidence as it considers appropriate. By law, no nominee to the Board may be an employee of the DOE, a National Laboratory, or DOE contractors performing activities related to high-level radioactive waste or spent nuclear fuel.

At the request of the Board and subject to existing law, the NWPAA directs the DOE to provide all records, files, papers, data, and information requested by the Board, including drafts of work products and documentation of work in progress. According to the legislative history, in providing this access, Congress expected that the Board would review and comment on DOE decisions, plans, and actions as they occurred, not after the fact. The Board has the power, under current law, to achieve its goals and objectives.

In conducting its ongoing technical and scientific review, the Board takes a systems view of the repository and of waste management activities. Consistent with this approach, the Board has established the following four panels with purviews corresponding to the Board's general goals:

1. *Panel on the Natural System*

*Panel Goal:* Evaluate the technical and scientific validity of activities undertaken by the DOE related to understanding, testing, analyzing, and modeling geologic and other natural components of a proposed Yucca Mountain repository system.

2. *Panel on the Engineered System*

*Panel Goal:* Evaluate the technical and scientific validity of activities undertaken by the DOE related to modeling, understanding, testing, and analyzing the engineered components of a proposed Yucca Mountain repository system.

3. *Panel on Repository System Performance and Integration*

*Panel Goal:* Evaluate the technical and scientific validity of activities undertaken by the DOE related to understanding and modeling the interactions of natural and engineered repository system components, estimating the performance of the proposed repository system, and integrating scientific and engineering activities.

4. *Panel on the Waste Management System*

*Panel Goal:* Evaluate activities undertaken by the DOE related to planning, integrating, and implementing a waste management system, including the transportation, packaging, and handling of spent nuclear fuel and high-level radioactive waste and the operation of a repository.

Much of the Board's information gathering occurs at open public meetings arranged by the Board. At each meeting, the DOE, its contractors, and other program participants present technical information according to an agenda prepared by the Board. Board members and staff question presenters during the meetings. Time is provided at the meeting for comments from members of the public and interested parties. The full Board holds three or four meetings each year, usually in Nevada. The Board's panels meet as needed to investigate specific issue areas.

The Board also gathers information through field trips to the Yucca Mountain site, visits to contractor laboratories and facilities, and meetings with individuals working on the project. Board members and staff attend national and international symposia and conferences related to the science and technology of nuclear waste disposal. From time to time, Board members and staff also visit programs in other countries to review best practices, perform benchmarking, and assess potential analogues.

Although the Board's information-gathering activities are carried out primarily to further the Board's review, they often have the collateral benefit of promoting communication and integration of technical information within the DOE program and facilitating the dissemination of information among interested parties outside the program. Analyses are performed primarily by Board members and the Board's staff. When necessary, the Board hires special expert consultants to perform in-depth reviews of specific technical and scientific topics.

## Crosscutting Functions

Several entities and agencies are involved in developing a system for safely packaging, transporting, and disposing of spent nuclear fuel and high-level radioactive waste in a geologic repository at a suitable site. As discussed in the following paragraphs, the Board's ongoing peer review and systems approach is unique among those involved in managing spent nuclear fuel and high-level radioactive waste.

- Congress and the Administration, including the Secretary of Energy, make decisions on national policy and goals and how they will be implemented. The Board's role in this process is to help ensure that policy-makers receive unbiased and credible technical and scientific analyses and information.
- *State and local governments* comment on and oversee DOE activities. The Board's oversight activities are different in that they are (1) unconstrained by any stake in the outcome of the endeavor besides the credibility of the scientific and technical activities; (2) confined to scientific and technical evaluations; and (3) conducted by individuals nominated by the National Academy of Sciences and expressly chosen by the President for their expertise in the various disciplines represented in the DOE program.
- *Other federal agencies* (in addition to the Board) with roles in the waste management program include the DOE, the NRC, the Environmental Protection Agency (EPA), the Department of Transportation (DOT), and the United States Geological Survey (USGS). The DOE and its contractors are responsible for developing and implementing waste management plans and for conducting analytical and research activities related to licensing, constructing, and operating a repository. The NRC is the regulatory body with responsibility for licensing the construction and operation of a proposed repository and for certifying transportation casks. The EPA is responsible for issuing radiation safety standards that the NRC uses to formulate its repository regulations. The DOT is responsible for regulating the transporters of the waste. The

USGS participates in site-characterization activities at the Yucca Mountain site. The Board's role and its systems approach are unique among these federal agencies: perform ongoing, independent review and expert oversight of the technical and scientific validity of the Secretary of Energy's activities relating to civilian radioactive waste management and communicate its findings and recommendations to Congress, the Secretary, and the public. The Board's technical and scientific evaluations enhance the work of other agencies involved in achieving the national goal.

## Key External Factors

Some factors that are beyond the Board's control could affect its ability to achieve its goals and objectives. Among them are the following:

- *The Board has no implementing authority.* The Board is by statute a technical and scientific review body that can only make recommendations to the DOE. Congress expected that the DOE would accept the Board's recommendations or indicate why the recommendations could not or should not be implemented. However, the DOE is not legally obligated to accept any of the Board's recommendations.

To increase its effectiveness, the Board has developed procedures for increasing the relevance of its findings and recommendations for Congress, the Secretary, DOE program managers, and the public. The Board's recommendations and the DOE's responses are included in Board reports to Congress and the Secretary. If the DOE does not accept a Board recommendation, the Board's recourse is to advise Congress or reiterate its recommendation to the DOE, or both.

- *Legislation and budget considerations could affect nuclear waste policy.* Congress has considered nuclear waste legislation several times in the last few years. The effects of such legislation, if enacted, on the program or the Board's activities are not currently known. In addition, the level of funding provided to the Board affects

its ability to comprehensively review DOE activities. Funding levels for the program also may influence activities undertaken in a given year or over time.

The Board will evaluate the status of these external factors, identify any new factors, and, if warranted, modify the “external factors” section of the strategic plan as part of the annual program evaluation described below.

## Evaluating Board Performance

The Board believes that measuring its effectiveness by directly correlating improvements in the DOE program with Board actions and recommendations would be ideal. However, the Board has no implementing authority. Consequently, a judgment about whether a specific recommendation had a positive outcome for the DOE program is, in most cases, (1) subjective and (2) an imprecise indicator of Board performance because implementation of Board recommendations by the DOE is outside the Board’s direct control. Therefore, to measure its performance in a given year, the Board has developed performance measures. For each annual performance goal, the Board considers the following.

1. Were the reviews, evaluations, and other activities undertaken under the auspices of the goal completed?
2. Were the results of the reviews, evaluations, and other activities communicated in a timely, understandable, and appropriate way to Congress and the Secretary of Energy?

If both measures are met, the Board’s performance in meeting the annual goal will be judged effective. If only one measure is met, the performance of the Board in achieving that goal will be judged minimally effective. Failing to meet both performance measures without sufficient and compelling explanation will result in a judgment that the Board has been ineffective in achieving that performance goal.

The Board will use its evaluation of its own performance from the current year, together with its assessment of current or potential key issues of concern related to the DOE program, to establish its annual performance objectives and develop its budget request for subsequent years. The results of the Board’s performance evaluation are included in its annual summary report.

## Congressional and Stakeholder Consultations

In developing its original strategic plan, the Board consulted with the Office of Management and Budget, the DOE, congressional staff, and members of the public and provided a copy of the plan to the NRC and to representatives of state and local governments. The Board solicited public comment and presented its strategic plan at a session held expressly for this purpose during a public Board meeting in Amargosa Valley, Nevada, on January 20, 1998. The Board is soliciting public comment on its revised strategic plan and performance plan for fiscal year 2004. Copies of the Board’s strategic plan and annual performance plans and forms for providing comment are available on the Board’s Web site: [www.nwtrb.gov](http://www.nwtrb.gov).

## Appendix H

# U.S. Nuclear Waste Technical Review Board Performance Plan and Evaluation: Fiscal Year 2002

### The NWTRB's General Goals and Strategic Objectives

The national goal for radioactive waste management established by Congress in the Nuclear Waste Policy Act of 1982 (NWPA) and the Nuclear Waste Policy Amendments Act of 1987 is safe disposal of civilian spent nuclear fuel and high-level radioactive waste in a permanent geologic repository at a suitable site or sites. In the acts, Congress directed the U.S. Department of Energy (DOE) to characterize a site at Yucca Mountain, Nevada, to determine its suitability as the potential location of a permanent repository for spent nuclear fuel and high-level radioactive waste. Congress charged the U.S. Nuclear Waste Technical Review Board with reviewing the technical and scientific validity of the Secretary of Energy's activities associated with implementing the NWPA, including characterizing the Yucca Mountain site and packaging and transporting the waste. The Board's general goals have been established in accordance with its congressional mandate.\*

### General Goals

To accomplish its congressional mandate, the Board has established four general goals.

1. Ensure that technical and scientific activities undertaken by the DOE related to characterizing and analyzing the natural components of a potential Yucca Mountain repository and predicting the performance of a potential repository establish a sound technical basis for a decision on whether to recommend the site for repository development.
2. Ensure that technical and scientific activities undertaken by the DOE related to evaluating and designing the repository and waste packages are well integrated and establish a sound technical basis for designing the repository system, including the engineered barrier system (EBS).
3. Ensure that technical and scientific activities undertaken by the DOE related to packaging, handling, and transporting spent nuclear fuel and high-level radioactive waste to a potential repository are well integrated and establish a sound technical basis for designing and operating a waste management system.
4. Ensure that technical and scientific performance-confirmation activities undertaken by the DOE establish a sound technical basis for operating a repository, reducing uncertainties related to repository performance, and revising repository and waste package designs. (Will apply only if the site recommendation is approved.)

---

\* In February 2002, the Secretary of Energy and the President recommended the Yucca Mountain site for repository development. If the State of Nevada disapproves the recommendation, Congress will debate a "Resolution of Approval" later this year. The Board's goals and objectives will be revised to reflect the outcome of these deliberations.

## Strategic Objectives

To achieve its general goals, the Board has established the following long-term objectives.

### *1. Objectives Related to the Natural Components of the Repository System and Predicting Repository Performance*

- 1.1. Evaluate the technical and scientific validity of DOE studies, testing, and analyses supporting a decision on whether to recommend the Yucca Mountain site.
- 1.2. Evaluate the analyses and investigations pertaining to hydrologic and other natural processes at the Yucca Mountain site and at related analogue sites that establish the foundation for predicting repository performance.
- 1.3. Review the technical and scientific validity of models used to predict repository performance.
- 1.4. Evaluate the DOE's progress in developing a safety strategy for the Yucca Mountain site.
- 1.5. Monitor progress in completing development of standards and regulatory guidelines for a potential Yucca Mountain repository.
- 1.6. Review the *Record of Decision* and maintain awareness of legal challenges to the final environmental impact statement for a potential Yucca Mountain repository.

### *2. Objectives Related to the Engineered Components of the Repository System*

- 2.1. Evaluate repository and waste package designs, including the technical bases for the designs.
- 2.2. Review the progress or results of materials testing being conducted to address uncertainties about waste package performance.

- 2.3. Assess the integration of science and engineering in the DOE program, paying particular attention to the effects of site-characterization studies (e.g., modeling, testing, and analyses of thermal and mechanical effects) on repository and waste package designs.

### *3. Objectives Related to the Waste Management System*

- 3.1. Evaluate the accuracy and reasonableness of analyses, methods, and major assumptions used by the DOE in estimating health and safety risks associated with transporting spent nuclear fuel and high-level radioactive waste.
- 3.2. Review the adequacy of DOE plans for developing the transportation infrastructure and determine the effort needed to develop a large-scale transportation capability.
- 3.3. Review the adequacy of the DOE's plans for safely handling and packaging spent nuclear fuel and high-level radioactive waste for transport to a permanent repository.
- 3.4. Evaluate the effectiveness of the DOE's efforts to integrate the various components of the waste management system (packaging, handling, transport, storage, and disposal of the waste).
- 3.5. Review the DOE's plans for addressing public safety concerns and for enhancing safety capabilities along transportation corridors. This includes activities related to development of plans (e.g., route selection), coordination, accident prevention (e.g., improved inspections and enforcement), and emergency response.

### *4. Objectives Related to Confirmatory Testing (Will apply only if the site recommendation is approved.)*

- 4.1. Monitor performance-confirmation activities, including performance-confirmation planning, undertaken by the DOE that are

designed to reduce uncertainties related to repository performance.

- 4.2. Monitor performance-confirmation activities undertaken by the DOE, and evaluate the need to revise repository or waste package designs on the basis of the results of such activities.

## Performance Goals for FY 2002

The Board's performance goals for fiscal year (FY) 2002 have been developed to further the achievement of the Board's general goals and strategic objectives. Because some of the general goals and strategic objectives relate to work and activities that will be undertaken in the future, they may not have corresponding annual performance goals in any given year. For example, the following performance goals for FY 2002 relate primarily to DOE activities supporting a DOE decision on whether to recommend the Yucca Mountain site to the President, the design of a potential repository and waste package, and transportation planning.

### *1. Performance Goals Related to Site Suitability and Predicting Repository Performance and Strategy for Achieving Performance Goals*

#### *PERFORMANCE GOALS*

- 1.1.1. Review for technical validity the technical and scientific components of a DOE site recommendation report (if applicable).
- 1.1.2. Monitor the DOE's efforts to quantify uncertainties related to estimates of repository performance.
  - 1.2.1. Monitor the results of flow-and-transport studies being conducted to obtain information on the potential performance of the saturated zone as a natural barrier in the repository system.
  - 1.2.2. Evaluate geologic, hydrologic, and geochemical information obtained from the

enhanced characterization of the repository block at Yucca Mountain.

- 1.3.1. Determine the strengths and weaknesses of the total system performance assessment (TSPA).
- 1.3.2. On the basis of an evaluation of the natural processes at work at the Yucca Mountain site, recommend additional work needed to address uncertainties, paying particular attention to estimates of the rate and distribution of water seepage into the proposed repository under proposed repository design conditions.
- 1.3.3. Evaluate the DOE's quantification of uncertainties and conservatisms used in TSPA.
- 1.3.4. Recommend additional measures for strengthening the DOE's repository safety case.
- 1.3.5. Evaluate data from the drift-scale heater test.
- 1.4.1. Review plans and work carried out on natural and engineered analogs.

#### *STRATEGY FOR ACHIEVING GOALS*

The strategy for achieving performance goals for FY 2002 is similar to that used and proven successful in previous years. The Board will accomplish its goals by doing the following.

- Reviewing critical documents provided by the DOE and its contractors, including contractor reports, process model reports, TSPA for site recommendation, and the site recommendation.
- Meeting with contractor's principal investigators on technical issues, including those related to climate change, flow and transport in the unsaturated and saturated zones, seepage, and the biosphere.
- Holding public meetings with DOE and contractor personnel at least three times a year involving the full Board and holding several meetings with individual Board panels.

- Visiting and observing ongoing laboratory investigations, including the facilities at Lawrence Livermore National Laboratory, Lawrence Berkeley National Laboratory, Sandia National Laboratories, and the engineered-barrier test facility. Observing field investigations.
- Meeting with other entities carrying out research on, or providing input to, scientific and technical issues related to waste disposal, including the Nuclear Regulatory Commission (NRC) and its contractors, the Southwest Research Institute, The Nye County Early Warning Drilling Program, the Environmental Protection Agency, and the State of Nevada Nuclear Waste Projects Office.

## *2. Performance Goals Related to the Engineered Repository System and Strategy for Achieving Performance Goals*

### *PERFORMANCE GOALS*

- 2.1.1. Monitor the DOE's development of analytical tools for assessing the differences between different repository designs.
- 2.1.2. Evaluate the accuracy and completeness of the technical bases for repository and waste package designs.
- 2.1.3. Evaluate the extent to which the DOE is using the technical bases for modifying repository and waste package designs.
- 2.1.4. Monitor and evaluate the DOE's progress in developing a technical basis for modified or novel design features.
- 2.2.1. Evaluate data from studies of corrosion and the waste package environment on the predicted performance of materials being proposed for the EBS.
- 2.3.1. Assess the integration of scientific studies with engineering designs for the repository and the waste package. In particular, monitor the results of ongoing thermal tests and evaluate DOE plans for using the test results to support models of the thermally disturbed region near the repository and for deciding on spacing between emplacement drifts, degree of preclosure ventilation, and closure date of the potential repository.
- 2.3.2. Evaluate the DOE's efforts in identifying natural and engineered analogs.

### *STRATEGY FOR ACHIEVING GOALS*

The Board will accomplish its goals by doing the following.

- Evaluating the technical bases for the EBS design by reviewing technical documents and databases (e.g., the controlled design assumption document and the technical database), paying particular attention to the technical bases for making and inspecting final closure welds of the waste package and methods for making sections of the drip shields. Meetings will be held with project personnel as necessary to obtain clarification and confirmation.
- Evaluating the technical bases for repository design by reviewing DOE documents and databases, paying particular attention to design features developed to promote drainage, control ventilation, and protect workers in the exhaust end of the ventilation system.
- Evaluating repository and waste package designs to identify which parts (if any) of the designs do not have a technical basis.
- Evaluating the technical basis for the DOE's work on alternative design features.
- After identifying the corrosion mechanisms most important to performance of the overall repository system, reviewing the common database (literature, laboratory, and field data) and judging the adequacy of the database for a decision on site recommendation.

### *3. Performance Goals Related to the Waste Management System and Strategy for Achieving Performance Goals*

#### *PERFORMANCE GOALS*

- 3.1.1. Monitor efforts by the NRC to update estimates of risk associated with transportation of spent nuclear fuel and high-level radioactive waste.
- 3.1.2. Evaluate the operation of the entire repository facility, including the surface and sub-surface components.
- 3.2.1. Evaluate the effects of “off-normal” events at the surface facility and how the events could affect the ability of the facility to receive waste shipments.
- 3.2.2. Evaluate the effects of reduced receiving capacity at the repository surface facility on the nationwide transportation system.
- 3.3.1. Examine the ability of storage casks and containers, including multipurpose canisters, to serve as disposal casks and containers in a repository.
- 3.3.2. Evaluate effects of human errors on risks associated with packaging and transporting spent nuclear fuel.
- 3.4.1. Evaluate logistics capabilities of the transportation system.
- 3.4.2. Monitor progress in implementing new technologies for improving transportation safety for spent fuel (e.g., electronic braking, wheel-bearing monitoring).
- 3.4.3. Review criteria for waste acceptance for storage to ensure that accepted material has been suitably characterized for subsequent disposal.
- 3.4.4. Evaluate the DOE’s plans for enhancing safety capabilities along transportation corridors, and review the DOE’s planning and coordination activities (e.g., route selection), accident prevention activities (e.g., improved inspections and enforcement), and emergency response activities.

#### *STRATEGY FOR ACHIEVING GOALS*

The Board will accomplish its goals by doing the following.

- Meeting with the American Association of Railroads, individual railroad companies, and railroad infrastructure manufacturers to determine the current state of rail infrastructure, and noting the effects of a sustained transportation campaign on the railroad industry.
- Attending meetings of the DOE-sponsored Transportation External Working Group to determine how well the DOE is working to implement Section 180(c) of the Nuclear Waste Policy Act.
- Holding meetings of the Board’s Panel on the Waste Management System, as appropriate.

### *4. Performance Goals Related to Long-Term Activities and Strategy for Achieving Performance Goals (Will apply only if the site is found suitable and a site recommendation is ratified.)*

#### *PERFORMANCE GOALS*

- 4.1.1. Monitor the DOE’s proposed plans for performance confirmation to help ensure that uncertainties identified as part of the site recommendation process are addressed.
- 4.1.2. Monitor design modification activities undertaken by the DOE.

#### *STRATEGY FOR ACHIEVING GOALS*

The Board will accomplish its goals by doing the following.

- Reviewing critical documents provided by the DOE and its contractors, including contractor reports, process model reports, TSPA for site recommendation, and the site recommendation.
- Reviewing performance-confirmation plans and meeting with DOE personnel to discuss aspects of the plans.

## Evaluation of the Board's Performance During 2002

The Board believes that measuring its effectiveness by directly correlating improvements in the DOE program with Board actions and recommendations would be ideal. However, the Board has no implementing authority, so it cannot compel the DOE to comply with its recommendations. Consequently, a judgment about whether a specific recommendation had a positive outcome for the DOE program is, in most cases, (1) subjective and (2) an imprecise indicator of Board performance because implementation of Board recommendations by the DOE is outside the Board's direct control. Therefore, to measure its performance in a given year, the Board has developed performance measures. For each annual performance goal, the Board considers the following.

1. Were the reviews, evaluations, and other activities undertaken under the auspices of the goal completed?
2. Were the results of the reviews, evaluations, and other activities communicated in a timely, understandable, and appropriate way to Congress and the Secretary of Energy?

If both measures are met, the Board's performance in meeting the annual goal will be judged effective. If only one measure is met, the performance of the Board in achieving that goal will be judged minimally effective. Failing to meet both performance measures without sufficient and compelling explanation will result in a judgment that the Board has been ineffective in achieving that performance goal.

The Board will use its evaluation of its own performance from the current year, together with its assessment of current or potential key issues of concern related to the DOE program, to establish its annual performance objectives and develop its budget request for subsequent years. The results of the Board's performance evaluation are included in the Board's annual summary report to Congress and the Secretary.

On the basis of the following evaluation and consistent with the performance measures described in the previous section, the Board's performance for 2002 was found to be effective. However, the Secretary's activities related to the waste management program were very limited in 2002. Therefore, most of the Board's 2002 goals in that area have been deferred until 2003.

### *1. Performance Goals and Evaluation Related to Site Suitability and Predicting Repository Performance*

#### *PERFORMANCE GOALS*

1.1.1. Review for technical validity the technical and scientific components of a DOE site recommendation report.

- Evaluation of 1.1.1: The Board submitted a letter to Congress and the Secretary on January 24, 2002, giving the Board's evaluation of the DOE's technical and scientific work. The Board found the DOE's technical basis for its performance estimates to be weak to moderate. On the same date, the Board sent answers to questions raised by Senators Harry Reid and John Ensign and by Representatives Joe Barton and John Shimkus on the DOE's technical and scientific activities related to site recommendation. On April 18, 2002, Chairman of the Board Jared Cohon testified before the House Subcommittee on Energy and Air Quality, Committee on Energy and Commerce, on issues related to the DOE's technical basis for its performance estimates. On May 23, 2002, Chairman Cohon testified before the Senate Committee on Energy and Natural Resources on the same subject. The Board received follow-up questions from the House Subcommittee and the Senate Committee. The Board sent its responses to the follow-up questions to Representative Joe Barton on May 22, 2002, and to the Committee on Natural Resources on May 31, 2002.

- 
- 1.1.2. Monitor the DOE's efforts to quantify uncertainties related to estimates of repository performance.
- Evaluation of 1.1.2: The Board reiterated its recommendation for the DOE to quantify uncertainties in the Board's January 24, 2002, letter report to Congress and the Secretary and in a June 20, 2002, letter to the director of the DOE's Office of Civilian Radioactive Waste Management (OCRWM), Margaret Chu.
- 1.2.1. Monitor the results of flow-and-transport studies being conducted to obtain information on the potential performance of the saturated zone as a natural barrier in the repository system.
- Evaluation of 1.2.1: The Board received an update on the DOE's flow-and-transport models on the site-scale saturated zone model at the Board's January 2002 meeting. The Board also commented on the DOE's efforts to determine whether the natural system makes a greater contribution to isolating and containing waste in its November 22, 2002, letter to OCRWM director Margaret Chu.
- 1.2.2. Evaluate geologic, hydrologic, and geochemical information obtained from the enhanced characterization of the repository block (ECRB) at Yucca Mountain.
- Evaluation of 1.2.2: The Board was updated on the status of ECRB studies at its September 2002 meeting. In the Board's November 22, 2002, letter to Margaret Chu, the Board commented on the need to find an explanation for moisture discovered in the closed-off section of the tunnel.
- 1.3.1. Determine the strengths and weaknesses of TSPA.
- Evaluation of 1.3.1: The Board discussed TSPA in its January 24, 2002, letter report to the Secretary of Energy and Congress.
- The Board held a session on TSPA at its January 2002 meeting and a session on barrier analysis at its September 2002 meeting. The Board commented on TSPA in its November 22, 2002, letter to Margaret Chu.
- 1.3.2. On the basis of an evaluation of the natural processes at work at the Yucca Mountain site, recommend additional work needed to address uncertainties, paying particular attention to estimates of the rate and distribution of water seepage into the proposed repository under proposed repository design conditions.
- Evaluation of 1.3.2: In its January 24, 2002, letter report, the Board commented on ways to increase confidence and decrease uncertainties, including increasing fundamental understanding and, potentially, lowering repository temperatures. In its November 22, 2002, letter to Margaret Chu, the Board encouraged the DOE to reconcile contradictory data about the presence of chlorine-36 at the repository horizon and urged the DOE to complete experiments, such as the drift-scale thermal test, before drawing conclusions about whether uncertainties have been estimated properly.
- 1.3.3. Evaluate the DOE's quantification of uncertainties and conservatisms used in TSPA.
- Evaluation of 1.3.3: The Board evaluated the DOE's quantification of uncertainties in the Board's January 24, 2002, letter report to Congress and the Secretary. The Board was updated at its January meeting on the DOE's uncertainty analysis and strategy report. The Board commented on other aspects of the DOE's analyses of uncertainties in its November 22, 2002, letter to Margaret Chu.
-

1.3.4. Recommend additional measures for strengthening the DOE's repository safety case.

- Evaluation of 1.3.4: The Board commented on the DOE's safety case in its January 24, 2002, letter to Congress and the Secretary. The Board held a session devoted to the DOE's safety case at its May 2002 meeting. The Board again commented to the DOE on the need for a defensible safety case that includes multiple lines of evidence supporting TSPA projections in a letter to Margaret Chu dated June 20, 2002.

1.3.5. Evaluate data from the drift-scale heater test.

- Evaluation of 1.3.5: The Board made the recommendation that the DOE complete and analyze the data from the drift-scale heater test in the Board's letter to Margaret Chu dated November 22, 2002.

1.4.1. Review plans and work carried out on natural and engineered analogs.

- Evaluation of 1.4.1: The Board reiterated the importance of finding natural analogs in its November 24, 2002, letter to Congress and the Secretary and in letters to Margaret Chu dated June 20, 2002, and November 22, 2002.

## *2. Performance Goals and Evaluation Related to the Engineered Repository System*

### *PERFORMANCE GOALS*

2.1.1. Monitor the DOE's development of analytical tools for assessing the differences between different repository designs.

- Evaluation of 2.1.1: The Board discussed issues related to repository design at its May meeting and received an update on repository design at its November meeting. The Board commented on the DOE's analysis of the differences in performance associated with different repository designs in its November 22, 2002, letter to Margaret Chu.

2.1.2. Evaluate the accuracy and completeness of the technical bases for repository and waste package designs.

- Evaluation of 2.1.2: The Board discussed issues related to repository design at its May meeting and received an update on repository design at its November meeting. The Board commented on the DOE's technical analysis of repository designs in its November 22, 2002, letter to Margaret Chu.

2.1.3. Evaluate the extent to which the DOE is using the technical bases for modifying repository and waste package designs.

- Evaluation of 2.1.3: The Board discussed issues related to repository design at its May meeting and received an update on repository design at its November meeting. The Board commented on the DOE's technical analysis of repository designs in its November 22, 2002, letter to Margaret Chu.

2.1.4. Monitor and evaluate the DOE's progress in developing a technical basis for modified or novel design features.

- Evaluation of 2.1.4: The Board discussed issues related to repository design at its May 2002 meeting and received an update on repository design at its November 2002 meeting.

2.2.1. Evaluate data from studies of corrosion and the waste package environment on the predicted performance of materials being proposed for the EBS.

- Evaluation of 2.2.1: The Board was updated on the DOE's corrosion studies at its January 2002 and September 2002 meetings. The Board commented specifically on tunnel environments and their influence on the performance of the waste package in its letter to Margaret Chu dated June 20, 2002.

2.3.1. Assess the integration of scientific studies with engineering designs for the repository

and the waste package. In particular, monitor the results of ongoing thermal tests and evaluate DOE plans for using the test results to support models of the thermally disturbed region near the repository and for deciding on spacing between emplacement drifts, degree of preclosure ventilation, and closure date of the potential repository.

- Evaluation of 2.3.1: The Board was updated on the DOE's corrosion studies at its January 2002 and September 2002 meetings. The Board commented on waste package spacing and ventilation concepts in its letter to Margaret Chu dated June 20, 2002.

2.3.2. Evaluate the DOE's efforts in identifying natural and engineered analogs.

- Evaluation of 2.3.2: The Board commented on the importance of identifying natural and engineered analogs in its January 24, 2002, letter to the Secretary and Congress and in letters to Margaret Chu dated June 20, 2002, and November 22, 2002.

### *3. Performance Goals and Evaluation Related to the Waste Management System*

#### *PERFORMANCE GOALS*

3.1.1. Monitor efforts by the NRC to update estimates of risk associated with transportation of spent nuclear fuel and high-level radioactive waste.

- Evaluation of 3.1.1: The Board monitored the progress of the NRC's ongoing package performance study.

3.1.2. Evaluate the operation of the entire repository facility, including the surface and sub-surface components.

- Evaluation of 3.1.2: Because of limited DOE activity in this area, the Board's performance goal was deferred until 2003.

3.2.1. Evaluate the effects of "off-normal" events at the surface facility and how the events could affect the ability of the facility to receive waste shipments.

- Evaluation of 3.2.1: Because of limited DOE activity in this area, the Board's performance goal was deferred until 2003.

3.2.2. Evaluate the effects of reduced receiving capacity at the repository surface facility on the nationwide transportation system.

- Evaluation of 3.2.2: Because of limited DOE activity in this area, the Board's performance goal was deferred until 2003.

3.3.1. Examine the ability of storage casks and containers, including multipurpose canisters, to serve as disposal casks and containers in a repository.

- Evaluation of 3.3.1: Because of limited DOE activity in this area, the Board's performance goal was deferred until 2003.

3.3.2. Evaluate the effects of human errors on risks associated with packaging and transporting spent nuclear fuel.

- Evaluation of 3.3.2: Because of limited DOE activity in this area, the Board's performance goal was deferred until 2003.

3.4.1. Evaluate logistics capabilities of the transportation system.

- Evaluation of 3.4.1: Because of limited DOE activity in this area, the Board's performance goal was deferred until 2003.

3.4.2. Monitor progress in implementing new technologies for improving transportation safety for spent fuel (e.g., electronic braking, wheel-bearing monitoring).

- Evaluation of 3.4.2: Because of limited DOE activity in this area, the Board's performance goal was deferred until 2003.

3.4.3. Review criteria for waste acceptance for storage to ensure that accepted material has been suitably characterized for subsequent disposal.

- Evaluation of 3.4.3: Because of limited DOE activity in this area, the Board's performance goal was deferred until 2003.

3.4.4. Evaluate the DOE's plans for enhancing safety capabilities along transportation corridors, and review the DOE's planning and coordination activities (e.g., route selection), accident prevention activities (e.g., improved inspections and enforcement), and emergency response activities.

- Evaluation of 3.4.4: Because of limited DOE activity in this area, the Board's performance goal was deferred until 2003.

#### *4. Performance Goals and Evaluation Related to Long-Term Activities*

##### *PERFORMANCE GOALS*

4.1.1. Monitor the DOE's proposed plans for performance confirmation to help ensure that uncertainties identified as part of the site recommendation process are addressed.

- Evaluation of 4.1.1: The Board referred to the need to develop performance confirmation activities as one of the confidence builders in its January 24, 2003, letter to Congress and the Secretary. The Board held a session on performance confirmation at its May 2002 meeting. In its June 20, 2002, letter to Margaret Chu, the Board questioned the DOE's goal for performance confirmation and its methods for validating its predictions. The Board said that performance confirmation should focus on evaluating the validity of estimates of long-term repository performance. The Board expressed similar sentiments in its November 22, 2002, letter to Margaret Chu.

## **Board Operations**

The Board is composed of 11 members appointed by the President who serve on a part-time basis; are eminent in a relevant field of science or engineering, including environmental sciences; and are appointed solely on the basis of distinguished service. Because of the comprehensive nature of the program and the part-time availability of the members, Congress authorized the Board to maintain a small professional staff of 10 full-time employees to support the Board's comprehensive review of the DOE program. In addition to the members and professional staff, the Board maintains a small administrative staff that supports its activities.

The full Board meets three or four times each year. The Board has organized itself into panels that meet as needed. The Board also gathers information from field trips to the Yucca Mountain site, visits to contractor laboratories and facilities, and informal meetings with individuals working on the project. On the basis of the information gathered throughout the year, the Board issues its findings in letters and reports.

---

# Appendix I

## U.S. Nuclear Waste Technical Review Board Performance Plan: Fiscal Year 2003

### The NWTRB's General Goals and Strategic Objectives

The national goal for radioactive waste management established by Congress in the Nuclear Waste Policy Act of 1982 (NWPA) and the Nuclear Waste Policy Amendments Act of 1987 is safe disposal of civilian spent nuclear fuel and high-level radioactive waste in a permanent geologic repository at a suitable site or sites. In the acts, Congress directed the U.S. Department of Energy (DOE) to characterize a site at Yucca Mountain, Nevada, to determine its suitability as the potential location of a permanent repository for spent nuclear fuel and high-level radioactive waste. Congress charged the U.S. Nuclear Waste Technical Review Board with reviewing the technical and scientific validity of the Secretary of Energy's activities associated with implementing the NWPA, including characterizing the Yucca Mountain site and packaging and transporting the waste. The Board's general goals have been established in accordance with its congressional mandate.\*

### General Goals

To accomplish its congressional mandate, the Board has established four general goals.

1. Ensure that technical and scientific activities undertaken by the DOE related to characterizing and analyzing the natural components of a potential Yucca Mountain repository and predicting the performance of a potential repository establish a sound technical basis for a decision on whether to recommend the site for repository development.
2. Ensure that technical and scientific activities undertaken by the DOE related to evaluating and designing the repository and waste packages are well integrated and establish a sound technical basis for designing the repository system, including the engineered barrier system (EBS).
3. Ensure that technical and scientific activities undertaken by the DOE related to packaging, handling, and transporting spent nuclear fuel and high-level radioactive waste to a potential repository are well integrated and establish a sound technical basis for designing and operating a waste management system.
4. Ensure that technical and scientific performance-confirmation activities undertaken by the DOE establish a sound technical basis for operating a repository, reducing uncertainties related to repository performance, and revising repository and waste package designs. (Will apply only if the site recommendation is approved.)

---

\* In February 2002, the Secretary of Energy and the President recommended the Yucca Mountain site for repository development. If the State of Nevada disapproves the recommendation, Congress will debate a "Resolution of Approval" later this year. The Board's goals and objectives will be revised to reflect the outcome of these deliberations.

## Strategic Objectives

To achieve its general goals, the Board has established the following long-term objectives.

### *1. Objectives Related to the Natural Components of the Repository System and Predicting Repository Performance*

- 1.1. Evaluate the technical and scientific validity of DOE studies, testing, and analyses supporting a decision on whether to recommend the Yucca Mountain site.
- 1.2. Evaluate the analyses and investigations pertaining to hydrologic and other natural processes at the Yucca Mountain site and at related analogue sites that establish the foundation for predicting repository performance.
- 1.3. Review the technical and scientific validity of models used to predict repository performance.
- 1.4. Evaluate the DOE's progress in developing a safety strategy for the Yucca Mountain site.
- 1.5. Monitor progress in completing development of standards and regulatory guidelines for a potential Yucca Mountain repository.
- 1.6. Review the *Record of Decision* and maintain awareness of legal challenges to the final environmental impact statement for a potential Yucca Mountain repository.

### *2. Objectives Related to the Engineered Components of the Repository System*

- 2.1. Evaluate repository and waste package designs, including the technical bases for the designs.
- 2.2. Review the progress or results of materials testing being conducted to address uncertainties about waste package performance.

- 2.3. Assess the integration of science and engineering in the DOE program, paying particular attention to the effects of site-characterization studies (e.g. modeling, testing, and analyses of thermal and mechanical effects) on repository and waste package designs.

### *3. Objectives Related to the Waste Management System*

- 3.1. Evaluate the accuracy and reasonableness of analyses, methods, and major assumptions used by the DOE in estimating health and safety risks associated with transporting spent nuclear fuel and high-level radioactive waste.
- 3.2. Review the adequacy of DOE plans for developing the transportation infrastructure and determine the effort needed to develop a large-scale transportation capability.
- 3.3. Review the adequacy of the DOE's plans for safely handling and packaging spent nuclear fuel and high-level radioactive waste for transport to a permanent repository.
- 3.4. Evaluate the effectiveness of the DOE's efforts to integrate the various components of the waste management system (packaging, handling, transport, storage, and disposal of the waste).
- 3.5. Review the DOE's plans for addressing public safety concerns and for enhancing safety capabilities along transportation corridors. This includes activities related to development of plans (e.g., route selection), coordination, accident prevention (e.g., improved inspections and enforcement), and emergency response.

### *4. Objectives Related to Confirmatory Testing (Will apply only if the site recommendation is approved.)*

- 4.1. Monitor performance-confirmation activities, including performance-confirmation planning, undertaken by the DOE that are

designed to reduce uncertainties related to repository performance.

- 4.2. Monitor performance-confirmation activities undertaken by the DOE, and evaluate the need to revise repository or waste package designs on the basis of the results of such activities.

## Performance Goals for FY 2003

The Board's performance goals for fiscal year (FY) 2003 have been developed to further the achievement of the Board's general goals and strategic objectives. Because some of the general goals and strategic objectives relate to work and activities that will be undertaken in the future, they may not have corresponding annual performance goals in any given year.

### *1. Performance Goals Related to Site Suitability and Predicting Repository Performance and Strategy for Achieving Performance Goals*

#### *PERFORMANCE GOALS*

- 1.1.1 Review for technical validity the technical and scientific components of the DOE's ongoing site investigations (if applicable).
- 1.1.2. Monitor the DOE's efforts to quantify uncertainties related to estimates of repository performance.
  - 1.2.1. Monitor the results of flow-and-transport studies being conducted to obtain information on the potential performance of the saturated zone as a natural barrier in the repository system.
  - 1.2.2. Evaluate geologic, hydrologic, and geochemical information obtained from the enhanced characterization of the repository block at Yucca Mountain.
  - 1.3.1. Determine the strengths and weaknesses of the total system performance assessment (TSPA).

- 1.3.2. On the basis of an evaluation of the natural processes at work at the Yucca Mountain site, recommend additional work needed to address uncertainties, paying particular attention to estimates of the rate and distribution of water seepage into the proposed repository under proposed repository design conditions.
- 1.3.3. Evaluate the DOE's quantification of uncertainties and conservatisms used in TSPA.
- 1.3.4. Recommend additional measures for strengthening the DOE's repository safety case.
- 1.3.5. Evaluate data from the drift-scale heater test.
- 1.4.1. Review plans and work carried out on natural and engineered analogs to the repository system.

#### *STRATEGY FOR ACHIEVING GOALS*

The strategy for achieving performance goals for FY 2003 is similar to that used and proven successful in previous years. The Board will accomplish its goals by doing the following.

- Reviewing critical documents provided by the DOE and its contractors, including contractor reports, process model reports, and TSPA.
- Meeting with contractor's principal investigators on technical issues, including those related to climate change, flow and transport in the unsaturated and saturated zones, seepage, and the biosphere.
- Holding public meetings with DOE and contractor personnel at least three times a year involving the full Board and holding several meetings with individual Board panels.
- Visiting and observing ongoing laboratory investigations, including the facilities at Lawrence Livermore National Laboratory, Lawrence Berkeley National Laboratory, Sandia National Laboratories, and the engineered-barrier test facility. Observing field investigations.

- Meeting with other entities carrying out research on, or providing input to, scientific and technical issues related to waste disposal, including the Nuclear Regulatory Commission (NRC) and its contractors, the Southwest Research Institute, The Nye County Early Warning Drilling Program, the Environmental Protection Agency, and the State of Nevada Nuclear Waste Projects Office.

## *2. Performance Goals Related to the Engineered Repository System and Strategy for Achieving Performance Goals*

### *PERFORMANCE GOALS*

- 2.1.1. Monitor the DOE's development of analytical tools for assessing the differences between different repository designs.
- 2.1.2. Evaluate the accuracy and completeness of the technical bases for repository and waste package designs.
- 2.1.3. Evaluate the extent to which the DOE is using the technical bases for modifying repository and waste package designs.
- 2.1.4. Monitor and evaluate the DOE's progress in developing a technical basis for modified or novel design features.
- 2.2.1. Evaluate data from studies of corrosion and the waste package environment on the predicted performance of materials being proposed for the engineered barrier system.
- 2.3.1. Assess the integration of scientific studies with engineering designs for the repository and the waste package. In particular, monitor the results of ongoing thermal tests and evaluate DOE plans for using the test results to support models of the thermally disturbed region near the repository and for deciding on spacing between emplacement drifts, degree of preclosure ventilation, and closure date of the potential repository.
- 2.3.2. Evaluate the DOE's efforts in identifying natural and engineered analogs (see also 1.4.1.).

### *STRATEGY FOR ACHIEVING GOALS*

The Board will accomplish its goals by doing the following.

- Evaluating the technical bases for the EBS design by reviewing technical documents and databases (e.g., the controlled design assumption document and the technical database), paying particular attention to the technical bases for making and inspecting final closure welds of the waste package and methods for making sections of the drip shields. Meetings will be held with project personnel as necessary to obtain clarification and confirmation.
- Evaluating the technical bases for repository design by reviewing DOE documents and databases, paying particular attention to design features developed to promote drainage, control ventilation, and protect workers in the exhaust end of the ventilation system.
- Evaluating repository and waste package designs to identify which parts (if any) of the designs do not have a technical basis.
- Evaluating the technical basis for the DOE's work on alternative design features.
- After identifying the corrosion mechanisms most important to performance of the overall repository system, reviewing the common database (literature, laboratory, and field data) and judging the adequacy of the database for a decision on repository development.

## *3. Performance Goals Related to the Waste Management System and Strategy for Achieving Performance Goals*

### *PERFORMANCE GOALS*

- 3.1.1. Monitor efforts by the NRC to update estimates of risk associated with transportation of spent nuclear fuel and high-level radioactive waste.
- 3.1.2. Evaluate the operation of the entire repository facility, including the surface and sub-surface components.

- 3.2.1. Evaluate the effects of “off-normal” events at the surface facility and how the events could affect the ability of the facility to receive waste shipments.
- 3.2.2. Evaluate the effects of reduced receiving capacity at the repository surface facility on the nationwide transportation system.
- 3.3.1. Examine the ability of storage casks and containers, including multipurpose canisters, to serve as disposal casks and containers in a repository.
- 3.3.2. Evaluate effects of human errors in risks associated with packaging and transporting spent nuclear fuel.
- 3.4.1. Evaluate logistics capabilities of the transportation system.
- 3.4.2. Monitor progress in implementing new technologies for improving transportation safety for spent fuel (e.g., electronic braking, wheel-bearing monitoring).
- 3.4.3. Review criteria for waste acceptance for storage to ensure that accepted material has been suitably characterized for subsequent disposal.
- 3.4.4. Evaluate the DOE’s plans for enhancing safety capabilities along transportation corridors, and review the DOE’s planning and coordination activities (e.g., route selection), accident prevention activities (e.g., improved inspections and enforcement), and emergency response activities.

#### *STRATEGY FOR ACHIEVING GOALS*

The Board will accomplish its goals by doing the following.

- Meeting with the American Association of Railroads, individual railroad companies, and railroad infrastructure manufacturers to determine the current state of rail infrastructure, and noting the effects of a sustained transportation campaign on the railroad industry.
- Attending meetings of the DOE-sponsored Transportation External Coordination Working

Group to determine how well the DOE is working to implement Section 180(c) of the Nuclear Waste Policy Act.

- Holding meetings of the Board’s Panel on the Waste Management System, as appropriate.

*4. Performance Goals Related to Long-Term Activities and Strategy for Achieving Performance Goals (Will apply only if the site is found suitable and a site recommendation is ratified.)*

#### *PERFORMANCE GOALS*

- 4.1.1. Monitor the DOE’s proposed plans for performance confirmation to help ensure that uncertainties identified as part of the site recommendation process are addressed.
- 4.1.2. Monitor design modification activities undertaken by the DOE.

#### *STRATEGY FOR ACHIEVING GOALS*

The Board will accomplish its goals by doing the following.

- Reviewing critical documents provided by the DOE and its contractors, including contractor reports, process model reports, and TSPA.
- Reviewing performance-confirmation plans and meeting with DOE personnel to discuss aspects of the plans.

## **Evaluation of the Board’s Performance**

The Board believes that measuring its effectiveness by directly correlating improvements in the DOE program with Board actions and recommendations would be ideal. However, the Board has no implementing authority, so it cannot compel the DOE to comply with its recommendations. Consequently, a judgment about whether a specific recommendation had a positive outcome for the DOE program is, in most cases, (1) subjective and (2) an imprecise indicator of Board performance because implementation of Board recom-

mendations by the DOE is outside the Board's direct control. Therefore, to measure its performance in a given year, the Board has developed performance measures. For each annual performance goal, the Board considers the following.

1. Were the reviews, evaluations, and other activities undertaken under the auspices of the goal completed?
2. Were the results of the reviews, evaluations, and other activities communicated in a timely, understandable, and appropriate way to Congress and the Secretary of Energy?

If both measures are met, the Board's performance in meeting the annual goal will be judged effective. If only one measure is met, the performance of the Board in achieving that goal will be judged minimally effective. Failing to meet both performance measures without sufficient and compelling explanation will result in a judgment that the Board has been ineffective in achieving that performance goal.

The Board will use its evaluation of its own performance from the current year, together with its assessment of current or potential key issues of concern related to the DOE program, to establish its annual performance objectives and develop its budget request for subsequent years. The results of the Board's performance evaluation are included in the Board's annual summary report to Congress and the Secretary.

## Board Operations

The Board is composed of 11 members appointed by the President who serve on a part-time basis; are eminent in a relevant field of science or engineering, including environmental sciences; and are appointed solely on the basis of distinguished service. Because of the comprehensive nature of the program and the part-time availability of the members, Congress authorized the Board to maintain a small professional staff of 10 full-time employees to support the Board's comprehensive review of the DOE program. In addition to the members and professional staff, the Board maintains a small administrative staff that supports its activities.

The full Board meets three or four times each year. The Board has organized itself into panels that meet as needed. The Board also gathers information from field trips to the Yucca Mountain site, visits to contractor laboratories and facilities, and informal meetings with individuals working on the project. On the basis of the information gathered throughout the year, the Board issues its findings in letters and reports.

---

## Appendix J

# U.S. Nuclear Waste Technical Review Board Performance Plan: Fiscal Year 2004

The nation's goals related to the disposal of spent nuclear fuel and high-level radioactive waste were set forth by Congress in the Nuclear Waste Policy Act of 1982. The goals are to develop a repository or repositories for disposing of high-level radioactive waste and spent nuclear fuel at a suitable site or sites and establishing a program of research, development, and demonstration for the disposal of such waste.

The Nuclear Waste Policy Amendments Act of 1987 (NWPAA) limited repository development activities to a single site, Yucca Mountain in Nevada. The NWPAA also established the Board and charged it with evaluating the technical and scientific validity of the Secretary of Energy's activities associated with implementing the NWPAA. The activities include characterizing the Yucca Mountain site and packaging and transporting spent nuclear fuel and high-level radioactive waste.

The Board's performance goals for fiscal year (FY) 2004 have been developed to achieve the general goals and strategic objectives in its strategic plan. The goals also have been established in accordance with the Board's statutory mandate and reflect congressional action in 2002 authorizing the U.S. Department of Energy (DOE) to proceed with developing an application to be submitted to the Nuclear Regulatory Commission (NRC) for constructing a repository at Yucca Mountain. The Board's performance goals reflect the continuity of the Board's ongoing technical and scientific evaluation and the Board's "systems view" of the repository and of waste management activities.

### Performance Goals for FY 2004

The Board's performance goals for FY 2004 have been developed to further the achievement of the Board's general goals and strategic objectives. Because some of the general goals and strategic objectives relate to work and activities that will be undertaken in the future, they may not have corresponding annual performance goals in any given year. The performance goals have been numbered to correlate with appropriate strategic objectives in the Board's strategic plan for FY 2003–2008.

#### *1. Performance Goals Related to the Natural System and Strategy for Achieving the Goals*

##### *PERFORMANCE GOALS*

- 1.1.1 Review the technical activities and agenda of the DOE's Cost Reductions and Systems Enhancement effort.
- 1.1.2. Monitor the results of flow-and-transport studies to obtain information on the potential performance of the saturated zone as a natural barrier in the repository system.
- 1.1.3. Review DOE efforts to confirm estimates of natural-system performance, including tests of models and assumptions, and the pursuit of independent lines of evidence.
  - 1.2.1. Review DOE efforts to resolve questions related to possible seismic events and igneous consequences.

- 1.3.1. Evaluate geologic, hydrologic, and geochemical information obtained from the enhanced characterization of the repository block (ECRB) at Yucca Mountain.
- 1.3.2. Evaluate data from the drift-scale heater test.
- 1.3.3. Review plans and work carried out on possible analogues for the natural components of the repository system.
- 1.3.4. Recommend additional work needed to address uncertainties, paying particular attention to estimates of the rate and distribution of water seepage into the repository under proposed repository design conditions.
- 1.4.1. Evaluate tunnel-stability studies undertaken by the DOE.
- 1.5.1. Review the DOE's efforts to integrate results of scientific studies on the behavior of the natural system into repository designs.

## Strategy for Achieving Goals

The Board will accomplish its goals by doing the following.

- Holding three public meetings with the DOE and DOE contractor personnel involving the full Board and holding meetings of the Panel on the Natural System, as needed.
- Reviewing critical documents provided by the DOE and its contractors, including contractor reports, process model reports, and total system performance assessment (TSPA).
- Meeting with contractor principal investigators on technical issues, including those related to climate change, seismic and volcanic events, flow and transport in the unsaturated and saturated zones, seepage, and the biosphere.
- Visiting and observing ongoing exploratory studies facility (ESF), ECRB, and laboratory investigations, including the facilities at

Lawrence Livermore National Laboratory, Lawrence Berkeley National Laboratory, and Sandia National Laboratories. Observing other field investigations and visiting potential analogue sites. Visiting programs in other countries and attending national and international symposia and conferences.

## *2. Performance Goals Related to the Engineered System and Strategy for Achieving the Goals*

### *PERFORMANCE GOALS*

- 2.1.1. Monitor the DOE's performance allocation studies.
- 2.2.1. Review thermal testing and rock stability testing related to potential conditions in repository tunnels.
- 2.2.2. Evaluate data from studies of the effects of corrosion and the waste package environment on the predicted performance of materials being proposed for engineered barriers.
- 2.3.1. Review the progress and results of materials testing being conducted to address uncertainties about waste package performance.
- 2.3.2. Evaluate the DOE's efforts in identifying natural and engineered analogs for corrosion processes.
- 2.4.1. Monitor the DOE's development of analytical tools for assessing the differences between repository designs.
- 2.4.2. Evaluate the accuracy and completeness of the technical bases for repository and waste package designs and the extent to which the DOE is using the technical bases for modifying repository and waste package designs.
- 2.4.4. Evaluate the integration of the subsurface design and layout with thermal management and preclosure facility operations.
- 2.5.1. Assess the integration of scientific studies with engineering designs for the repository and the waste package.

## Strategy for Achieving Goals

The Board will accomplish its goals by doing the following.

- Holding three public meetings with DOE and contractor personnel involving the full Board and holding meetings of the Panel on the Engineered System, as needed.
- Reviewing critical documents provided by the DOE and its contractors, including contractor reports, process model reports, and TSPA.
- Meeting with contractor principal investigators on technical issues.
- Reviewing DOE documents and databases, paying particular attention to design features developed to promote drainage, control ventilation, and protect workers in the exhaust end of the ventilation system.
- Reviewing the common database (literature, laboratory, and field data) and judging the adequacy of the database for a decision on repository development.
- Visiting and observing ongoing laboratory investigations, including the facilities at Lawrence Livermore National Laboratory and Lawrence Berkeley National Laboratory. Visiting programs in other countries and attending national and international symposia and conferences.

### *3. Performance Goals Related to Repository System Performance and Integration and Strategy for Achieving Performance Goals*

#### *PERFORMANCE GOALS*

- 3.1.1. Identify which technical and scientific activities are on the critical path to reconciling uncertainties related to the DOE's performance estimates.
- 3.1.2. Determine the strengths and weaknesses of TSPA.
- 3.1.3. Evaluate the DOE's treatment of seismic and volcanism issues in TSPA.
- 3.2.1. Evaluate the DOE's quantification of uncertainties and conservatisms used in TSPA.
- 3.2.2. Review new data and updates of TSPA models, and identify models and data that should be updated.
  - 3.3.1. Evaluate the DOE's efforts to create a transparent and traceable TSPA.
  - 3.3.2. Evaluate the DOE's efforts to develop simplified models of repository performance.
  - 3.3.3. Evaluate the DOE's efforts to identify analogues for performance estimates of the overall repository system.
    - 3.4.1. Evaluate the DOE's efforts to analyze the contribution of the different engineered and natural barriers to waste isolation.
    - 3.5.1. Evaluate technical aspects of value engineering and performance-related trade-off studies, including criteria, weighting factors and decision methodologies for such studies and how technical uncertainties are taken into account.
      - 3.6.1. Recommend additional measures for strengthening the DOE's repository safety case.
        - 3.7.1. Evaluate the DOE's efforts to develop a feedback loop among performance-confirmation activities and TSPA models and data.
        - 3.7.2. Monitor the DOE's proposed plans for performance confirmation to help ensure that uncertainties identified as part of the site recommendation process are addressed.

## Strategy for Achieving Goals

The Board will accomplish its goals by doing the following.

- Holding three public meetings with DOE and contractor personnel involving the full Board and holding meetings of the Panel on the Repository System Performance and Integration, as needed.

- Reviewing critical documents provided by the DOE and its contractors, including contractor reports, process model reports, and the DOE's TSPA.
- Meeting with contractor's principal investigators on technical issues.
- Visiting and observing ongoing laboratory investigations, including the facilities at Lawrence Livermore National Laboratory, Lawrence Berkeley National Laboratory, Sandia National Laboratories, and the engineered-barrier test facility. Observing field investigations. Visiting programs in other countries and attending national and international symposia and conferences.

#### *4. Performance Goals Related to the Waste Management System and Strategy for Achieving the Goals*

##### *PERFORMANCE GOALS*

- 4.1.1. Evaluate the operation of the entire repository facility, including the surface and sub-surface components.
- 4.1.2. Monitor the identification of research needs to support improved understanding of the interaction of components of the waste management system.
- 4.1.3. Review the technical and scientific basis of the DOE's analyses of component interactions under various scenarios, including the degree of integration and redundancy across functional components over time.
- 4.1.4. Evaluate the effects of reduced receiving capacity at the repository surface facility on the nationwide transportation system.
- 4.1.5. Review criteria for waste acceptance for storage to ensure that accepted material has been suitably characterized for subsequent disposal.
- 4.2.1. Monitor the DOE's efforts to implement Section 180 (c) of the NWPA.

- 4.3.1. Monitor the DOE's progress in developing and implementing a transportation plan for shipping spent nuclear fuel and high-level radioactive waste to a Yucca Mountain repository.
- 4.3.2. Review the DOE's efforts to develop criteria for transportation mode and routing decisions.
- 4.3.3. Evaluate logistics capabilities of the transportation system.
- 4.3.4. Monitor progress in implementing new technologies for improving transportation safety for spent nuclear fuel.
- 4.3.5. Evaluate the DOE's plans for enhancing safety capabilities along transportation corridors, and review the DOE's planning and coordination activities (e.g., route selection), accident prevention activities (e.g., improved inspections and enforcement), and emergency response activities.

#### **Strategy for Achieving Goals**

The Board will accomplish its goals by doing the following.

- Holding three public meetings with DOE and contractor personnel involving the full Board and holding meetings of the Board's Panel on the Waste Management System in appropriate areas of the country.
- Reviewing critical documents provided by the DOE and its contractors, including contractor reports, process model reports, and TSPA.
- Meeting with groups involved in implementing transportation plans, including the NRC, the Department of Transportation, railroad and trucking companies, nonprofit groups, the utilities, and other stakeholders. Visiting programs in other countries and attending national and international conferences and symposia.